



**Key Indicator - 4.4 Maintenance of Campus Infrastructure**

**4.4.2 There are established systems and procedures for maintaining and utilizing physical and academic support facilities – classrooms, laboratory, library, sports complex, computers, classrooms etc.**

**Stock Verification Report**

Stock verification report provides an overview of the inventory status and accuracy within an organization. It typically includes details like the total quantity of each item in stock, discrepancies found during the verification process, reasons for discrepancies and recommendations for corrective actions. This report is crucial for ensuring proper inventory management, identifying potential issues like theft or misplacement, and maintaining accurate records of assets and supplies within the college.

YEAR	
<b>2023-2024</b>	<a href="#"><u>CLICK HERE</u></a>
<b>2022-2023</b>	<a href="#"><u>CLICK HERE</u></a>
<b>2021-2022</b>	<a href="#"><u>CLICK HERE</u></a>
<b>2020-2021</b>	<a href="#"><u>CLICK HERE</u></a>
<b>2019-2020</b>	<a href="#"><u>CLICK HERE</u></a>

**CRITERION IV****STOCK VERIFICATION REPORT****2023-2024****PG & RESEARCH DEPARTMENT OF CHEMISTRY**

Cauvery College For Women (Autonomous), Trichy Report of Physical Stock Verification							
Name of the Department: CHEMISTRY				Academic Year: 2023-2024			
Name of the Laboratory: CHEMISTRY				Date of Audit: 03.04.2024			
S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Service able	Condemed		
<b>LAB I</b>							
1.	Centrifuge Machine	3	2	1	-	-	Service bill attached
2.	Hand Rotatory Centrifuge Machine	1	1	-	-	-	-
3.	Distillation Unit	2	2	-	-	-	-
4.	Electronic balance 2 digits	1	1	-	-	-	-
5.	Electronic balance 3 digits	1	1	-	-	-	-
6.	Electronic balance 4 digits, SHIMADZU	1	-	1	-	-	Service bill attached
7.	Hot air Oven	2	1	1	-	-	Service bill attached
8.	Mechanical Shaker	2	2	-	-	-	-
9.	Photo electric colorimeter	4	3	1	-	-	Service bill attached
10.	Vacuum pump	3	2	1	-	-	Service bill attached
11.	Water bath(electronic)	1	1	-	-	-	-
12.	Electric bunSen	11	11	-	-	-	-
13.	Hot plate	2	2	-	-	-	-
14.	Heating mantle	1	1	-	-	-	-
15.	Hydrothermal Autoclave	1	1	-	-	-	-
16.	Single pan electronic balance	2	2	-	-	-	-
17.	Conductivity meter-ELICO model	12	12	-	-	-	-
18.	Conductivity cell	16	16	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**


19.	pH meter	3	3	-	-	-	-
20.	Digital Potentiometer	12	12	-	-	-	-
21.	Platinum electrode	10	10	-	-	-	-
22.	Reference electrode	9	9	-	-	-	-
23.	Sonicator bath	1	1	-	-	-	-
24.	Soxhlet apparatus	1	1	-	-	-	-
25.	Thermostat	1	1	-	-	-	-
26.	Fuming Exhaust wood	1	1	-	-	-	-
27.	Refrigerator	1	1	-	-	-	-
28.	Wavovs UV-VIS Spectrometer Double beam microprocessor	1	1	-	-	-	-
29.	Muffle Furnace	1	1	-	-	-	-
30.	Micro oven	1	1	-	-	-	-
31.	Spectrophotometer UV	1	1	-	-	-	-
32.	Magnetic stirrer	6	6	-	-	-	-
<b>LAB III</b>							
33.	Centrifuge Machine	2	2	-	-	-	-
34.	Chemical Balance	1	1	-	-	-	-
35.	Electronic balance with 2 digits	1	1	-	-	-	-
36.	Rough balance	1	1	-	-	-	-
37.	Electronic balance 4 digits	2	2	-	-	-	-
38.	Heating mantle	3	3	-	-	-	-
39.	Battery Balance	1	1	-	-	-	-
40.	Homogenizer	1	1	-	-	-	-
41.	Melting Point Apparatus	2	2	-	-	-	-
42.	Tray Gl sheet	1	1	-	-	-	-





**CRITERION IV**

**STOCK VERIFICATION REPORT**

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in -----CHEMISTRY----- Laboratory of -----CHEMISTRY----- Department.

for:   
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****DEPARTMENT OF BIOTECHNOLOGY**

Cauvery College For Women (Autonomous), Trichy

**Report of Physical Stock Verification**

Name of the Department: Biotechnology

Academic Year: 2023-2024

Name of the Laboratory: Biotechnology

Date of Audit: 07.04.2024

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Double Distillation Unit	1	Working	-	-	-	-
2.	Rotary Shaker with incubator	1	Working	-	-	-	-
3.	Laminar Air Flow chamber	2	Working	-	-	-	-
4.	Spectrophotometer	1	Working	-	-	-	-
5.	Electronic Balance	1	Working	-	1	-	-
6.	Spinwin MC - 01 Microcentrifuge	1	Working	-	-	-	-
7.	Spinix Vortex shaker - Tarson	1	Working	-	-	-	-
8.	Olympus Lab Binocular Microscope Model 'HB'	5	Working	-	-	-	-
9.	Olympus Monocular Microscope HSA	46	Working	-	-	-	-
10.	pH Meter - ELICO LT - 120	1	Working	-	-	-	-
11.	Clinical Centrifuge	1	Working	-	-	-	-
12.	Autoclave	2	Working	-	-	-	-
13.	UV Transilluminator	1	Working	-	-	-	-
14.	Water bath	1	Working	-	-	-	-
15.	Deep Freezer	1	Working	-	-	-	-
16.	Colorimeter	1	Working	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

17	Erma Ocular Micrometer	1	Working	-	-	-	-
18	Micro pipette 100 - 1000µl	3	Working	-	-	-	-
19	Micro pipette 50 - 200µl	1	Working	-	-	-	-
20	Micro pipette 0.5 - 10µl	2	Working	-	-	-	-
21	Hot Air Oven	1	Working	-	-	-	-
22	Incubator	1	Working	-	-	-	-
23	Heating Mantle	1	Working	-	-	-	-
24	Power Pack	3	Working	-	-	-	-
25	Refrigerator	1	Working	-	-	-	-
26	TAKARA PCR GRADIENT 461154	1	Working	-	-	-	-
27	Heamometer SAHLIS HBG	1	Working	-	-	-	-
28	Micro pipette 20-200µl	1	Working	-	-	-	-
29	Dissection Microscope	2	Working	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Biotechnology Laboratory of Biotechnology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****PG & RESEARCH DEPARTMENT OF PHYSICS**

Cauvery College for Women (Autonomous), Trichy

**Report of Physical Stock Verification**

Name of the Department: Physics

Academic Year: 2023-2024

Name of the Laboratory: PG Laboratory

Date of Audit: 22.03.2024

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/D.C [0-500microA]	6	6	-	-	-	-
2	Ammeter/D.C[0-30mA]	2	2	-	-	-	-
3	Ammeter/D.C[0-100mA]	13	13	-	-	-	-
4	Ammeter/D.C[0-500mA]	8	8	-	-	-	-
5	Ammeter/D.C[0-3A]	9	9	-	-	-	-
5	Anderson Bridge	4	4	-	-	-	-
6	Audio Frequency Oscillator	9	9	-	-	-	-
7	Audio Frequency Oscillator(adopter)	18	18	-	-	-	-
8	Base/Dry cell[1.5v]	8	8	-	-	-	-
9	Base/Dry cell[4.5v]	14	14	-	-	-	-
10	Base/Transistor	5	5	-	-	-	-
11	Battery Eliminator	10	10	-	-	-	-
12	Battery Eliminator pico	16	16	-	-	-	-
13	Board-ALU Board	7	7	-	-	-	-
14	Board-Analog Input [10kpot]	6	6	-	-	-	-
15	Board-Diodes	3	3	-	-	-	-
16	Board-Encoder Board	2	2	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

17	Board-I/O-10 switches-4 LED	1	1	-	-	-	-
18	Board-op-amp	18	18	-	-	-	-
19	Board-Resistor[2.2k]	6	6	-	-	-	-
20	Board-Resistor [1k,2k,10k,100k,0.1	5	5	-	-	-	-
21	Board resistor for op-amp[1k,2k,4k,8k]	6	6	-	-	-	-
22	Board-switch[4]	8	8	-	-	-	-
23	Board-Transistor, Resistor, Diode	8	8	-	-	-	-
24	Board-08 pins[555 timer]	9	9	-	-	-	-
25	Board-14 pins	67	67	-	-	-	-
26	Board-16 pins	28	28	-	-	-	-
27	Board-20 pins	6	6	-	-	-	-
28	Board-24 pins	2	2	-	-	-	-
29	Board-4 LED	4	4	-	-	-	-
30	Board-4 LED Display,1k,10k	4	4	-	-	-	-
31	Board-7 segment Display	12	12	-	-	-	-
32	Board-74154	5	5	-	-	-	-
33	Carey Foster Bridge	3	3	-	-	-	-
34	Capacitor Box-1Dial[0.1microF]	5	5	-	-	-	-
35	Capacitor Box-2Dial [0.01microF,0.1microF]	13	13	-	-	-	-
36	Capacitor Box-4 Dial-0.001microF,0.01microF, 0.1microF,1microF	2	2	-	-	-	-
37	Clamps/Condenser type	5	5	-	-	-	-
38	Clamps/Fisher type	9	9	-	-	-	-
39	Comparator for spectrum photograph	2	2	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

40	Computer	7	7	-	-	-	-
41	Constant deviation spectrometer	1	1	-	-	-	-
42	Constant temperature bath	1	1	-	-	-	-
43	C.R.O [single channel]	6	6	-	-	-	-
44	C.R.O Adopter	7	7	-	-	-	-
45	Daniel cell substitute	3	3	-	-	-	-
46	Digital IC tester	1	1	-	-	-	-
47	Digital stop clock[seconds display]	8	8	-	-	-	-
48	Dimmerstat [4A]	5	5	-	-	-	-
49	ESR spectrometer	2	2	-	-	-	-
50	e/m Magnetron Apparatus	3	3	-	-	-	-
51	Electromagnet with power supply service	2	2	-	-	-	-
52	Electronic Balance	1	1	-	-	-	-
53	Enlarger	1	1	-	-	-	-
54	FET meter	5	5	-	-	-	-
55	Forbes apparatus	2	2	-	-	-	-
56	Four probe apparatus	3	3	-	-	-	-
57	Gauss meter	4	4	-	-	-	-
58	Guoy Balance	1	1	-	-	-	-
59	Germanium sample	3	3	-	-	-	-
60	Hall probe	6	6	-	-	-	-
61	Hall set up apparatus	5	5	-	-	-	-
62	Hand Grincler for metallic rods	1	1	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

63	Hanger/50gm	8	8	-	-	-	-
64	Hanger/100g	5	5	-	-	-	-
65	High resistance[10k]	9	9	-	-	-	-
66	Jockey	11	11	-	-	-	-
67	Key[rocker]	4	4	-	-	-	-
68	Knife edge	4 sets	4 sets	-	-	-	-
69	Lechlanche cell	8	8	-	-	-	-
70	Logic module-6 switches	4	4	-	-	-	-
71	Logic module-12 switches	3	3	-	-	-	-
72	Logic module-16 switches	20	20	-	-	-	-
73	Magnetic stirrer with hot plate	2	2	-	-	-	-
74	Mercury vapour lamp-transformer setup	3	3	-	-	-	-
75	Metallic arc power supply	2	2	-	-	-	-
76	Meter bridge	3	3	-	-	-	-
77	Michelsons Interferometer	1	1	-	-	-	-
78	Microprocessor Interfaces Cables	14	14	-	-	-	-
79	Microprocessor Interfaces power pack	42	42	-	-	-	-
80	Microprocessor kit	20	20	-	-	-	-
81	Microscope-xy	3	3	-	-	-	-
82	Multimeter[analog]	1	1	-	-	-	-
83	Multimeter[digital]	25	25	-	-	-	-
84	Pulse code modulation and modulation kit	1	1	-	-	-	-
85	Polarimeter set up	3	3	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

86	Potentiometer	5	5	-	-	-	-
87	Power supply[5v]	4	4	-	-	-	-
88	Power supply[30v,2A]	4	4	-	-	-	-
89	Power supply[30v,25A] Dual regulator [30v,1A]	3	3	-	-	-	-
90	Power supply[dual] 30v,100mA&5v,100mA	3	3	-	-	-	-
91	Power supply dual[30v,1A&5v,0.1A]	3	3	-	-	-	-
92	Power supply for B.H curve-Anchor ring	2	2	-	-	-	-
93	Inductance 18MH	1	1	-	-	-	-
94	Power supply for full effect	2	2	-	-	-	-
95	Power supply for hydrogen discharge tube	3	3	-	-	-	-
96	Power supply and mount for hydrogen tube	1	1	-	-	-	-
97	Printer	1	1	-	-	-	-
98	Pulsor	16	16	-	-	-	-
99	Quinke's stand	4	4	-	-	-	-
100	Resistance Box-2 Dial[0.01,0.1]	5	5	-	-	-	-
101	Resistance Box-2 Dial[1,10]	5	5	-	-	-	-
102	Resistance Box-4 Dial[0.1,1,10,100]	2	2	-	-	-	-
103	Resistance Box-4 Dial[1,10,100,1000]	22	22	-	-	-	-
104	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
105	Rheostat[30ohm,4A,2.3ohm, 2.8m]	4	4	-	-	-	-
106	Rheostat[3600ohm,0.3A]	2	2	-	-	-	-
107	Sodium vapour lamp- Transformer setup	5	5	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

108	Solenoid inductance e/m	2	2	-	-	-	-
109	Spectrometer	8	8	-	-	-	-
110	Spot galvanometer	1	1	-	-	-	-
111	Stabilizer	1	1	-	-	-	-
112	Stand[circular base]	5	5	-	-	-	-
113	Stand[square base]	5	5	-	-	-	-
114	Stop clock	5	5	-	-	-	-
115	Stop watch[digital]	5	5	-	-	-	-
116	Telescope	6	6	-	-	-	-
117	Travelling microscope	6	6	-	-	-	-
118	Vernier caliper	14	14	-	-	-	-
119	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
120	Voltmeter/D.C[0-3V]	17	17	-	-	-	-
121	Voltmeter/D.C[0-10V]	14	14	-	-	-	-
122	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
123	Series transmission 8251 with cable	2	2	-	-	-	-
124	4.7K Pot Board	6	6	-	-	-	-
125	Head Phone for Anderson Bridge	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

22/3/24

**CRITERION IV****STOCK VERIFICATION REPORT**

Cauvery College for Women (Autonomous), Trichy							
Report of Physical Stock Verification							
Name of the Department: Physics				Academic Year: 2023-2024			
Name of the Laboratory: UG Laboratory 1& 2				Date of Audit: 22.03.2024			
S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/A.C[0-25mA]	10	10	-	-	-	-
2	Ammeter/A.C[0-15mA]	4	4	-	-	-	-
3	Ammeter/D.C[0-500microA]	7	7	-	-	-	-
4	Ammeter/D.C[0-25mA]	2	2	-	-	-	-
5	Ammeter/D.C[0-100mA]	17	17	-	-	-	-
5	Ammeter/D.C[0-500mA]	25	25	-	-	-	-
6	Ammeter/D.C[0-3A]	19	19	-	-	-	-
7	Audio Frequency Oscillator	12	12	-	-	-	-
8	Audio Frequency Oscillator(adopter)	17	17	-	-	-	-
9	Ballistic Galvanometer	1	1	-	-	-	-
10	Base/Dry cell[1.5v]	10	10	-	-	-	-
11	Base/Transistor	23	23	-	-	-	-
12	Battery Charger	1	1	-	-	-	-
13	Battery Eliminator	31	31	-	-	-	-
14	Battery Eliminator psc	26	26	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

15	Board-Analog Input[4.7kpot]	8	8	-	-	-	-
16	Board-I/O-12 switches	5	5	-	-	-	-
17	Board-op-amp	10	10	-	-	-	-
18	Board-Resistor[2.2k]						
19	Board-Resistor [1k,2k,10k,100k,0.01]	4	4	-	-	-	-
20	Board-switch[4]	6	6	-	-	-	-
21	Board-14 pins	77	77	-	-	-	-
22	Board-16 pins	49	49	-	-	-	-
23	Carey Foster Bridge	8	8	-	-	-	-
24	Calculator	1	1	-	-	-	-
25	Camera	1	1	-	-	-	-
26	Capacitor Box-1Dial [0.01microF]	5	5	-	-	-	-
27	Capacitor Box-1Dial [1microF]	8	8	-	-	-	-
28	Capacitor Box-2Dial [0.01microF,0.1microF]	10	10	-	-	-	-
29	Choke	7	7	-	-	-	-
30	Cluk	2	2	-	-	-	-
31	Clamps/Cantilever	14	14	-	-	-	-
32	Clamps/Fisher type	16	16	-	-	-	-
33	Clamps/Meldes	3	3	-	-	-	-
34	Clips/pinch type	14	14	-	-	-	-
35	Clips/screw type	13	13	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

36	Compound Pendulum	6	6	*	*	*	*
37	C.R.O [Double channel]	8	8	*	*	*	*
38	C.R.O Adopter	4	4	*	*	*	*
39	Daniel cell substitute	12					
40	Deflection magnetometer	14	14	*	*	*	*
41	Electromagnet melder's	4	4	*	*	*	*
42	Field along the axis apparatus	6	6	*	*	*	*
43	Galvanometer[30-0.30]D.C	26	26	*	*	*	*
44	Hanger/50gm	5	5	*	*	*	*
45	Hanger/100g	16	16	*	*	*	*
46	Hanger/500g	8	8	*	*	*	*
47	High resistanc[10k]	28	28	*	*	*	*
48	Induction Coil[0-500 turns]	11	11	*	*	*	*
49	Induction Coil[0-1450 turns]	9	9	*	*	*	*
50	Jockey	32	32	*	*	*	*
51	Joule's Callorimeter	5	5	*	*	*	*
52	Key[4 segment]	11	11	*	*	*	*
53	Key[charge discharge]	11	11	*	*	*	*
54	Key[commutator]	17	17	*	*	*	*
55	Key[DPDT]	10	10	*	*	*	*
56	Key[plug]	29	29	*	*	*	*
57	Knife edge	10 sets	10 sets	*	*	*	*

**CRITERION IV****STOCK VERIFICATION REPORT**

58	Knife edge-sonometer	6 sets	6 sets	-	-	-	-
59	Lamp and scale arrangement for B.G	2	2	-	-	-	-
60	Lechlanche cell	14	14	-	-	-	-
61	Lee's disc setup	1	1	-	-	-	-
62	Lens Holder/single	14	14	-	-	-	-
63	Lens Holder/double	6	6	-	-	-	-
64	Light source	7	7	-	-	-	-
65	Logic module-6 switches	8	8	-	-	-	-
66	Logic module-12 switches	5	5	-	-	-	-
67	Logic module-16 switches	11	11	-	-	-	-
68	Loud speaker	4	4	-	-	-	-
69	Magnetic stirrer with hot plate	1	1	-	-	-	-
70	Main switch	1	1	-	-	-	-
71	Melde's apparatus	7	7	-	-	-	-
72	Mercury vapour lamp-transformer setup	4	4	-	-	-	-
73	Meter bridge	4	4	-	-	-	-
74	Microprocessor kit	20	20	-	-	-	-
75	Microscope (or) Travelling microscope	13	13	-	-	-	-
76	Multimeter [digital]/mastech	2	2	-	-	-	-
77	Multimeter [digital]/MECO	44	37	-	-	-	-
78	Multimeter [digital]/ philips	2	2	-	-	-	-





CRITERION IV

STOCK VERIFICATION REPORT

79	Extension box 3m[A]	2	2	-	-	-	-
80	Extension box 5m[B] Power pack for microprocessor	1	1	-	-	-	-
81	Pan for Melde's experiment	3	3	-	-	-	-
82	Post office box	7	7	-	-	-	-
83	Potentiometer	13	13	-	-	-	-
84	Power supply[5v]	11	11	-	-	-	-
85	Resistance Box-1 Dial [0.01]	5	5	-	-	-	-
86	Resistance Box-1 Dial[0.1]	5	5	-	-	-	-
87	Resistance Box-1 Dial[1]	8	8	-	-	-	-
88	Resistance Box-2 Dial[0.01,0.1]	10	10	-	-	-	-
89	Resistance Box-2 Dial[0.1,1]	5	5	-	-	-	-
90	Resistance Box-2 Dial[1,10]	18	18	-	-	-	-
91	Resistance Box-4 Dial[0.1,1,10,100]	3	3	-	-	-	-
92	Resistance Box-4 Dial[1,10,100,1000]	18	18	-	-	-	-
93	Resistance Box-5 Dial[0.1,1,10,100,1k]	3	3	-	-	-	-
94	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
95	Rheostat[30ohm,4A,2.3 ohm,2.8m]	8	8	-	-	-	-
96	Rheostat [3600ohm,0.3A]	9	9	-	-	-	-
97	Rough Balance	2	2	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

98	Screw gauge	20	20	-	-	-	-
99	Sodium vapour lamp- Transformer setup	4	4	-	-	-	-
100	Sonometer	8	8	-	-	-	-
101	Spectrometer	8	8	-	-	-	-
102	Spherical calorimeter	18	18	-	-	-	-
103	Stand[circular base]	6	6	-	-	-	-
104	Stand[square base]	11	11	-	-	-	-
105	Standard capacitance[0.1microF]	2	2	-	-	-	-
106	Standard capacitance- 0.5microF	1	1	-	-	-	-
107	Standard capacitance[1microF]	4	4	-	-	-	-
108	Standard capacitance[5microF]	3	3	-	-	-	-
109	Standard resistance[1ohm]	20	20	-	-	-	-
110	Static torsion apparatus	5	5	-	-	-	-
111	Steam boiler	1	1	-	-	-	-
112	Stop clock	18	18	-	-	-	-
113	Stop watch [digital]	8	8	-	-	-	-
114	Stop watch [mechanical]	2	2	-	-	-	-
115	Telescope	13	13	-	-	-	-
116	Torsional pendulum	4	4	-	-	-	-
117	Travelling microscope	13	13	-	-	-	-
118	Tuning fork [288Hz]	2	2	-	-	-	-
119	Tuning fork [320Hz]	2	2	-	-	-	-
120	Tuning fork [341Hz]	3	3	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

121	Tuning fork [384Hz]	9	9	-	-	-	-
122	Tuning fork [426Hz]	10	10	-	-	-	-
123	Tuning fork [480Hz]	10	10	-	-	-	-
124	Tuning fork [512Hz]	11	11	-	-	-	-
125	Ultrasonic Interferometer	1	1	-	-	-	-
126	UJT-base board	4	4	-	-	-	-
127	Vernier caliper	13	13	-	-	-	-
128	Vibration magnetometer	6	4	-	-	-	-
129	Voltmeter/A.C [0-5V]	1	1	-	-	-	-
130	Voltmeter/A.C [0-30V]	4	4	-	-	-	-
131	Voltmeter/D.C [0-600mV]	1	1	-	-	-	-
132	Voltmeter/D.C[0-1000mV]	5	5	-	-	-	-
133	Voltmeter/D.C [0-3V]	24	24	-	-	-	-
134	Voltmeter/D.C [0-5V]	4	4	-	-	-	-
135	Voltmeter/D.C [0-6v]	1	1	-	-	-	-
136	Voltmeter/D.C [0-10V]	18	18	-	-	-	-
137	Voltmeter/D.C [0-25V]	4	4	-	-	-	-
138	Voltmeter/D.C [0-30V]	4	4	-	-	-	-
139	Voltmeter/D.C [0-50V]	5	5	-	-	-	-
140	M&H apparatus	4	4	-	-	-	-
141	Weight box [mg]	3	3	-	-	-	-
142	Weight box	11	11	-	-	-	-
143	Wooden block	4	4	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

144	Weights [cylindrical]	7 sets	7 sets	-	-	-	-
145	Wooden screen with wire Gauze	2	2	-	-	-	-
146	Wooden screen for lens experiment	7	7	-	-	-	-
147	Work bench [voltmeter (0-15V), Bread board]	3	3	-	-	-	-
148	Resistance box-4 Dial-0.01,0.1,1,10ohm	6	6	-	-	-	-
149	Bunsen Burner	1	1	-	-	-	-
150	Tripod Stand	1	1	-	-	-	-
151	Copper Calorimeter with Lid	1	1	-	-	-	-
152	Metallic Solid Cylinder	1	1	-	-	-	-
153	Boyles Law Apparatus Complete Set	1	1	-	-	-	-
154	Soldering Rod	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory 1 & 2 of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department  
22/3/24

**CRITERION IV****STOCK VERIFICATION REPORT****DEPARTMENT OF INFORMATION TECHNOLOGY**

<b>Cauvery College for Women (Autonomous), Trichy</b>							
<b>Report of Physical Stock Verification</b>							
<b>Name of the Department: Information Technology</b>				<b>Academic Year: 2023-2024</b>			
<b>Name of the Laboratory: Net Lab</b>				<b>Date of Audit: 15.04.2024</b>			
S. No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Air Conditioner	6	6	-	-	-	-
2	A/C Stabilizers	6	6	-	-	-	-
3	A/C Remote	3	3	-	-	-	-
4	Battery (UPS)	30	30	-	-	-	-
5	Bureau Steel Bureau (2) Wooden Bureau (2)	4	4	-	-	-	-
6	Chairs Steel Chair (85) Rotating Type Chair (8) S Type Chairs (1)	94	94	-	-	-	-
7	CD Drives SONY R/W DVD Driver	10	10	-	-	-	-
8	CD'S (software) SYSTEM ASUS Motherboard CD's PRINTER EPSON M200 Series Canon LBP 2900 EPSON FX2175 Epson L405 SCANNER CANON LIDE 120 Nirmal Suite LCD SONY EPSON	80   1 1 1 1  1 3  2 6	80   1 1 1 1  1 3  2 6	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

	<b>SOFTWARE CD's</b> MSDN PACK	<b>38</b>	<b>38</b>				
<b>9</b>	<b>EXTENSION BOX</b> External CD Drive	<b>13</b>	<b>13</b>	-	-	-	-
<b>10</b>	<b>Fan</b> Crompton Greaves (4)	<b>4</b>	<b>4</b>	-	-	-	-
<b>11</b>	<b>Firewall</b> WATCH GUARD FIREBOX (HARDWARE)	<b>1</b>	<b>1</b>	-	-	-	-
<b>12</b>	<b>Hard disk</b>	<b>2</b>	<b>2</b>	-	-	-	-
<b>13</b>	<b>LAPTOP</b>	<b>18</b>	<b>18</b>	-	-	-	-
<b>14</b>	<b>LCDs</b> LCD Pointer	<b>15</b>	<b>15</b>	-	-	-	-
<b>15</b>	<b>Printer</b> Epson FX 2175 (1) Epson M200 (1) Canon LBP200 (1) <b>Color Printer</b> Epson L405 (1)	<b>4</b>	<b>4</b>	-	-	-	-
<b>16</b>	<b>Racks</b> Steel Racks (2) Shoe Racks (1)	<b>3</b>	<b>3</b>	-	-	-	-
<b>17</b>	<b>System</b> INTEL Inside Xeon [Server] (1) System (80) (Windows 10)	<b>81</b>	<b>81</b>	-	-	-	-
<b>18</b>	<b>Switches</b> 24 Port (5)	<b>5</b>	<b>5</b>	-	-	-	-
<b>19</b>	<b>Scanner</b> Canon LIDE 120 ID Card Scanner	<b>1</b>	<b>1</b>	-	-	-	-
<b>20</b>	<b>Screen With Stand</b> <b>(Projector)</b>	<b>3</b>	<b>3</b>	-	-	-	-
<b>21</b>	<b>Speakers</b>	<b>2</b>	<b>2</b>	-	-	-	-
<b>22</b>	<b>Tube Lights</b>	<b>42</b>	<b>34</b>	<b>8</b>	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

	Tables						
23	System Table (24) Writing Table (Steel) - (2) Writing Table (Wooden) - (1)	27	27	-	-	-	-
24	UPS Frontline 10 KVA UPS (2)	2	2	-	-	-	-
25	WHITE BOARD	1	1	-	-	-	-
26	Web Camera	60	60	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in NET Laboratory of IT Department.

J. K. S.  
15/04/2024  
Lab In-charge

P. G. S.  
15/04/2024  
Physical Verifier

P. S. S.  
15/04/2024  
Head of the Department

V. S. S.

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Information Technology

Academic Year: 2023-2024

Name of the Laboratory: Distributed Technologies

Date of Audit :15.04.2024

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	AIR CONDITIONER	7	7	-	-	-	-
2	AC REMOTE	5	5	-	-	-	-
3	STABILIZER	7	7	-	-	-	-
4	FAN	6	6	-	-	-	-
5	EXHAUST FAN	1	-	-	-	-	-
6	TUBE LIGHTS	37	34	3	-	-	-
7	UPS	2	2	-	-	-	-
8	BATTERY	30	30	-	-	-	-
9	INVERTER	2	2	-	-	-	-
10	SWITCHES	4	4	-	-	-	-
11	RACK						
	1. Networking Rack	1	1				
	2. Battery Rack	2	2	-	-	-	-
	3. Shoe Rack	4	4				
	4. Closed Wooden Rack	1	1				
12	TABLE						
	1. Computer Table	34	34	-	-	-	-
	2. Staff Table	1	1				
	3. Dinning Table	1	1				
13	CHAIR						
	1. Brown Plastic Chairs	104	-	-	-	-	-
	2. Rotating Chairs	10					
	3. White Chair	10					
14	WOODEN BUREAU	2	2	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

15	WHITE BOARD	1	1	-	-	-	-
16	NOTICE BOARD	1	1	-	-	-	-
17	PROCESSOR	82	82	-	-	-	-
18	MONITOR	82	82	-	-	-	-
19	KEY BOARD	82	82	-	-	-	-
20	MOUSE	82	82	-	-	-	-
21	MOUSE PAD	82	82	-	-	-	-
22	SPEAKER						
	1. Black	10	10	-	-	-	-
	2. White	2	2	-	-	-	-
23	DVD DRIVE	2	2	-	-	-	-
24	PRINTER						
	1.Canon Laser Printer 2900B	1	1	-	-	-	Epson Old 2 Printers are replaced
	2 Canon All In One Laser MF4320	1	1	-	-	-	
	3.Epson LQ310 Dot Matrix	2	2	2	-	-	
25	HARD DISK (EXTERNAL) 1 TB	1	1	-	-	-	-
26	FIRE EXTINGUISHER	3	3	-	-	-	-
27	CLOCK	1	-	-	1	-	-
28	OHP	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in II Laboratory of II Department.

*S. B. S.*  
15/4/23  
Lab In-charge

*P. Ganesh*  
15/04/2024  
Physical Verifier

*P. S. S.*  
15/4/2024  
Head of the Department

*N. Jayathre*

**CRITERION IV****STOCK VERIFICATION REPORT****DEPARTMENT OF COMPUTER APPLICATION**

CAUVERY COLLEGE FOR WOMEN, TRICHY - 18		
DEPARTMENT OF COMPUTER APPLICATIONS		
STOCK DETAILS 2023 – 2024		
CA1 & CA2 LAB		
<b>Total : 114 Systems (Lab 1 = 57 + Lab 2 = 57 )</b>		
S.NO.	NAME OF THE ARTICLE	QUANTITY
1.	Intel Core i5-4440 CPU@3.10GHz	55
2.	Pentium IV processor (XP System)	1
3.	Intel Core i3-2120 3.30 GHz Processor (Lab – 1 – Sili Computers)	25
	Intel Core i3 – 2120 3.30 GHz Processor (Lab – 1- Riveraa Computers)	30
4.	Intel Xeon 5620 Server / 2.4GHZ/12MB (Lab -1 & Lab – 2 Server)	2 (1+1)
5.	Xeon – E3 – 1220 3.10GHZ/8MB (Lab – 1 UNIX Server)	1
6.	19" LED SAMSUNG (Lab – 2), XP 12"	57 (56 + 1)
	AOC 18.5 LED Monitor (Lab -1 Sili Computers)	25
	19" LCD (Lab – 1 Riveraa Computers)	32
7.	Keyboard (104 keys)	
	TVSE Keyboard (Lab – 1 Riveraa Computers)	29
	Logitech Keyboard	26
	Server & Unix Server	1 + 1
	TVSE Keyboard (Lab – 2 Riveraa Computers)	51
	Logitech Keyboard (Lab – 2 Riveraa Computers) Server	1
<b>Mouse :</b>		
8.	Logitech (Lab -1 & Lab – 2)	57 + 57
9.	Mouse Pad (Lab -1 & Lab – 2)	57 + 57 = 114
<b>Printers :</b>		
10.	-Epson FX890 (Lab – 1 & Lab – 2)	4 (2+2)
11.	-HP Laser Jet 1020 Plus	2 (1+1)
12.	-Epson M200 Ink Jet (3 in 1)	1
<b>CD Drive :</b>		
13.	DVD Writer	5 (2+3)



CRITERION IV

STOCK VERIFICATION REPORT

Switches :		
14.	-24 Port Switch (Lab -1 & Lab -2)	5 (3+2)
15.	-16 Port Switch (Lab -1 & Lab -2)	2
UPS :		
16.	10 KVA	2
17.	5 KVA	2
18.	Adapter	2
19.	Battery (Lab -1 & Lab -2)	45(25+20)
20.	A/c Stabilizer	8
21.	A/c remote	2
22.	Air Conditioner	8 (4+4)
23.	Battery rack	2
24.	Stabilizer rack	1
25.	Exhaust Fans	1
26.	Cupboard	2 (1+1)
27.	Shoe Racks	3
28.	Chairs	122
29.	Steel Chair, Table	1+1
30.	Clocks	2
31.	Bureau	2
32.	Table Fan (Pedestal)	2
33.	Table Fan (Wall)	6 +7
34.	Multimedia Kit (Speaker White)	1
35.	Notice Board	1
36.	Fire Extinguisher	2
37.	White Board	2
38.	Speaker (1 Ball 5 Set)	10
LCD:		
39.	Sony SDN 7	1
40.	Sony SDN 10	1

*Shy*  
*12/4/24*

*K.A.*  
*12/4/2024*

*r. kumar*  
*15.4.24*

**CAUVERY COLLEGE FOR WOMEN(AUTONOMOUS)  
CA4****TOTAL - 28 SYSTEMS**

S.No.	NAME OF THE ARTICLE	QUANTITY
1	AMD Athlon (View sonic)	28
2	<b>Keyboard</b> Logitech Keyboard Riviera Keyboard	27 1
<b>Mouse:</b>		
3	Logitech	28
<b>Switches:</b>		
4	-12 Port Switch	1
<b>UPS</b>		
5	UPS 10 KV	1
6	Battery	20
7	Battery Rack	1
8	Ceiling Fan	4
9	Shoe Rack	1
10	Tube Light	6
11	Black board	1
12	Wood Table	1
13	Door Locks	1
14	Windows Verticals	2
15	Wooden Desk	14
16	Wooden Siting Bench	14



**CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)  
ULTRA TECH LAB (CA3)  
STOCK (2024)**

S.No.	NAME OF THE ARTICLE	QUANTITY
1	INTEL XEON SILVER 4210 10 CORE PROCESSOR	1
2	AMD Athelon (View sonic)	5
	Intel(R) core(TM) I3(OLD Lenovo)	4
	12 <sup>th</sup> Gen Intel(R) core (TM) (new Lenovo)	3
	12 <sup>th</sup> Gen Intel(R) core (TM)(Think vision)	3
	Compaq System	2
	INTEL CORE I5 12400 12 <sup>TH</sup> GEN PROCESSOR	45
3	<u>CABLE</u>	
	POWER CABLE	63
	VJ CABLE	63
4	Keyboard	
	LENOVO Keyboard	56
	LOGITECH KEYBOARD	5
	RIVEERA	2
<b>Mouse:</b>		
5	OPTICAL MOUSE	56
6	LOGITECH	7
<b>Printers:</b>		
7	Epson FX-890 II	1
8	Epson M200 Ink Jet (3 in 1)	1
<b>CD Drive:</b>		
9	DVD Writer	2
<b>Switches:</b>		
10	-24 Port Switch	2

**CRITERION IV****STOCK VERIFICATION REPORT**

<b>UPS</b>		
11	UPS 10 KV	1
12	UPS 5 KV	1
13	Battery	30
14	A/C Stabilizer	5
15	A/C Remote	4
16	Air Conditioner	5
17	Battery Rack	2
18	Rotating Fan	5
19	Shoe Rack	1
20	Plastic Chairs	65
21	Clock	1
22	Tube Light	25
23	White board	1
24	Wood Table (with 4 Locks)	1
25	Cupboard (with lock)	2
26	Bureau	1
27	Door Locks	2+1
28	Windows Verticals	4+1
	Windows Screen	4
29	Multimedia Kit (PC's Speaker)	8
30	Notice Board	1
<b>Manual:</b>		
31	SANYO XGA Projector	1
32	Server (TYAN)	1
33	Motherboard Quick Start Guide	59
34	Motherboard user Guide	57
35	Epson FX-890	1
36	Samsung ML-1640 Manual	1



CRITERION IV

STOCK VERIFICATION REPORT

37	UPS Manual	1
38	Exide Power Safe (2 Years Warranty)	10
49	Exide Power Safe Plus (2 Years Warranty)	20

DATE: 12-04-2024

LAB : ULTRA TECH (CA3) - LAB

VERIFIED BY

*Akila K*  
AKILA K 12/4/24

*cl*

*V. Vijayalakshmi*  
SIGNATURE OF THE HOD 12/4/24

*V. Vijayalakshmi*

**CRITERION IV****STOCK VERIFICATION REPORT****PG & RESEARCH DEPARTMENT OF COMPUTER SCIENCE**

Cauvery College For Women(Autonomous), Trichy							
Report of Physical Stock Verification							
Name of the Department: Computer Science				Academic Year: 2023-2024			
Name of the Laboratory: CS Lab				Date of Audit: 25.03.2024			
S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condensed		
1	UPS 10KVA	4	4	-	-	-	-
2	Battery	62	62	-	-	-	-
3	Inverter	1	1	-	-	-	-
4	Inverter battery	1	1	-	-	-	-
5	Server						
	PRO-SEDA X3430/2.4GHZ	1	1	-	-	-	-
	Lenovo Think Server 1550	1	1	-	-	-	-
	Lenovo SR650 Serier2U Rack Server	1	1	-	-	-	-
6	<b>Node System</b>						
	PRO-CCREI3-210003.1GHZ	28	28	-	-	-	-
	Corei3322003.30HZ	32	32	-	-	-	-
	Intel Core i3 8 <sup>th</sup> 8100 Processor	64	64	-	-	-	-
	19inch LCD Monitor Samsung	28	28	-	-	-	-
	LED18.5 Monitor ADC	8	8	-	-	-	-
	LED 18.5 Monitor Samsung	24	24	-	-	-	-
	View Sonic Monitor	2	2	-	-	-	-
	Lenovo Monitor	67	67	-	-	-	-
	TVS Key Board	52	52	-	-	-	-
	Logitech Key Board	9	9	-	-	-	-
	Lenovo Key Board	68	68	-	-	-	-
	Logitech Mouse	71	71	-	-	-	-
	Lenovo Mouse	58	58	-	10	-	-
7	Lenovo Laptop	06	06	-	-	-	-
8	Mouse Pad	126	126	-	-	-	-
8	<b>Printer</b>						
	Epson Fx 890	3	3	-	-	-	-
	DMP TVS MSP250-STAR	1	1	-	-	-	-
	EPSON M100	2	2	-	-	-	-
	CANON	1	1	-	-	-	-
9	Ear Phone	59	59	-	-	-	-
10	Speakers	15	15	-	-	-	-
11	CD Drive	2	2	-	-	-	-
12	<b>Chair and Table</b>						
	S - Type Chairs	4	4	-	-	-	-
	Fiber Chairs	7	7	-	-	-	-
	System Table	48	48	-	-	-	-
	Open Table	5	5	-	-	-	-
	Cupboard Table	4	4	-	-	-	-
	One Small Steel Table	1	1	-	-	-	-
System Fiber Chairs	126	126	-	-	-	-	
13	Steel stools	3	3	-	-	-	-
14	<b>Wooden Rack</b>						
	Battery Rack	4	4	-	-	-	-





# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

	Shoe Rack	4	4	-	-	-	-
	Open Book Rack	1	1	-	-	-	-
15	Bureau	1	1	-	-	-	-
	Wooden Shelf With Sliding Doors	2	2	-	-	-	-
16	Fire Max	2	2	-	-	-	-
17	Software CD's						
	Epson M100 Series Disc vol1.0	2	2	-	-	-	-
	Epson FX890 Printer Drive	3	3	-	-	-	-
	Dmp -Tvs Map 250 Star Printer	1	1	-	-	-	-
	Canon	1	1	-	-	-	-
18	A/C						
	Toshiba Roof Mount Remote	9	9	-	-	-	-
	Remote	9	9	-	-	-	-
19	LCD Things						
	LCD	1	1	-	-	-	-
	Tripod Stand	3	3	-	-	-	-
	Converter - HDMI to VGA	5	5	-	-	-	-
	Line Filter -3 Socket						
	Por(Extension Box)	5	5	-	-	-	-
	Class Room LCD - Power Cable, Remote, VGA Cable	6	6	-	-	-	-
	Ethernet Adaptor (MARX)	1	1	-	-	-	-
	Web Camera(1080 HI RES)	5	5	-	-	-	-
20	Wall Clock	1	1	-	-	-	-
21	Fan	14	14	-	-	-	-
22	Light						
	Led Light,	42	42	-	-	-	-
	Tube Light	1	1	-	-	-	-
23	Announcement Speaker	1	1	-	-	-	-
24	Pen Tablet	1	1	-	-	-	-
25	Notice Board	1	1	-	-	-	-
26	White Board	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Computer Science Laboratory of P.G & Research Department of Computer Science.

*S. Nagaraj*  
Lab In-charge

*K. Omprakash*  
25/3/24  
Physical Verifier

*Anitha Rajah*  
25/3/24  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****DEPARTMENT OF FOOD SERVICE MANAGEMENT AND DIETETICS**

**Cauvery College For Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

**Name of the Department: Food Service Management and Dietetics**      **Academic Year: 2023-2024**  
**Name of the Laboratory: Food Science & Dietetics Lab**      **Date of Audit: 20.03.2024**  
**And**  
**Quantity Food Production Lab**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Domestic LPG / Double Burner stainless steel stoves (Lakshmi / Suryakiran brand)	12	12	12	-	-	-
2.	Cooking Ranges 5 (Each one range has 4 burner)	5 (Each 4 burner)	5	5	-	-	-
3.	Bajaj Toaster	1	1	1	-	-	-
4.	Hand Mixer (Philips)	1	1	1	-	-	-
5.	Weighing Balance	1	1	1	-	-	-
6.	Microwave oven	1	-	-	1	-	-
7.	Weighing Balance	1	1	1	-	-	-
8.	Oven, Toaster, Grill (DTG Oven - Bajaj)	1	1	1	-	-	-
9.	Weighing Balance (5kg)	2	2	2	-	-	-
10.	Weighing Balance (1 kg)	1	1	1	-	-	-
11.	Bathroom Weighing Scale	2	2	2	-	-	-
12.	Height -O-Meter	1	1	1	-	-	-
13.	Table Top Grinder (Ultra)	1	1	1	-	-	-
14.	Food Thermometer	1	1	1	-	-	-
15.	Microscope	1	1	1	-	-	-
16.	Refrigerator (253 Liters Samsung Frost Free Fridge)	1	1	1	-	-	-
17.	Refrigerator (BPL)	1	-	-	1	-	-
18.	BP Apparatus	1	1	1	-	-	-
19.	Stethoscope	1	1	1	-	-	-
20.	Preethi Mixie Chefpro	1	1	1	-	-	-
21.	Preethi Mixie Gold	1	1	1	-	-	-
22.	PH meter (Elico digital)	1	1	1	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

23.	Hot Air Oven & Electronic Digital Temperature Controller Cum Indicator	1	1	1	-	-	-
24.	Food Air Fryer	1	1	1	-	-	-
25.	BP Apparatus Delux BPAPPREG	1	1	1	-	-	-
26.	BP Apparatus Digital BPAPPRDIG	1	1	1	-	-	-
27.	Glucometer One Touch 434180	1	1	1	-	-	-
28.	Bajaj Oven Toaster Griller 2800 TMC	1	1	1	-	-	-
29.	Electronic Weighing Balance (600 gm)	2	2	2	-	-	-
30.	Electric Bunsen	1	1	1	-	-	-
31.	Food thermometer	2	2	2	-	-	-
32.	Lactometer	1	1	1	-	-	-
33.	Systronic colorimeter Microband with 8 filter	1	1	1	-	-	-
34.	Mixie - (3 Jar) (Havells Energia)	1	1	1	-	-	-
35.	Microscope (Light)	2	2	2	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Food Science & Dietetics Laboratory and Quantity Food Production Laboratory of Food Service Management and Dietetics Department.

K. Mahi  
Lab In-charge

*[Signature]*  
16/11/2024  
Physical Verifier

*[Signature]*  
16/11/2024  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****PG & RESEARCH DEPARTMENT OF MICROBIOLOGY****Cauvery College For Women (Autonomous), Trichy  
Report of Physical Stock Verification**

Name of the Department: PG &amp; Research Department of Microbiology

Academic Year: 2023-2024

Name of the Laboratory: PG Microbiology Laboratory

Date of Audit: 15-04-2024

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Agarose Gel Electrophoresis Unit	02	yes	no	no	no	nil
2.	Al Glass Water Still (Tempo)	01	yes	no	no	no	nil
3.	Anaerobic Jar (Btl Type)	01	yes	no	no	no	nil
4.	Autoclave (Inlab)	02	yes	no	no	no	nil
5.	BOD Incubator (Teleco)	01	yes	no	no	no	nil
6.	Clinical Centrifuge (Remi)	01	yes	no	no	no	nil
7.	Cooling Centrifuge (Remi Instruments)	01	yes	no	no	no	nil
8.	Cyclomixer (Remi)	01	yes	no	no	no	nil
9.	Deep Freezer (Blue star)	01	yes	no	no	no	nil
10.	Dessciator (Tarson)	01	yes	no	no	no	nil
11.	Electronic Balance (Ahamed)	01	yes	no	no	no	nil
12.	Electronic Balance (Precisa Instruments)	01	yes	no	yes	no	nil
13.	Gel Rocker (Bangalore Genei Pvt. Ltd.,)	01	yes	no	no	no	nil
14.	Hot air oven (Tempo)	01	yes	no	no	no	nil
15.	Hot Plate (Telco)	01	yes	no	no	no	nil
16.	Incubator (Tempo)	01	yes	no	no	no	nil
17.	Kjeldahl Apparatus (Borosil)	01	yes	no	no	no	nil
18.	Laminar air flow chamber (Atlantis)	01	yes	no	no	no	nil
19.	Magnetic Stirrer (Remi)	01	yes	no	no	no	nil
20.	Magnetic Stirrer (Remi) with hot plate	01	yes	no	no	no	nil

**CRITERION IV****STOCK VERIFICATION REPORT**

21.	Mechanical rotary Shaker (Remi)	01	yes	no	no	no	nil
22.	Micro centrifuge (Spin win)	01	yes	no	no	no	nil
23.	Microscope (Weswox)	20	yes	no	no	no	nil
24.	Microscope – Binocular(Weswox)	02	yes	no	no	no	nil
25.	Microscope with micro photographical attachment (Olympus Optical Co. Ltd.)	01	yes	no	no	no	nil
26.	Microscopes with Illuminator(Olympus)	20	yes	no	no	no	nil
27.	Mini Autoclave (Elcon, Self Ejective Type)	02	yes	no	no	no	nil
28.	Mini Cooler (Tarson)	01	yes	no	yes	no	nil
29.	Ph meter (Eli co Ltd.)	01	yes	no	no	no	nil
30.	Phase contrast microscope (Magnus Universal Ltd.)	01	yes	no	no	no	nil
31.	Polyacrylamide Gel Electrophoresis Unit	02	yes	no	no	no	nil
32.	Power Pack(Biotech make)	03	yes	no	no	no	nil
33.	Quebec Colony Counter (Deep Vision Colony Counter)	01	yes	no	no	no	nil
34.	Reuter – Air Sampler	01	yes	no	no	no	nil
35.	Spectrophotometer (Systronics)	01	yes	no	no	no	nil
36.	Thin-Layer Chromatography Unit (Acme Engineering Services)	02	yes	no	no	no	nil
37.	Tissue Culture Rack	01	yes	no	no	no	nil
38.	Transilluminator (Biotech Pvt. Ltd.)	01	yes	no	no	no	nil
39.	UV	01	yes	no	yes	no	nil



CRITERION IV

STOCK VERIFICATION REPORT

	Spectrophotometer (Systronics)						
40.	Water Bath (Guna)	01	yes	no	no	no	nil
41.	Water Bath cum shaker (Neolab)	01	yes	no	no	no	nil
42.	Whirlpool Fridge 265 liters	02	yes	no	no	no	nil
43.	Vacuum pump	01	yes	no	no	no	nil
44.	Vortex mixture	01	yes	no	no	no	nil
45.	Colorimeter (PG Lab)	01	yes	no	no		

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Microbiology Department.

*[Signature]*  
Lab In-charge 15/11/24

*[Signature]*  
15/11/24  
Physical Verifier

*[Signature]*  
Head of the Department 15/11/24

HEAD  
DEPT. OF MICROBIOLOGY  
CAUVERY COLLEGE FOR WOMEN  
TRICHY - 18


**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women (Autonomous), Trichy  
Report of Physical Stock Verification**Name of the Department: PG & Research Department of Microbiology  
Academic Year: 2023-2024

Name of the Laboratory: UG Microbiology Laboratory

Date of Audit: 27-03-2024

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Binocular microscope with illuminator (Olympus)	01	yes	No	No	No	nil
2	Clinical Centrifuge (Remi) (BC)	01	yes	No	No	No	nil
3	Colony counter (Deep Vision)	01	yes	No	No	No	nil
4	Distillation Unit ( Guna)	01	yes	No	No	No	nil
5	Electronic Balance ( Shimadzu)	01	yes	No	No	No	nil
6	Hot air oven (Tempo)	01	yes	No	No	No	nil
7	Hot Plate (Tempo)	01	yes	No	No	No	nil
8	Incubator (Tempo)	01	yes	No	No	No	nil
9	Laminar air flow chamber (Atlantis)	01	yes	No	No	No	nil
10	Ph meter (Eli co Ltd.)	01	yes	No	No	No	nil
11	Samsung Refrigerator	01	yes	No	No	No	nil
12	Spectrophotometer (Systronics)	01	yes	No	No	No	nil
13	Water Bath (Tempo)	01	yes	No	No	No	nil
14	Distillation unit (Borosil)	01	yes	No	No	No	nil
15	Heating mantle	01	yes	No	No	No	nil
16	Colorimeter(BC Lab)	01	yes	No	No	No	nil

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory of Microbiology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**HEAD**  
DEPT. OF MICROBIOLOGY  
CAUVERY COLLEGE FOR WOMEN  
TRICHY - 18



# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

2022-2023

### PG DEPARTMENT OF CHEMISTRY

Cauvery College For Women(Autonomous), Trichy  
Report of Physical Stock Verification

Name of the Department: CHEMISTRY      Academic Year: 2022,2023  
Name of the Laboratory: CHEMISTRY      Date of Audit: 08.04.2022

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Service able	Condemned		
LAB I							
1.	Centrifuge Machine	2	1	2	-	-	-
2.	Hand Rotatory Centrifuge Machine	1	1	-	-	-	-
3.	Distillation Unit	2	1	1	-	-	-
4.	Electronic balance 2 digits	1	1	-	-	-	-
5.	Electronic balance 4 digits, SHIMADZU	1	-	1	-	-	Service bill attached
6.	Hot air Oven	2	1	1	-	-	Service bill attached
7.	Mechanical Shaker	2	1	1	-	-	Service bill attached
8.	Photo electric colorimeter	4	3	1	-	-	Service bill attached
9.	Vacuum pump	3	3	-	-	-	-
10.	Water bath(electronic)	1	1	-	-	-	-
11.	Electric bunSen	11	11	-	-	-	-
12.	Hot plate	2	2	-	-	-	-
13.	Heating mantle	1	1	-	-	-	-
14.	Hydrothermal Autoclave	1	1	-	-	-	-
15.	Single pan electronic balance	2	2	-	-	-	-
16.	Conductivity meter-ELICO model	15	9	6	-	-	Service bill attached
17.	Conductivity cell	16	16	-	-	-	-
18.	pH meter	3	2	1	-	-	-





# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

19.	Digital Potentiometer	12	6	6	-	-	-	Service bill attached
20.	Platinum electrode	10	10	-	-	-	-	-
21.	Reference electrode	10	9	-	1	-	-	-
22.	Sonicator bath	1	1	-	-	-	-	-
23.	Soxhlet apparatus	1	1	-	-	-	-	-
24.	Thermostat	1	1	-	-	-	-	-
25.	Fuming Exhaust hood	1	1	-	-	-	-	-
26.	Refrigerator	1	1	-	-	-	-	-
27.	Wesvox UV-VIS Spectrometer Double beam microprocessor	1	1	-	-	-	-	-
<b>LAB III</b>								
28.	Centrifuge Machine	2	2	-	-	-	-	-
29.	Chemical Balance	1	1	-	-	-	-	-
30.	Electronic balance with 2 digits	1	1	-	-	-	-	-
31.	Rough balance	1	1	-	-	-	-	-
32.	Electronic balance 4 digits	2	2	-	-	-	-	-
33.	Heating mantle	3	3	-	-	-	-	-
34.	Battery Balance	1	1	-	-	-	-	-
35.	Homogenizer	1	1	-	-	-	-	-
36.	Melting Point Apparatus	2	2	-	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in

TRY Department.

CHEMISTRY Laboratory of CHEMISTRY

K. Senthil  
Lab In-charge

M. Kuthirai  
Physical Verifier

P. Senthil  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Biotechnology****Academic Year: 2022-2023****Name of the Laboratory: Biotechnology****Date of Audit: 8.04.2023**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Double Distillation Unit	1	Working	-	-	-	-
2.	Rotary Shaker with incubator	1	Working	-	-	-	-
3.	Laminar Air Flow chamber	2	Working	-	-	-	-
4.	Spectrophotometer	1	Working	-	-	-	-
5.	Electronic Balance	2	Working	-	1	-	-
6.	Spinwin MC – 01 Microcentrifuge	1	Working	-	-	-	-
7.	Spinix Vortex shaker - Tarson	1	Working	-	-	-	-
8.	Olympus Lab Binocular Microscope Model 'HB'	5	Working	-	-	-	-
9.	Olympus Monocular Microscope HSA	46	Working	-	-	-	-
10.	pH Meter – ELICO LT - 120	1	Working	-	-	-	-
11.	Clinical Centrifuge	1	Working	-	-	-	-
12.	Autoclave	2	Working	-	-	-	-
13.	UV Transilluminator	1	Working	-	-	-	-
14.	Water bath	1	Working	-	-	-	-
15.	Deep Freezer	1	Working	-	-	-	-
16.	Colorimeter	1	Working	-	-	-	-




CRITERION IV

STOCK VERIFICATION REPORT

17.	Erma Ocular Micrometer	1	Working	-	-	-	-
18.	Micropipette 100 - 1000µL	3	Working	-	-	-	-
19.	Micropipette 50 - 200µL	1	Working	-	-	-	-
20.	Micropipette 0.5 - 10µL	2	Working	-	-	-	-
21.	Hot Air Oven	1	Working	-	-	-	-
22.	Incubator	1	Working	-	-	-	-
23.	Heating Mantle	1	Working	-	-	-	-
24.	Power Pack	3	Working	-	-	-	-
25.	Refrigerator	1	Working	-	-	-	-
26.	TAKARA PCR GRADIEN 461154	1	Working	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Biotechnology Laboratory of Biotechnology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Physics

Academic Year: 2022-2023

Name of the Laboratory: PG Laboratory

Date of Audit: 01.04.2023

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/D.C[0-500microA]	6	6	-	-	-	-
2	Ammeter/D.C[0-30mA]	2	2	-	-	-	-
3	Ammeter/D.C[0-100mA]	13	13	-	-	-	-
4	Ammeter/D.C[0-500mA]	8	8	-	-	-	-
5	Ammeter/D.C[0-3A]	9	9	-	-	-	-
5	Anderson Bridge	4	4	-	-	-	-
6	Audio Frequency Oscillator	9	9	-	-	-	-
7	Audio Frequency Oscillator(adopter)	18	18	-	-	-	-
8	Base/Dry cell[1.5v]	8	8	-	-	-	-
9	Base/Dry cell[4.5v]	14	14	-	-	-	-
10	Base/Transistor	5	5	-	-	-	-
11	Battery Eliminator	10	10	-	-	-	-
12	Battery Eliminator pico	16	16	-	-	-	-
13	Board-ALU Board	7	7	-	-	-	-
14	Board-Analog Input[10kpot]	6	6	-	-	-	-
15	Board-Diodes	3	3	-	-	-	-
16	Board-Encoder Board	2	2	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

17	Board-I/O-10 switches-4LED	1	1	-	-	-	-
18	Board-op-amp	18	18	-	-	-	-
19	Board-Resistor[2.2k]	6	6	-	-	-	-
20	Board-Resistor[1k,2k,10k,100k,0.1]	5	5	-	-	-	-
21	Board resistor for op-amp[1k,2k,4k,8k]	6	6	-	-	-	-
22	Board-switch[4]	8	8	-	-	-	-
23	Board-Transistor, Resistor, Diode	8	8	-	-	-	-
24	Board-08 pins[555 timer]	9	9	-	-	-	-
25	Board-14 pins	67	67	-	-	-	-
26	Board-16 pins	28	28	-	-	-	-
27	Board-20 pins	6	6	-	-	-	-
28	Board-24 pins	2	2	-	-	-	-
29	Board-4 LED	4	4	-	-	-	-
30	Board-4 LED Display,1k,10k	4	4	-	-	-	-
31	Board-7 segment Display	12	12	-	-	-	-
32	Board-74154	5	5	-	-	-	-
33	Carey Foster Bridge	3	3	-	-	-	-
34	Capacitor Box-1Dial[0.1microF]	5	5	-	-	-	-
35	Capacitor Box-2Dial[0.01microF,0.1microF]	13	13	-	-	-	-
36	CapacitorBox-4Dial-0.001microF,0.01microF,0.1microF,1microF	2	2	-	-	-	-
37	Clamps/Condenser type	5	5	-	-	-	-
38	Clamps/Fisher type	9	9	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

39	Comparator for spectrum photograph	2	2	-	-	-	-
40	Computer	7	7	-	-	-	-
41	Constant deviation spectrometer	1	1	-	-	-	-
42	Constant temperature bath	1	1	-	-	-	-
43	C.R.O [single channel]	6	6	-	-	-	-
44	C.R.O Adopter	7	7	-	-	-	-
45	Daniel cell substitute	3	3	-	-	-	-
46	Digital IC tester	1	1	-	-	-	-
47	Digital stop clock[seconds display]	8	8	-	-	-	-
48	Dimmerstat [4A]	5	5	-	-	-	-
49	ESR spectrometer	2	2	-	-	-	-
50	e/m Magnetron Apparatus	3	3	-	-	-	-
51	Electromagnet with power supply service	2	2	-	-	-	-
52	Electronic Balance	1	1	-	-	-	-
53	Enlarger	1	1	-	-	-	-
54	FET meter	5	5	-	-	-	-
55	Forbes apparatus	2	2	-	-	-	-
56	Four probe apparatus	3	3	-	-	-	-
57	Gauss meter	4	4	-	-	-	-
58	Guoy Balance	1	1	-	-	-	-
59	Germanium sample	3	3	-	-	-	-
60	Hall probe	6	6	-	-	-	-
61	Hall set up apparatus	5	5	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

62	Hand Grincler for metallic rods	1	1	-	-	-	-
63	Hanger/50gm	8	8	-	-	-	-
64	Hanger/100g	5	5	-	-	-	-
65	High resistance[10k]	9	9	-	-	-	-
66	Jockey	11	11	-	-	-	-
67	Key[rocker]	4	4	-	-	-	-
68	Knife edge	4 sets	4 sets	-	-	-	-
69	Lechlanche cell	8	8	-	-	-	-
70	Logic module-6 switches	4	4	-	-	-	-
71	Logic module-12 switches	3	3	-	-	-	-
72	Logic module-16 switches	20	20	-	-	-	-
73	Magnetic stirrer with hot plate	2	2	-	-	-	-
74	Mercury vapour lamp-transformer setup	3	3	-	-	-	-
75	Metallic arc power supply	2	2	-	-	-	-
76	Meter bridge	3	3	-	-	-	-
77	Michelsons Interferometer	1	1	-	-	-	-
78	Microprocessor Interfaces Cables	14	14	-	-	-	-
79	Microprocessor Interfaces power pack	42	42	-	-	-	-
80	Microprocessor kit	20	20	-	-	-	-
81	Microscope-xy	3	3	-	-	-	-
82	Multimeter[analog]	1	1	-	-	-	-
83	Multimeter[digital]	25	25	-	-	-	-
84	Pulse code modulation and modulation kit	1	1	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

85	Polarimeter set up	3	3	-	-	-	-
86	Potentiometer	5	5	-	-	-	-
87	Power supply[5v]	4	4	-	-	-	-
88	Power supply[30v,2A]	4	4	-	-	-	-
89	Power supply[30v,25A] Dual regulator [30v,1A]	3	3	-	-	-	-
90	Power supply[dual] 30v,100mA&5v,100mA	3	3	-	-	-	-
91	Power supply dual[30v,1A&5v,0.1A]	3	3	-	-	-	-
92	Power supply for B.H curve-Anchor ring	2	2	-	-	-	-
93	Inductance 18MH	1	1	-	-	-	-
94	Power supply for full effect	2	2	-	-	-	-
95	Power supply for hydrogen discharge tube	3	3	-	-	-	-
96	Power supply and mount for hydrogen tube	1	1	-	-	-	-
97	Printer	1	1	-	-	-	-
98	Pulsor	16	16	-	-	-	-
99	Quinke's stand	4	4	-	-	-	-
100	Resistance Box-2 Dial[0.01,0.1]	5	5	-	-	-	-
101	Resistance Box-2 Dial[1,10]	5	5	-	-	-	-
102	Resistance Box-4 Dial[0.1,1,10,100]	2	2	-	-	-	-
103	Resistance Box-4 Dial[1,10,100,1000]	22	22	-	-	-	-
104	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
105	Rheostat[30ohm,4A,2.3 ohm,2.8m]	4	4	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

106	Rheostat[3600ohm,0.3 A]	2	2	-	-	-	-
107	Sodium vapour lamp-Transformer setup	5	5	-	-	-	-
108	Solenoid inductance e/m	2	2	-	-	-	-
109	Spectrometer	8	8	-	-	-	-
110	Spot galvanometer	1	1	-	-	-	-
111	Stabilizer	1	1	-	-	-	-
112	Stand[circular base]	5	5	-	-	-	-
113	Stand[square base]	5	5	-	-	-	-
114	Stop clock	5	5	-	-	-	-
115	Stop watch[digital]	5	5	-	-	-	-
116	Telescope	6	6	-	-	-	-
117	Travelling microscope	6	6	-	-	-	-
118	Vernier caliper	14	14	-	-	-	-
119	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
120	Voltmeter/D.C[0-3V]	17	17	-	-	-	-
121	Voltmeter/D.C[0-10V]	14	14	-	-	-	-
122	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
123	Series transmission 8251 with cable	2	2	-	-	-	-
124	4.7K Pot Board	6	6	-	-	-	-
125	Head Phone for Anderson Bridge	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT**

Cauvery College for Women (Autonomous), Trichy

**Report of Physical Stock Verification**

Name of the Department: Physics

Academic Year: 2022-2023

Name of the Laboratory: UG Laboratory 1&amp; 2

Date of Audit: 01.04.2023

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/A.C[0-25mA]	10	10	-	-	-	-
2	Ammeter/A.C[0-15mA]	4	4	-	-	-	-
3	Ammeter/D.C[0-500microA]	7	7	-	-	-	-
4	Ammeter/D.C[0-25mA]	2	2	-	-	-	-
5	Ammeter/D.C[0-100mA]	17	17	-	-	-	-
5	Ammeter/D.C[0-500mA]	25	25	-	-	-	-
6	Ammeter/D.C[0-3A]	19	19	-	-	-	-
7	Audio Frequency Oscillator	12	12	-	-	-	-
8	Audio Frequency Oscillator(adopter)	17	17	-	-	-	-
9	Ballistic Galvanometer	1	1	-	-	-	-
10	Base/Dry cell[1.5v]	10	10	-	-	-	-
11	Base/Transistor	23	23	-	-	-	-
12	Battery Charger	1	1	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

13	Battery Eliminator	31	31	-	-	-	-
14	Battery Eliminator pic	26	26	-	-	-	-
15	Board-Analog Input[4.7kpot]	8	8	-	-	-	-
16	Board-I/O-12 switches	5	5	-	-	-	-
17	Board-op-amp	10	10	-	-	-	-
18	Board-Resistor[2.2k]						
19	Board-Resistor[1k,2k,10k,100k,0.01k]	4	4	-	-	-	-
20	Board-switch[4]	6	6	-	-	-	-
21	Board-14 pins	77	77	-	-	-	-
22	Board-16 pins	49	49	-	-	-	-
23	Carey Foster Bridge	8	8	-	-	-	-
24	Calculator	1	1	-	-	-	-
25	Camera	1	1	-	-	-	-
26	Capacitor Box-1Dial[0.01microF]	5	5	-	-	-	-
27	Capacitor Box-1Dial[1microF]	8	8	-	-	-	-
28	Capacitor Box-2Dial[0.01microF,0.1microF]	10	10	-	-	-	-
29	Choke	7	7	-	-	-	-
30	Chuk	2	2	-	-	-	-
31	Clamps/Cantilever	14	14	-	-	-	-
32	Clamps/Fisher type	16	16	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

33	Clamps/Meldes	3	3	-	-	-	-
34	Clips/pinch type	14	14	-	-	-	-
35	Clips/screw type	13	13	-	-	-	-
36	Compound Pendulum	6	6	-	-	-	-
37	C.R.O [Double channel]	8	8	-	-	-	-
38	C.R.O Adopter	4	4	-	-	-	-
39	Daniel cell substitute	12					
40	Deflection magnetometer	14	14	-	-	-	-
41	Electromagnet melder's	4	4	-	-	-	-
42	Field along the axis apparatus	6	6	-	-	-	-
43	Galvanometer[30-0.30]/D.C	26	26	-	-	-	-
44	Hanger/50gm	5	5	-	-	-	-
45	Hanger/100g	16	16	-	-	-	-
46	Hanger/500g	8	8	-	-	-	-
47	High resistane[10k]	28	28	-	-	-	-
48	Induction Coil[0-500 turns]	11	11	-	-	-	-
49	Induction Coil[0-1450 turns]	9	9	-	-	-	-
50	Jockey	32	32	-	-	-	-
51	Joule's Callorimeter	4	4	-	-	-	-
52	Key[4 segment]	11	11	-	-	-	-
53	Key[charge discharge]	11	11	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

54	Key[commutator]	17	17	-	-	-	-
55	Key[DPDT]	10	10	-	-	-	-
56	Key[plug]	29	29	-	-	-	-
57	Knife edge	10 sets	10 sets	-	-	-	-
58	Knife edge-sonometer	6 sets	6 sets	-	-	-	-
59	Lamp and scale arrangement for B.G	2	2	-	-	-	-
60	Lechlanche cell	14	14	-	-	-	-
61	Lee's disc setup	1	1	-	-	-	-
62	Lens Holder/single	14	14	-	-	-	-
63	Lens Holder/double	6	6	-	-	-	-
64	Light source	7	7	-	-	-	-
65	Logic module-6 switches	8	8	-	-	-	-
66	Logic module-12 switches	5	5	-	-	-	-
67	Logic module-16 switches	11	11	-	-	-	-
68	Loud speaker	4	4	-	-	-	-
69	Magnetic stirrer with hot plate	1	1	-	-	-	-
70	Main switch	1	1	-	-	-	-
71	Melde's apparatus	7	7	-	-	-	-
72	Mercury vapour lamp-transformer setup	4	4	-	-	-	-
73	Meter bridge	4	4	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

74	Microprocessor kit	20	20	-	-	-	-
75	Microscope(or) Travelling microscope	13	13	-	-	-	-
76	Multimeter[digital]/mas tech	2	2	-	-	-	-
77	Multimeter[digital]/ME CO	44	37	-	-	-	-
78	Multimeter[digital]/phili ps	2	2	-	-	-	-
79	Extension box 3m[A]	2	2	-	-	-	-
80	Extension box 5m[B] Power pack for microprocessor	1	1	-	-	-	-
81	Pan for Melde's experiment	3	3	-	-	-	-
82	Post office box	7	7	-	-	-	-
83	Potentiometer	13	13	-	-	-	-
84	Power supply[5v]	11	11	-	-	-	-
85	Resistance Box-1 Dial[0.01]	5	5	-	-	-	-
86	Resistance Box-1 Dial[0.1]	5	5	-	-	-	-
87	Resistance Box-1 Dial[1]	8	8	-	-	-	-
88	Resistance Box-2 Dial[0.01,0.1]	10	10	-	-	-	-
89	Resistance Box-2 Dial[0.1,1]	5	5	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

90	Resistance Box-2 Dial[1,10]	18	18	-	-	-	-
91	Resistance Box-4 Dial[0.1,1,10,100]	3	3	-	-	-	-
92	Resistance Box-4 Dial[1,10,100,1000]	18	18	-	-	-	-
93	Resistance Box-5 Dial[0.1,1,10,100,1k]	3	3	-	-	-	-
94	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
95	Rheostat[30ohm,4A,2.3 ohm,2.8m]	8	8	-	-	-	-
96	Rheostat[3600ohm,0.3A ]	9	9	-	-	-	-
97	Rough Balance	2	2	-	-	-	-
98	Screw gauge	20	20	-	-	-	-
99	Sodium vapour lamp- Transformer setup	4	4	-	-	-	-
100	Sonometer	8	8	-	-	-	-
101	Spectrometer	8	8	-	-	-	-
102	Spherical calorimeter	18	18	-	-	-	-
103	Stand[circular base]	6	6	-	-	-	-
104	Stand[square base]	11	11	-	-	-	-
105	Standard capacitance[0.1microF	2	2	-	-	-	-
106	Standard capacitance- 0.5microF	1	1	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

107	Standard capacitance[1microF]	4	4	-	-	-	-
108	Standard capacitance[5microF]	3	3	-	-	-	-
109	Standard resistance[1ohm]	20	20	-	-	-	-
110	Static torsion apparatus	5	5	-	-	-	-
111	Steam boiler	1	1	-	-	-	-
112	Stop clock	18	18	-	-	-	-
113	Stop watch[digital]	8	8	-	-	-	-
114	Stop watch[mechanical]	2	2	-	-	-	-
115	Telescope	13	13	-	-	-	-
116	Torsional pendulum	4	4	-	-	-	-
117	Travelling microscope	13	13	-	-	-	-
118	Tuning fork[288Hz]	2	2	-	-	-	-
119	Tuning fork[320Hz]	2	2	-	-	-	-
120	Tuning fork[341Hz]	3	3	-	-	-	-
121	Tuning fork[384Hz]	9	9	-	-	-	-
122	Tuning fork[426Hz]	10	10	-	-	-	-
123	Tuning fork[480Hz]	10	10	-	-	-	-
124	Tuning fork[512Hz]	11	11	-	-	-	-
125	Ultrasonic interferometer	1	1	-	-	-	-
126	UJT-base board	4	4	-	-	-	-
127	Vernier caliper	13	13	-	-	-	-
128	Vibration magnetometer	6	6	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

129	Voltmeter/A.C[0-5V]	1	1	-	-	-	-
130	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
131	Voltmeter/D.C[0-600mV]	1	1	-	-	-	-
132	Voltmeter/D.C[0-1000mV]	5	5	-	-	-	-
133	Voltmeter/D.C[0-3V]	24	24	-	-	-	-
134	Voltmeter/D.C[0-5V]	4	4	-	-	-	-
135	Voltmeter/D.C[0-6v]	1	1	-	-	-	-
136	Voltmeter/D.C[0-10V]	18	18	-	-	-	-
137	Voltmeter/D.C[0-25V]	4	4	-	-	-	-
138	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
139	Voltmeter/D.C[0-50V]	5	5	-	-	-	-
140	M&H apparatus	4	4	-	-	-	-
141	Weight box[mg]	3	3	-	-	-	-
142	Weight box	11	11	-	-	-	-
143	Wooden block	4	4	-	-	-	-
144	Weights[cylindrical]	7 sets	7 sets	-	-	-	-
145	Wooden screen with wire Gauze	2	2	-	-	-	-
146	Wooden screen for lens experiment	7	7	-	-	-	-
147	Work bench[voltmeter(0-15V),Bread board]	3	3	-	-	-	-
148	Resistance box-4 Dial-0.01,0.1,1,10ohm	6	6	-	-	-	-



**CRITERION IV**

**STOCK VERIFICATION REPORT**

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory 1 & 2 of Physics Department.

  
**Lab In-charge**

  
**Physical Verifier**

  
**Head of the Department**

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Information Technology

Academic Year: 2022-2023

Name of the Laboratory: Net Lab

Date of Audit:27.03.2023

S. No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Air Conditioner	6	6	-	-	-	-
2	A/C Stabilizers	6	6	-	-	-	-
3	A/C Remote	2	2	-	-	-	-
4	Battery (UPS)	30	30	-	-	-	-
5	Bureau Steel Bureau (2) Wooden Bureau (2)	4	4	-	-	-	-
6	Chairs Steel Chair (85) Rotating Type Chair (8) S Type Chairs (2)	95	95	-	-	-	-
7	CD Drives SONY RAW DVD Driver	10	10	-	-	-	-
8	CD'S (software) <b>SYSTEM</b> ASUS Motherboard CD's <b>PRINTER</b> EPSON M200 Series Canon LBP 2900 EPSON FX2175 Epson L405 <b>SCANNER</b> CANON LIDE 120 Nirmal Suite <b>LCD</b> SONY EPSON	80 1 1 1 1 1 3 2 6	80 1 1 1 1 1 3 2 6	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

	<b>SOFTWARE CD's MSDN PACK</b>	<b>38</b>	<b>38</b>				
<b>9</b>	<b>EXTENSION BOX</b> External CD Drive	<b>13</b> <b>1</b>	<b>13</b> <b>1</b>	-	-	-	-
<b>10</b>	<b>Fan</b> Crompton Greaves (4)	<b>4</b>	<b>4</b>	-	-	-	-
<b>11</b>	<b>Firewall</b> <b>WATCH GUARD</b> <b>FIREBOX (HARDWARE)</b>	<b>1</b>	<b>1</b>	-	-	-	-
<b>12</b>	<b>Hard disk</b>	<b>2</b>	<b>2</b>	-	-	-	-
<b>13</b>	<b>LAPTOP</b>	<b>17</b>	<b>17</b>	-	-	-	-
<b>14</b>	<b>LCDs</b> LCD Pointer	<b>15</b> <b>3</b>	<b>15</b> <b>3</b>	-	-	-	-
<b>15</b>	<b>Printer</b> Epson FX 2175 (1) Epson M200 (1) Canon LBP200 (1) <b>Color Printer</b> Epson L405 (1)	<b>4</b>	<b>4</b>	-	-	-	-
<b>16</b>	<b>Racks</b> Steel Racks (2) Shoe Racks (1)	<b>3</b>	<b>3</b>	-	-	-	-
<b>17</b>	<b>System</b> INTEL Inside Xeon [Server] (1) System (80) (Windows 10)	<b>81</b>	<b>81</b>	-	-	-	-
<b>18</b>	<b>Switches</b> 24 Port (5)	<b>5</b>	<b>5</b>	-	-	-	-
<b>19</b>	<b>Scanner</b> Canon LIDE 120 ID Card Scanner	<b>1</b> <b>1</b>	<b>1</b> <b>1</b>	-	-	-	-
<b>20</b>	<b>Screen With Stand</b> <b>(Projector)</b>	<b>2</b>	<b>2</b>	-	-	-	-
<b>21</b>	<b>Speakers</b>	<b>2</b>	<b>2</b>	-	-	-	-
<b>22</b>	<b>Tube Lights</b>	<b>42</b>	<b>32</b>	<b>10</b>	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

23	<b>Tables</b> System Table (24) Writing Table (Steel) - (2) Writing Table (Wooden) - (1)	27	27	-	-	-	-
24	<b>UPS Frontline</b> 10 KVA UPS (2)	2	2	-	-	-	-
25	<b>WHITE BOARD</b>	1	1	-	-	-	-
26	<b>Web Camera</b>	30	30	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in ~~NET~~- Laboratory of ~~IT~~ Department.

J. Kus  
27/3/2023  
Lab In-charge

Signature - 27/3/2023  
Physical Verifier

R. S. Srinivas  
27/3/2023  
Head of the Department

W  
13.4.23

**CRITERION IV****STOCK VERIFICATION REPORT**

**CAUVERY COLLEGE FOR WOMEN  
DEPARTMENT OF COMPUTER APPLICATIONS  
TRICHY - 18  
MODERN LAB**

Total : 114 Systems (Lab 1 = 57 + Lab 2 = 57)

S.NO.	NAME OF THE ARTICLE	QUANTITY
1.	Intel Core i5-4440 CPU@3.10GHz	55
2.	Pentium IV processor (XP System)	1
3.	Intel Core i3-2120 3.30 GHz Processor (Lab - 1 - Sili Computers)	25
	Intel Core i3 - 2120 3.30 GHz Processor (Lab - 1- Riveraa Computers)	30
4.	Intel Xeon 5620 Server / 2.4GHZ/12MB (Lab -1 & Lab - 2 Server)	2 (1+1)
5.	Xeon - E3 - 1220 3.10GHZ/8MB (Lab - 1 UNIX Server)	1
6.	19" LED SAMSUNG (Lab - 2), XP 12"	57 (56 + 1)
	AOC 18.5 LED Monitor (Lab -1 Sili Computers)	25
	19" LCD (Lab - 1 Riveraa Computers)	32
7.	Keyboard (104 keys)	
	TVSE Keyboard (Lab - 1 Riveraa Computers)	29
	Logitech Keyboard	26
	Server & Unix Server	1+1
	TVSE Keyboard (Lab - 2 Riveraa Computers)	51
	Logitech Keyboard (Lab - 2 Riveraa Computers) Server	1
<b>Mouse :</b>		
8.	Logitech (Lab -1 & Lab - 2)	57 + 57
9.	Mouse Pad (Lab -1 & Lab - 2)	57 + 57 = 114
<b>Printers :</b>		
10.	-Epson FX890 (Lab - 1 & Lab - 2)	4 (2+2)
11.	-HP Laser Jet 1020 Plus	2 (1+1)
12.	-Epson M200 Ink Jet (3 in 1)	1
<b>CD Drive :</b>		
13.	DVD Writer	5 (2+3)

**CRITERION IV****STOCK VERIFICATION REPORT**

Switches :		
14.	-24 Port Switch (Lab -1 & Lab -2)	5 (3+2)
15.	-16 Port Switch (Lab -1 & Lab -2)	2
UPS :		
16.	10 KVA	2
17.	5 KVA	2
18.	Adapter	2
19.	Battery (Lab -1 & Lab -2)	45(25+20)
20.	A/c Stabilizer	8
21.	A/c remote	2
22.	Air Conditioner	8 (4+4)
23.	Battery rack	2
24.	Stabilizer rack	1
25.	Exhaust Fans	1
26.	Cupboard	2 (1+1)
27.	Shoe Racks	3
28.	Chairs	122
29.	Steel Chair, Table	1+1
30.	Clocks	2
31.	Bureau	2
32.	Table Fan (Pedestal)	2
33.	Table Fan (Wall)	6+7
34.	Multimedia Kit (Speaker White)	1
35.	Notice Board	1
36.	Fire Extinguisher	2
37.	White Board	2
38.	Speaker (I Ball 5 Set)	10
LCD:		
39.	Sony SDN 7	1
40.	Sony SDN 10	1

*Handwritten signatures and dates:*  
 - *Principal* (Signature) 28/3/23  
 - *R. In* (Signature) 23/03/2023  
 - *V. V. Jothi* (Signature)



**CAUVERY COLLEGE FOR WOMEN, TRICHY-18  
DEPARTMENT OF COMPUTER APPLICATIONS  
ULTRA -TECH LAB  
STOCK DETAILS (2022-2023)**

S.No.	NAME OF THE ARTICLE	QUANTITY
1	QUAD(Opteron) CORE DUAL PROCESSOR	1
2	<b><u>PROCESSOR</u></b>	
	AMD Athelon (View Sonic)	48 ✓
	Intel(R) Core(TM) i3 (old Lenovo)	4 ✓
	12 <sup>th</sup> Gen Intel(R) Core(TM)(new Lenovo)	3 ✓
	12 <sup>th</sup> Gen Intel(R) Core(TM) (Tinkvision)	3 ✓
	Compaq System	2 ✓
3	ViewSonic Colour Monitor	48 ✓
	Lenovo Monitor(old)	4 ✓
	Lenovo Monitor(old)	3 ✓
	Compaq B191	2 ✓
	Tinkvision	3 ✓
4	<b><u>CABLE</u></b>	
	Power cable	3 ✓
	VJ cable	3 ✓
5	<b><u>KEYBOARD</u></b>	
	Logitech Keyboard	44 ✓
	TVS Keyboard	6 ✓
	Lenovo Keyboard	10 ✓
	<b><u>MOUSE:</u></b>	
6	Logitech	50 ✓
7	Lenovo	10 ✓
8	Mouse Pad	60 + 4 ✓



**CRITERION IV****STOCK VERIFICATION REPORT**

<b>PRINTERS:</b>		
9	Epson FX-890	1 ✓
10	Epson FX-890 II	1 ✓
11	Epson M200 Ink Jet(3 in 1)	1 ✓
<b>CD Drive:</b>		
12	DVD Writer	2 ✓
<b>SWITCHES:</b>		
13	(-24 Port) Switch Board	2 ✓
<b>UPS</b>		
14	UPS 10 KV	1 ✓
15	UPS 5 KV	1 ✓
16	Battery	30 ✓
17	A/C Stabilizer	5 ✓
18	A/C Remote	4 ✓
19	Air Conditioner	5 ✓
20	Battery Rack	2 ✓
21	Rotating Fan	5 ✓
✓22	Ceiling Fan	1 ✓
23	Shoe Rack	1 ✓
✓24	Plastic Chair	65 ✓
25	Clock	1 ✓
26	Tube Light	25 ✓
27	White board	1 ✓
28	Wood Table( with 4 Locks)	1 ✓
29	Cupboard(with lock)	2 ✓
30	Bureau	1 ✓
31	Door Locks	2+1 ✓
32	Windows Verticals	4+1 ✓
	Windows Screen	4 ✓
33	Multimedia Kit(PC's Speaker)	8 ✓
34	Notice Board	1 ✓

**CRITERION IV****STOCK VERIFICATION REPORT**

<b>PRINTERS:</b>		
9	Epson FX-890	1 ✓
10	Epson FX-890 II	1 ✓
11	Epson M200 Ink Jet(3 in 1)	1 ✓
<b>CD Drive:</b>		
12	DVD Writer	2 ✓
<b>SWITCHES:</b>		
13	(-24 Port) Switch Board	2 ✓
<b>UPS</b>		
14	UPS 10 KV	1 ✓
15	UPS 5 KV	1 ✓
16	Battery	30 ✓
17	A/C Stabilizer	5 ✓
18	A/C Remote	4 ✓
19	Air Conditioner	5 ✓
20	Battery Rack	2 ✓
21	Rotating Fan	5 ✓
22	Ceiling Fan	1 ✓
23	Shoe Rack	1 ✓
24	Plastic Chair	65 ✓
25	Clock	1 ✓
26	Tube Light	25 ✓
27	White board	1 ✓
28	Wood Table( with 4 Locks)	1 ✓
29	Cupboard(with lock)	2 ✓
30	Bureau	1 ✓
31	Door Locks	2+1 ✓
32	Windows Verticals	4+1 ✓
	Windows Screen	4 ✓
33	Multimedia Kit(PC's Speaker)	8 ✓
34	Notice Board	1 ✓



CRITERION IV

STOCK VERIFICATION REPORT

10	View Sonic	10 ✓
11	RW CD	10 ✓
12	Logitech	10 ✓
13	Tp-link Resource CD	1 ✓
14	SQL 2000 Backup CD	1 ✓
15	Staff Details 2k09-2k10	1 ✓
16	DIGISOL 300Mbps wireless Adapter	1 ✓
17	Maya 2008	1 ✓
18	EnGenius	2 ✓
19	Simply Compex	2 ✓
20	Adobe Reader User Guide	1 ✓
21	3DS Max9	1 ✓
22	Vista Drivers Inside(ASUS)	1 ✓
23	ASUS(Quick Start Guide)	1 ✓
24	WAMP software	1 ✓
25	PRIME-H310M R2.0 SERIES	2 ✓
26	PRIME- H410M SERIES	2 ✓
27	AORUS-GRAPHICS DRIVERS(GIGABYTE)	4 ✓

DATE : 23.03.2023(1.15 PM)

LAB : ULTRA TECH LAB (CA3)

VERIFIED BY

*R. Sridevi*  
23-03-2023  
Ms.R.SRIDEVI.

*Handwritten signature*

*Handwritten signature*  
24/3/23  
Signature of the HOD

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women(Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Computer Science

Academic Year: 2022-2023

Name of the Laboratory: CS Lab

Date of Audit: 11.04.2023

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	UPS 10KVA	4	4	-	-	-	-
2	Battery	62	62	-	-	-	-
3	Inverter	1	1	-	-	-	-
4	Inverter battery	1	1	-	-	-	-
5	<b>Server</b> PRO-SEDA X3430/2.4GHZ Lenovo Think Server 1550 Lenovo SR650 Serier2U Rack Server	1 1 1	1 1 1	- - -	- - -	- - -	- - -
6	<b>Node System</b> PRO-CCREi3-210003.1GHZ Corei3322003.30HZ Intel Core i3 8 <sup>th</sup> 8100 Processor 19Inch LCD Monitor Samsung LED18.5 Monitor ADC LED 18.5 Monitor Samsung View Sonic Monitor Lenovo Monitor TVS Key Board Logitech Key Board Lenovo Key Board Logitech Mouse Lenovo Mouse	28 32 64 28 8 24 2 67 52 9 68 61 68	28 32 64 28 8 24 2 67 52 9 68 61 68	- - - - - - - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - - - - - - - -
7	<b>Lenovo Laptop</b>	06	06	-	-	-	-
8	Mouse Pad	126	126	-	-	-	-
8	<b>Printer</b> Epson Fx 890 DMP TVS MSP250-STAR EPSON M100 CANON	3 1 2 1	3 1 2 1	- - - -	- - - -	- - - -	- - - -
9	Ear Phone	59	59	-	-	-	-
10	Speakers	15	15	-	-	-	-
11	CD Drive	2	2	-	-	-	-
12	<b>Chair and Table</b> S – Type Chairs Fiber Chairs System Table Open Table Cupboard Table One Small Steel Table System Fiber Chairs	4 7 48 5 4 1 126	4 7 48 5 4 1 126	- - - - - - -	- - - - - - -	- - - - - - -	- - - - - - -
13	Steel stools	3	3	-	-	-	-
14	<b>Wooden Rack</b> Battery Rack	4	4	-	-	-	-



# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

	Shoe Rack	4	4	-	-	-	-
	Open Book Rack	1	1	-	-	-	-
15	Bureau	1	1	-	-	-	-
	Wooden Shelf With Sliding Doors	2	2	-	-	-	-
16	Fire Max	2	2	-	-	-	-
17	<b>Software CD's</b>						
	Epson M100 Series Disc vol1.0	2	2	-	-	-	-
	Epson FX890 Printer Drive	3	3	-	-	-	-
	Dmp -Tvs Msp 250 Star Printer	1	1	-	-	-	-
	Canon	1	1	-	-	-	-
18	<b>A/C</b>						
	Toshiba Roof Mount Remote	9	9	-	-	-	-
		9	9	-	-	-	-
19	<b>LCD Things</b>						
	LCD	1	1	-	-	-	-
	Tripod Stand	3	3	-	-	-	-
	Converter - HDMIT to VGA	5	5	-	-	-	-
	Line Filter -3 Socket Por(Extension Box)	5	5	-	-	-	-
	Class Room LCD - Power Cable, Remote, VGA Cable	6	6	-	-	-	-
	Ethernet Adaptor (MARX)	1	1	-	-	-	-
	Web Camera(1080 HI RES)	5	5	-	-	-	-
20	Wall Clock	1	1	-	-	-	-
21	Fan	14	14	-	-	-	-
22	<b>Light</b>						
	Led Light,	42	42	-	-	-	-
	Tube Light	1	1	-	-	-	-
23	Announcement Speaker	1	1	-	-	-	-
24	Pen Tablet	1	1	-	-	-	-
25	Notice Board	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Computer Science Laboratory of P.G & Research Department of Computer Science.

*L. Rajendran*  
Lab In-charge

*D. R.*  
Physical Verifier

*S. R. Subramanian*  
Head of the Department

*ve*  
13-4-23

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Food Service Management  
and Dietetics****Academic Year: 2022-2023****Name of the Laboratory: Food Science & Dietetics Lab  
And****Date of Audit: 01.04.2023****Quantity Food Production Lab**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing Items	Remarks if any
			Working	Serviceable	Condemned		
1.	Domestic LPG / Double Burner stainless steel stoves (Lakshmi / Suryakiran brand)	12	12	12	-	-	-
2.	Cooking Ranges 5 (Each one range has 4 burner)	5 (Each 4 burner)	5	5	-	-	-
3.	Bajaj Toaster	1	1	1	-	-	-
4.	Hand Mixer (Philips)	1	1	1	-	-	-
5.	Weighing Balance	1	1	1	-	-	-
6.	Microwave oven	1	1	1	-	-	-
7.	Weighing Balance	1	1	1	-	-	-
8.	Oven, Toaster, Grill (OTG Oven - Bajaj)	1	1	1	-	-	-
9.	Weighing Balance (5kg)	2	2	2	-	-	-
10.	Weighing Balance (1 kg)	1	1	1	-	-	-
11.	Bathroom Weighing Scale	2	2	2	-	-	-
12.	Height -O-Meter	1	1	1	-	-	-
13.	Table Top Grinder (Ultra)	1	1	1	-	-	-
14.	Food Thermometer	1	1	1	-	-	-
15.	Microscope	1	1	1	-	-	-
16.	Refrigerator (253 Liters)	1	1	1	-	-	-
17.	Samsung Frost Free Fridge Refrigerator (BPL)	1	1	1	-	-	-
18.	BP Apparatus	1	1	1	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

19.	Stethoscope	1	1	1	-	-	-
20.	Preethi Mixie Chefpro	1	1	1	-	-	-
21.	Preethi Mixie Gold	1	1	1	-	-	-
22.	PH meter (Elico digital)	1	1	1	-	-	-
23.	Hot Air Oven & Electronic Digital Temperature Controller Cum Indicator	1	1	1	-	-	-
24.	Food Air Fryer	1	1	1	-	-	-
25.	BP Apparatus Delux BPAPPREG	1	1	1	-	-	-
26.	BP Apparatus Digital BPAPPRDIG	1	1	1	-	-	-
27.	Glucometer One Touch 434180	1	1	1	-	-	-
28.	Bajaj Oven Toaster Griller 2800 TMC	1	1	1	-	-	-
29.	Electronic Weighing Balance (600 gm)	2	2	2	-	-	-
30.	Electric Bunsen	1	1	1	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Food Science & Dietetics Laboratory and Quantity Food Production Laboratory of Food Service Management and Dietetics Department.

*K. Mal*  
Lab In-charge

*PRR*  
Physical Verifier

*11/09/2023*  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT**

Cauvery College for Women (Autonomous), Trichy

**Report of Physical Stock Verification**

Name of the Department: Department of Microbiology

Academic Year: 2022-2023

Name of the Laboratory: PG Microbiology Laboratory

Date of Audit:

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Agarose Gel Electrophoresis Unit	02	yes	no	no	no	nil
2	Al Glass Water Still (Tempo)	01	yes	no	no	no	nil
3	Anaerobic Jar (Btl Type)	01	yes	no	no	no	nil
4	Autoclave (Inlab)	02	yes	no	no	no	nil
5	BOD Incubator (Teleco)	01	yes	no	no	no	nil
6	Clinical Centrifuge (Remi)	01	yes	no	no	no	nil
7	Cooling Centrifuge (Remi Instruments)	01	yes	no	no	no	nil
8	Cyclomixer (Remi)	01	yes	no	no	no	nil
9	Deep Freezer (Blue star)	01	yes	no	no	no	nil
10	Dessicator (Tarson)	01	yes	no	no	no	nil
11	Electronic Balance (Ahamed)	01	yes	no	no	no	nil
12	Electronic Balance (Precisa Instruments)	01	yes	no	yes	no	nil
13	Gel Rocker (Bangalore Genei Pvt. Ltd.,)	01	yes	no	no	no	nil
14	Hot air oven (Tempo)	01	yes	no	no	no	nil
15	Hot Plate (Telco)	01	yes	no	no	no	nil
16	Incubator (Tempo)	01	yes	no	no	no	nil
17	Kjeldahl Apparatus (Borosil)	01	yes	no	no	no	nil
18	Laminar air flow chamber (Atlantis)	01	yes	no	no	no	nil



**CRITERION IV****STOCK VERIFICATION REPORT**

19	Magnetic Stirrer (Remi)	01	yes	no	no	no	nil
20	Magnetic Stirrer (Remi) with hot plate	01	yes	no	no	no	nil
21	Mechanical rotary Shaker (Remi)	01	yes	no	no	no	nil
22	Micro centrifuge (Spin win)	01	yes	no	no	no	nil
23	Microscope (Weswox)	20	yes	no	no	no	nil
24	Microscope – Binocular(Weswox)	02	yes	no	no	no	nil
25	Microscope with micro photographic attachment (Olympus Optical Co. Ltd.)	01	yes	no	no	no	nil
26	Microscopes with Illuminator(Olympus)	20	yes	no	no	no	nil
27	Mini Autoclave (Eleon, Self Ejective Type)	02	yes	no	no	no	nil
28	Mini Cooler (Tarson)	01	yes	no	yes	no	nil
29	Ph meter (Eli co Ltd.)	01	yes	no	no	no	nil
30	Phase contrast microscope (Magnus Universal Ltd.)	01	yes	no	no	no	nil
31	Polyacrylamide Gel Electrophoresis Unit	02	yes	no	no	no	nil
	Power Pack(Biotech make)	03	yes	no	no	no	nil
	Quebec Colony Counter (Deep Vision Colony Counter)	01	yes	no	no	no	nil
	Reuter – Air Sampler	01	yes	no	no	no	nil
	Spectrophotometer (Systronics)	01	yes	no	no	no	nil
	Thin-Layer Chromatography Unit (Acme Engineering Services)	02	yes	no	no	no	nil
	Tissue Culture Rack	01	yes	no	no	no	nil
	Transilluminator (Biotech Pvt. Ltd.)	01	yes	no	no	no	nil
	UV Spectrophotometer (Systronics)	01	yes	no	yes	no	nil
	Water Bath (Guna)	01	yes	no	no	no	nil
	Water Bath cum shaker (Neolab)	01	yes	no	no	no	nil
	Whirlpool Fridge	02	yes	no	no	no	nil





**CRITERION IV**


**STOCK VERIFICATION REPORT**

265 liters						
Vaccum pump	01	yes	no	no	no	nil
Vortex mixture	01	yes	no	no	no	nil
Colorimeter(PG Lab)	01	yes	no	no		

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Microbiology Department.

  
**Lab In-charge**

  
**Physical Verifier**

  
**Head of the Department**

**CRITERION IV****STOCK VERIFICATION REPORT**

**Cauvery College for Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

**Name of the Department:** Department of Microbiology

**Academic Year:** 2022-2023

**Name of the Laboratory:** UG Microbiology Laboratory


**Date of Audit:**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Binocular microscope with illuminator (Olympus)	01	yes	No	No	No	nil
2	Clinical Centrifuge (Remi) (BC)	01	yes	No	No	No	nil
3	Colony counter (Deep Vision)	01	yes	No	No	No	nil
4	Distillation Unit ( Guna)	01	yes	No	No	No	nil
5	Electronic Balance ( Shimadzu)	01	yes	No	No	No	nil
6	Hot air oven (Tempo)	01	yes	No	No	No	nil
7	Hot Plate (Tempo)	01	yes	No	No	No	nil
8	Incubator (Tempo)	01	yes	No	No	No	nil
9	Laminar air flow chamber (Atlantis)	01	yes	No	No	No	nil
10	Ph meter (Eli co Ltd.)	01	yes	No	No	No	nil
11	Samsung Refrigerator	01	yes	No	No	No	nil
12	Spectrophotometer (Systronics)	01	yes	No	No	No	nil
13	Water Bath (Tempo)	01	yes	No	No	No	nil
14	Distillation unit (Borosil)	01	yes	No	No	No	nil
15	Heating mantle	01	yes	No	No	No	nil
16	Colorimeter(BC Lab)	01	yes	No	No	No	nil



**CRITERION IV**

**STOCK VERIFICATION REPORT**



**CRITERION IV****STOCK VERIFICATION REPORT****2021-2022****PG DEPARTMENT OF CHEMISTRY**

**Cauvery College For Women(Autonomous), Trichy**  
**Report of Physical Stock Verification**

Name of the Department: **CHEMISTRY** Academic Year: **2021-2022**

Name of the Laboratory: **CHEMISTRY** Date of Audit: **01.04.2022**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Service able	Condemned		
<b>LAB I</b>							
1.	Centrifuge Machine	2	2	-	-	-	-
2.	Hand Rotatory Centrifuge Machine	1	1	-	-	-	-
3.	Distillation Unit	2	1	1	-	-	-
4.	Electronic balance 2 digits	1	1	-	-	-	-
5.	Electronic balance 4 digits, SHIMADZU	1	1	-	-	-	-
6.	Hot air Oven	2	2	-	-	-	-
7.	Mechanical Shaker	2	2	-	-	-	-
8.	Photo electric colorimeter	4	4	-	-	-	-
9.	Vacuum pump	3	2	1	-	-	Service bill attached
10.	Water bath(electronic)	1	1	-	-	-	-
11.	Electric bunSen	11	11	-	-	-	-
12.	Hot plate	1	1	-	-	-	-
13.	Heating mantle	1	1	-	-	-	-
14.	Single pan electronic balance	2	2	-	-	-	-
15.	Conductivity meter-ELICO model	13	13	-	-	-	-
16.	Conductivity cell	11	11	-	-	-	-
17.	pH meter	3	2	1	-	-	-
18.	Digital Potentiometer	12	12	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

19.	Platinum electrode	9	9	-	-	-	-
20.	Reference electrode	9	9	-	-	-	-
21.	Sonicator bath	1	1	-	-	-	-
22.	Soxhlet apparatus	1	1	-	-	-	-
23.	Thermostat	1	1	-	-	-	-
24.	Fuming Exhaust wood	1	1	-	-	-	-
25.	Refrigerator	1	1	-	-	-	-
<b>LAB III</b>							
26.	Centrifuge Machine	2	2	-	-	-	-
27.	Chemical Balance	1	1	-	-	-	-
28.	Electronic balance with 2 digits	1	1	-	-	-	-
29.	Rough balance	1	1	-	-	-	-
30.	Electronic balance 4 digits	2	2	-	-	-	-
31.	Heating mantle	3	3	-	-	-	-
32.	Battery Balance	1	1	-	-	-	-
33.	Homogenizer	1	1	-	-	-	-
34.	Melting Point Apparatus	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in \_\_\_\_\_ CHEMISTRY Laboratory of \_\_\_\_\_ DEPARTMENT.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Biotechnology****Academic Year: 2021-2022****Name of the Laboratory: Biotechnology****Date of Audit: 30.03.2022**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Double Distillation Unit	1	Working	-	-	-	-
2.	Rotary Shaker with incubator	1	Working	-	-	-	-
3.	Laminar Air Flow chamber	2	Working	-	-	-	-
4.	Spectrophotometer	1	Working	-	-	-	-
5.	Electronic Balance	2	Working	-	-	-	-
6.	Spinwin MC – 01 Microcentrifuge	1	Working	-	-	-	-
7.	Spinix Vortex shaker - Tarson	1	Working	-	-	-	-
8.	Olympus Lab Binocular Microscope Model 'HB'	5	Working	-	-	-	-
9.	Olympus Monocular Microscope HSA	46	Working	-	-	-	-
10.	pH Meter – ELICO LT - 120	1	Working	-	-	-	-
11.	Clinical Centrifuge	1	Working	-	-	-	-
12.	Autoclave	2	Working	-	-	-	-
13.	UV Transilluminator	1	Working	-	-	-	-
14.	Water bath	1	Working	-	-	-	-
15.	Deep Freezer	1	Working	-	-	-	-
16.	Colorimeter	1	Working	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

17.	Erma Ocular Micrometer	1	Working	-	-	-	-
18.	Micropipette 100 - 1000 $\mu$ L	3	Working	-	-	-	-
19.	Micropipette 50 - 200 $\mu$ L	1	Working	-	-	-	-
20.	Micropipette 0.5 - 10 $\mu$ L	2	Working	-	-	-	-
21.	Hot Air Oven	1	Working	-	-	-	-
22.	Incubator	1	Working	-	-	-	-
23.	Heating Mantle	1	Working	-	-	-	-
24.	Power Pack	3	Working	-	-	-	-
25.	Refrigerator	1	Working	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Biotechnology Laboratory of Biotechnology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department



**CRITERION IV****STOCK VERIFICATION REPORT**

**Cauvery College for Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

**Name of the Department: PG & Research Department of Microbiology**  
**Academic Year: 2021-2022**  
**Name of the Laboratory: UG Microbiology Laboratory**  
**Date of Audit: 30-03-2022**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Binocular microscope with illuminator (Olympus)	01	yes	No	No	No	nil
2	Clinical Centrifuge (Remi) (BC)	01	yes	No	No	No	nil
3	Colony counter (Deep Vision)	01	yes	No	No	No	nil
4	Distillation Unit ( Guna)	01	yes	No	No	No	nil
5	Electronic Balance (Shimadzu)	01	yes	No	No	No	nil
6	Hot air oven (Tempo)	01	yes	No	No	No	nil
7	Hot Plate (Tempo)	01	yes	No	No	No	nil
8	Incubator (Tempo)	01	yes	No	No	No	nil
9	Laminar air flow chamber (Atlantis)	01	yes	No	No	No	nil
10	Ph meter (Eli co Ltd.)	01	yes	No	No	No	nil
11	Samsung Refrigerator	01	yes	No	No	No	nil
12	Spectrophotometer (Systronics)	01	yes	No	No	No	nil
13	Water Bath (Tempo)	01	yes	No	No	No	nil
14	Distillation unit (Borosil)	01	yes	No	No	No	nil
15	Heating mantle	01	yes	No	No	No	nil
16	Colorimeter(BC Lab)	01	yes	No	No	No	nil

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory of Microbiology Department.

Lab In-charge
  
Physical Verifier
  
Head of the Department



**Cauvery College for Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

**Name of the Department:** PG & Research Department of Microbiology

**Academic Year:** 2021-2022

**Name of the Laboratory:** PG Microbiology Laboratory

**Date of Audit:** 30-03-2022

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Agarose Gel Electrophoresis Unit	02	yes	no	No	no	nil
2	Al Glass Water Still (Tempo)	01	yes	no	No	no	nil
3	Anaerobic Jar (Btl Type)	01	yes	no	No	no	nil
4	Autoclave (Inlab)	02	yes	no	No	no	nil
5	BOD Incubator (Teleco)	01	yes	no	No	no	nil
6	Clinical Centrifuge (Remi)	01	yes	no	No	no	nil
7	Cooling Centrifuge (Remi Instruments)	01	yes	no	No	no	nil
8	Cyclomixer (Remi)	01	yes	no	No	no	nil
9	Deep Freezer (Blue star)	01	yes	no	No	no	nil
10	Dessciator (Tarson)	01	yes	no	No	no	nil
11	Electronic Balance (Ahamed)	01	yes	no	No	no	nil
12	Electronic Balance (Precisa Instruments)	01	yes	no	Yes	no	nil
13	Gel Rocker (Bangalore Genei Pvt. Ltd.,)	01	yes	no	No	no	nil
14	Hot air oven (Tempo)	01	yes	no	No	no	nil
15	Hot Plate (Telco)	01	yes	no	Yes	no	nil
16	Incubator (Tempo)	01	yes	no	no	no	nil
17	Kjeldahl Apparatus (Borosil)	01	yes	no	no	no	nil
18	Laminar air flow chamber (Atlantis)	01	yes	no	no	no	nil



# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

19	Magnetic Stirrer (Remi)	01						
20	Magnetic Stirrer (Remi) with hot plate	01	yes	no	no	no	nil	
21	Mechanical rotary Shaker (Remi)	01	yes	no	no	no	nil	
22	Micro centrifuge (Spin win)	01	yes	no	no	no	nil	
23	Microscope (Weswox)	22	yes	no	no	no	nil	
24	Microscope - Binocular(Weswox)	01	yes	no	no	no	nil	
25	Microscope with micro photographic attachment (Olympus Optical Co. Ltd.)	01	yes	no	no	no	nil	
26	Microscopes with Illuminator(Olympus)	20	yes	no	no	no	nil	
27	Mini Autoclave (Elcon, Self Ejective Type)	02	yes	no	no	no	nil	
28	Mini Cooler (Tarson)	01	yes	no	yes	no	nil	
29	Ph meter (Eli co Ltd.)	01	yes	no	no	no	nil	
30	Phase contrast microscope (Magnus Universal Ltd.)	01	yes	no	no	no	nil	
31	Polyacrylamide Gel Electrophoresis Unit	02	yes	no	no	no	nil	
32	Power Pack(Biotech make)	03	yes	no	no	no	nil	
33	Quebec Colony Counter (Deep Vision Colony Counter)	01	yes	no	no	no	nil	
34	Reuter - Air Sampler	01	yes	no	no	no	nil	
35	Spectrophotometer (Systronics)	01	yes	no	no	no	nil	
36	Thin-Layer Chromatography Unit (Acme Engineering Services)	02	yes	no	no	no	nil	
37	Tissue Culture Rack	01	yes	no	no	no	nil	
38	Transilluminator (Biotech Pvt. Ltd.)	01	yes	no	no	no	nil	
39	UV Spectrophotometer (Systronics)	01	yes	no	yes	no	nil	
40	Water Bath (Guna)	01	yes	no	no	no	nil	
41	Water Bath cum shaker (Neolab)	01	yes	no	no	no	nil	
42	Whirlpool Fridge	02	yes	no	no	no	nil	

Annamalai Nagar, Tiruchirappalli - 620 018, Tamil Nadu, South India.

Website : [cauverycollege.ac.in](http://cauverycollege.ac.in) Phone : 0431 - 2763939, 2751232 Fax : 0431 - 2751234

Email : [principal@cauverycollege.ac.in](mailto:principal@cauverycollege.ac.in) ; [cauverycollege\\_try@rediffmail.com](mailto:cauverycollege_try@rediffmail.com)



CRITERION IV

STOCK VERIFICATION REPORT

	265 liters						
43	Vaccum pump	01	yes	no	no	no	nil
44	Vortex mixture	01	yes	no	no	no	nil
45	Colorimeter(PG Lab)	01	yes	no	no	no	nil

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Microbiology Department.

*[Signature]*  
Lab In-charge

*[Signature]*  
Physical Verifier

*[Signature]*  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT**

**Cauvery College For Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

Name of the Department: Information Technology Academic Year: 2021-2022  
Name of the Laboratory: Net Lab Date of Audit: 31.03.2022

S. No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Air Conditioner	6	6	-	-	-	-
2	A/C Stabilizers	6	6	-	-	-	-
3	A/C Remote	2	2	-	-	-	-
4	Battery (UPS)	26	26	-	-	-	-
5	Bureau Steel Bureau (2) Wooden Bureau (2)	4	4	-	-	-	-
6	Chairs Steel Chair (85) Rotating Type Chair (8) S Type Chairs (2)	95	95	-	-	-	-
7	CD Drives SONY R/W DVD Driver	10	10	-	-	-	-
8	CD'S (software) <b>SYSTEM</b> ASUS Motherboard CD's N-Computing <b>PRINTER</b> EPSON M200 Series Canon LBP 2900 EPSON FX2175 Epson L405 <b>SCANNER</b> CANON LIDE 120 Nirmal Suite <b>LCD</b> SONY EPSON <b>SOFTWARE CD's</b> MSDN PACK	80 1 1 1 1 1 1 3 2 6 38	80 1 1 1 1 1 1 3 2 6 38	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

9	<b>EXTENSION BOX</b> External CD Drive	10 1	10 1	-	-	-	-
10	<b>Fan</b> Crompton Greaves (4)	4	4	-	-	-	-
11	<b>Firewall</b> WATCH GUARD FIREBOX (HARDWARE)	1	1	-	-	-	-
12	<b>Hard disk</b>	2	2	-	-	-	-
13	<b>LAPTOP</b>	14	14	-	-	-	-
14	<b>LCDs</b> LCD Pointer	10 3	10 3	-	1	-	-
15	<b>Printer</b> Epson FX 2175 (1) Epson M200 (1) Canon LBP200 (1) <b>Color Printer</b> Epson L405 (1)	4	4	-	-	-	-
16	<b>Racks</b> Steel Racks (2) Shoe Racks (1)	3	3	-	-	-	-
17	<b>System</b> INTEL Inside Xeon [Server] (1) New System (26) (Windows 10) New System (50) (Windows 10) N-Computing (4) (Windows 10)	81	76	4	-	-	-
18	<b>Switches</b> 24 Port (5)	5	5	-	-	-	-
19	<b>Scanner</b> Canon LIDE 120 ID Card Scanner	1 1	1 1	-	-	-	-
20	<b>Screen With Stand 6X8</b>	1	1	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

	(Projector)						
21	Speakers	2	2	-	-	-	-
22	Tube Lights	40	28	12	-	-	-
Tables							
System Table (24)							
23	Writing Table (Steel) - (2)	27	27	-	-	-	-
Writing Table (Wooden) - (1)							
24	UPS Frontline 10 KVA UPS (2)	2	2	-	-	-	-
25	WHITE BOARD	1	1	-	-	-	-
-	Web Camera	30	30	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Net Laboratory of IT Department.

J. M. S. 31/3/2022  
Lab In-charge

Dyanee 31/03/2022  
Physical Verifier

R. 14/2022  
Head of the Department

V. Lingappa

**Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Information Technology

Academic Year: 2021-2022

Name of the Laboratory: Distributed Technologies

Date of Audit: 31.03.2022

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	AIR CONDITIONER	7	7	-	-	-	-
2	AC REMOTE	5	5	-	-	-	-
3	STABILIZER	7	7	-	-	-	-
4	FAN	6	6	-	-	-	-
5	EXHAUST FAN	1	-	-	-	-	-
6	TUBE LIGHTS	37	33	4	-	-	-
7	UPS	2	2	-	-	-	-
8	BATTERY	30	30	-	-	-	-
9	INVERTER	2	2	-	-	-	-
10	SWITCHES	4	4	-	-	-	-
11	RACK						
	1. Networking Rack	1	1				
	2. Battery Rack	2	2	-	-	-	-
	3. Shoe Rack	4	4				
	4. Closed Wooden Rack	1	1				
12	TABLE						
	1. Computer Table	34	34	-	-	-	-
	2. Staff Table	1	1				
	3. Dining Table	1	1				
13	CHAIR						
	1. Plastic Chairs	99	-	-	-	-	-
	2. Rotating Chairs	11					
	3. White Chair	10					
14	WOODEN BUREAU	2	2	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

15	WHITE BOARD	1	1	-	-	-	-
16	NOTICE BOARD	1	1	-	-	-	-
17	PROCESSOR	82	51	31	-	-	-
18	MONITOR	82	82	-	-	-	-
19	KEY BOARD	82	77	5	-	-	-
20	MOUSE	82	82	-	-	-	-
21	MOUSE PAD	79	59	-	20	-	-
22	SPEAKER						
	1. Black	10	10	-	-	-	-
	2. White	2	2	-	-	-	-
23	DVD DRIVE	7	7	-	-	-	-
24	PRINTER						
	1.Canon Laser Printer 2900B	1	1	-	-	-	-
	2 Canon All In One Laser MF4320	1	1	-	-	-	-
	3.Epson FX2175 Dot Matrix	2	1	1	-	-	-
25	HARD DISK (EXTERNAL) 1 TB	1	1	-	-	-	-
26	FIRE EXTINGUISHER	3	3	-	-	-	-
27	CLOCK	1	-	-	1	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Distributed Technologies Laboratory of IT Department.

*P.T. N...*  
Lab In-charge

*Dy. S...*  
31/03/2022  
Physical Verifier

*P...*  
2022  
Head of the Department

*V. C. J...*



**CAUVERY COLLEGE FOR WOMEN  
DEPARTMENT OF COMPUTER APPLICATIONS  
STOCK DETAILS (2022-2023)**

**Lab: CA1, CA2****Date Of Audit: 31.03.2022****Total : 114 Systems (Lab 1 = 57 + Lab 2 = 57 )**

S.NO.	NAME OF THE ARTICLE	QUANTITY
1.	Intel Core i5-4440 CPU@3.10GHz	55
2.	Pentium IV processor (XP System)	1
3.	Intel Core i3-2120 3.30 GHz Processor (Lab – 1 – Sili Computers)	25
	Intel Core i3 – 2120 3.30 GHz Processor (Lab – 1- Riveraa Computers)	30
4.	Intel Xeon 5620 Server / 2.4GHZ/12MB (Lab -1 & Lab – 2 Server)	2 (1 +1)
5.	Xeon – E3 – 1220 3.10GHZ/8MB (Lab – 1 UNIX Server)	1
6.	19" LED SAMSUNG (Lab – 2), XP 12"	57 (56 + 1)
	AOC 18.5 LED Monitor (Lab -1 Sili Computers)	25
	19" LCD (Lab – 1 Riveraa Computers)	32
7.	Keyboard (104 keys)	
	TVSE Keyboard (Lab – 1 Riveraa Computers)	29
	Logitech Keyboard	26
	Server & Unix Server	1 + 1
	TVSE Keyboard (Lab – 2 Riveraa Computers)	51
	Logitech Keyboard (Lab – 2 Riveraa Computers) Server	1
<b>Mouse :</b>		
8.	Logitech (Lab -1 & Lab – 2)	57 + 57
9.	Mouse Pad (Lab -1 & Lab – 2)	57 + 57 = 114
<b>Printers :</b>		
10.	-Epson FX890 (Lab – 1 & Lab – 2)	4 (2+2)
11.	-HP Laser Jet 1020 Plus	2 (1+1)
12.	-Epson M200 Ink Jet (3 in 1)	1
<b>CD Drive :</b>		
13.	DVD Writer	5 (2+3)

**CRITERION IV****STOCK VERIFICATION REPORT**

<b>Switches :</b>		
14.	-24 Port Switch (Lab -1 & Lab -2)	5 (3+2)
15.	-16 Port Switch (Lab -1 & Lab - 2)	2
<b>UPS :</b>		
16.	10 KVA	3
17.	5 KVA	1
18.	Adapter	2
19.	Battery (Lab -1 & Lab - 2)	45(25+20)
20.	A/c Stabilizer	7
21.	A/c remote	2
22.	Air Conditioner	8 (4+4)
23.	Battery rack	2
24.	Stabilizer rack	1
25.	Exhaust Fans	1
26.	Cupboard	2 (1+1)
27.	Shoe Racks	3
28.	Chairs	122
29.	Steel Chair, Table	1+1
30.	Clocks	2
31.	Bureau	2
32.	Table Fan (Pedestal)	2
33.	Table Fan (Wall)	6 +7
34.	Multimedia Kit (Speaker White)	1
35.	Notice Board	1
36.	Fire Extinguisher	2
37.	White Board	2
38.	Speaker (I Ball 5 Set)	10
<b>LCD:</b>		
39.	Sony SDN 7	1
40.	Sony SDN 10	1

**SOFTWARE LIST CD**

S.NO.	NAME OF THE CD	QUANTITY
1.	TALLY	2
2.	TALLY 2.11	1
3.	ORACLE	3
4.	MS OFFICE 97	1
5.	MS OFFICE 2000	2
6.	MS VISUAL STUDIO	7
7.	PRAKHASHAK	1
8.	TURBO C++ SUITE WIN	1
9.	CORAL DRAW SUITE GRAPHICS	5
10.	MS WINDOWS 2003 SERVER	3
11.	WINDOWS XPHOME EDITION	1
12.	MS VISUAL FOXPRO 8.0 PRO	1
13.	MS SERVER SQL – 2000 – 10 CLIENT CD	2
14.	VISUAL STUDIO .NET 2003	4
15.	ADOBE PHOTOSHOP CS	2
16.	MSDN	7
17.	INTEL SERVER DEPLOYMENT & MANAGEMENT (UNIX SERVER + ML1 + ML2)	3
18.	INTEL SERVER BOARD S 5500 BC	1
19.	ROCKET RAID 2700 SERIES	1
20.	KASPERSKY INTERNET SECURITY INSTALLATION	1
21.	ORACLE, PHP	2
22.	INTERACTIVE PRODUCT DEMONSTRATION DRIVERS	3
23.	HP CD WRITER PLUS	2
24.	NERO SOFTWARE	2
25.	ORACLE DATABASE 11G SOFTWARE	1
26.	ADOBE PRESENTER6 TRIAL	1

**CRITERION IV****STOCK VERIFICATION REPORT**

27.	ADOBE ACADEMIC SUMMIT 2007	1
28.	C, C++, JAVA & UNIX LAB	1 + 3
29.	WINDOWS UNIX & JAVA MS OFFICE 2000, 2003	2 + 1 + 1 + 1
30.	SPSS 11	1
31.	MICROSOFT VISUAL STUDIO 6.0 SERVICE PACK 3	1
32.	MICROSOFT WINDOWS 2000 SERVICE PACK 4	1
33.	VISUAL STUDIO 2005 PROFESSIONAL DISC	2

**SYSTEM ORIENTED CD'S**

S.NO.	NAME OF THE CD	QUANTITY
1.	INTEL SE 440 BX - 2 MOTHER BOARD SOFTWARE & MANUAL	9
2.	INTEL DESKTOP BOARD	10
3.	HP LASER 1020 SERIES	2
4.	HP SCANJET 3500C SERIES	1
5.	EPSON M200 INKJET	1
6.	EPSON 80 COLUMN PRINTER	2
7.	PC PARTNER	1
8.	LOGITECH MOUSE WARE 9.7 & 9.5	2 + 2
9.	SANYO LCD PROJECTOR	2
10.	WINDOWS UNIX LAB (ABEE CD)	1
11.	HEWLETT PACKARD (WEPAGE FILES, SYSTEM SOFTWARE, COLLEGE DAY, VALIKATTI - 2)	5
12.	SYNC MASTER (SAMSUNG CD)	1
13.	LED MONITOR DRIVE (AOC)	23
14.	INTEL EXPRESS INSTALLER DH61ZE CLASSIC SERIES	22
15.	H81 M - CS ASUS DVD (MONITOR CD - LAB 2)	54
16.	SONY SOFTWARE DISC REV7.6.1W	2

**CRITERION IV****STOCK VERIFICATION REPORT****CA3 LAB(60+1)**

S.No.	NAME OF THE ARTICLE	QUANTITY
1	QUAD(Opteron) CORE DUAL PROCESSOR	1
2	AMD Athelon	60
3	ViewSonic Colour Monitor	55
	Lenovo Monitor	4
	Compaq B191	2
4	Keyboard	
	Logitech Keyboard	52
	TVS Keyboard	1
	Riveraa Keyboard	4
	Lenovo Keyboard	4
<b>Mouse:</b>		
5	Logitech	57
6	Lenovo	4
7	Mouse Pad	60
<b>Printers:</b>		
8	Epson LQ-1150 II	1
9	Epson FX-890	1
10	Epson FX-890 II	1
11	Epson M200 Ink Jet(3 in 1)	1
12	Samsung HP Laser 1640	1
13	HP Scan jet G2410	1
<b>CD Drive:</b>		
14	DVD Writer	2
<b>Switches:</b>		
15	-24 Port Switch	4
<b>UPS</b>		
16	UPS 10 KV	1

**CRITERION IV****STOCK VERIFICATION REPORT**

17	UPS 5 KV	1
18	Battery	30
19	A/C Stabilizer	5
20	A/C Remote	3
21	Air Conditioner	5
22	Battery Rack	2
23	Rotating Fan	5
24	Ceiling Fan	1
25	Shoe Rack	1
26	Rotating Chair	64
27	Clock	1
28	Tube Light	25
29	White board	1
30	Wood Table( with 4 Locks)	1
31	Cupboard(with lock)	2
32	Bureau	1
33	Door Locks	2+1
34	Windows Verticals	4+1
	Windows Screen	4
35	Multimedia Kit(PC's Speaker)	10
36	Notice Board	1
<b>LCD:</b>		
37	SANYO XGA Projector	1
<b>Manual:</b>		
38	Server(TYAN)	1
39	Motherboard Quick Start Guide	59
40	Motherboard user Guide	57
41	EPSON LQ 1150 Manual	1
42	Epson FX-890	1



**CRITERION IV**

**STOCK VERIFICATION REPORT**

43	Samsung ML-1640 Manual	1
44	UPS Manual	1
45	Exide Power Safe (2 Years Warranty)	10
46	Exide Power Safe Plus (2 Years Warranty)	20

*T. selvi*  
LAB INCHARGE

*Mandhini*  
PHYSICAL VERIFIER

*[Signature]*  
HOD



**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Physics****Academic Year: 2021-2022****Name of the Laboratory: PG Laboratory****Date of Audit: 01.04.2022**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/D.C[0-500microA]	6	6	-	-	-	-
2	Ammeter/D.C[0-30mA]	2	2	-	-	-	-
3	Ammeter/D.C[0-100mA]	13	13	-	-	-	-
4	Ammeter/D.C[0-500mA]	8	8	-	-	-	-
5	Ammeter/D.C[0-3A]	9	9	-	-	-	-
5	Anderson Bridge	4	4	-	-	-	-
6	Audio Frequency Oscillator	9	9	-	-	-	-
7	Audio Frequency Oscillator(adopter)	18	18	-	-	-	-
8	Base/Dry cell[1.5v]	8	8	-	-	-	-
9	Base/Dry cell[4.5v]	14	14	-	-	-	-
10	Base/Transistor	5	5	-	-	-	-
11	Battery Eliminator	10	10	-	-	-	-
12	Battery Eliminator pico	16	16	-	-	-	-
13	Board-ALU Board	7	7	-	-	-	-
14	Board-Analog Input[10kpot]	6	6	-	-	-	-
15	Board-Diodes	3	3	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

16	Board-Encoder Board	2	2	-	-	-	-
17	Board-I/O-10 switches-4LED	1	1	-	-	-	-
18	Board-op-amp	18	18	-	-	-	-
19	Board-Resistor[2.2k]	6	6	-	-	-	-
20	Board-Resistor[1k,2k,10k,100k,0.1	5	5	-	-	-	-
21	Board resistor for op-amp[1k,2k,4k,8k]	6	6	-	-	-	-
22	Board-switch[4]	8	8	-	-	-	-
23	Board-Transistor, Resistor, Diode	8	8	-	-	-	-
24	Board-08 pins[555 timer]	9	9	-	-	-	-
25	Board-14 pins	67	67	-	-	-	-
26	Board-16 pins	28	28	-	-	-	-
27	Board-20 pins	6	6	-	-	-	-
28	Board-24 pins	2	2	-	-	-	-
29	Board-4 LED	4	4	-	-	-	-
30	Board-4 LED Display,1k,10k	4	4	-	-	-	-
31	Board-7 segment Display	12	12	-	-	-	-
32	Board-74154	5	5	-	-	-	-
33	Carey Foster Bridge	3	3	-	-	-	-
34	Capacitor Box-1Dial[0.1microF]	5	5	-	-	-	-
35	Capacitor Box-2Dial[0.01microF,0.1microF]	13	13	-	-	-	-
36	CapacitorBox-4Dial-0.001microF,0.01microF,0.1microF,1microF	2	2	-	-	-	-
37	Clamps/Condenser type	5	5	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

38	Clamps/Fisher type	9	9	-	-	-	-
39	Comparator for spectrum photograph	2	2	-	-	-	-
40	Computer	7	7	-	-	-	-
41	Constant deviation spectrometer	1	1	-	-	-	-
42	Constant temperature bath	1	1	-	-	-	-
43	C.R.O [single channel]	6	6	-	-	-	-
44	C.R.O Adopter	7	7	-	-	-	-
45	Daniel cell substitute	3	3	-	-	-	-
46	Digital IC tester	1	1	-	-	-	-
47	Digital stop clock [seconds display]	8	8	-	-	-	-
48	Dimmerstat [4A]	5	5	-	-	-	-
49	ESR spectrometer	2	2	-	-	-	-
50	e/m Magnetron Apparatus	3	3	-	-	-	-
51	Electromagnet with power supply service	2	2	-	-	-	-
52	Electronic Balance	1	1	-	-	-	-
53	Enlarger	1	1	-	-	-	-
54	FET meter	5	5	-	-	-	-
55	Forbes apparatus	2	2	-	-	-	-
56	Four probe apparatus	3	3	-	-	-	-
57	Gauss meter	4	4	-	-	-	-
58	Guoy Balance	1	1	-	-	-	-
59	Germanium sample	3	3	-	-	-	-
60	Hall probe	6	6	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

61	Hall set up apparatus	5	5	-	-	-	-
62	Hand Grincler for metallic rods	1	1	-	-	-	-
63	Hanger/50gm	8	8	-	-	-	-
64	Hanger/100g	5	5	-	-	-	-
65	High resistance[10k]	9	9	-	-	-	-
66	Jockey	11	11	-	-	-	-
67	Key[rocker]	4	4	-	-	-	-
68	Knife edge	4 sets	4 sets	-	-	-	-
69	Lechlanche cell	8	8	-	-	-	-
70	Logic module-6 switches	4	4	-	-	-	-
71	Logic module-12 switches	3	3	-	-	-	-
72	Logic module-16 switches	20	20	-	-	-	-
73	Magnetic stirrer with hot plate	2	2	-	-	-	-
74	Mercury vapour lamp-transformer setup	3	3	-	-	-	-
75	Metallic arc power supply	2	2	-	-	-	-
76	Meter bridge	3	3	-	-	-	-
77	Michelsons Interferometer	1	1	-	-	-	-
78	Microprocessor Interfaces Cabies	14	14	-	-	-	-
79	Microprocessor Interfaces power pack	42	42	-	-	-	-
80	Microprocessor kit	20	20	-	-	-	-
81	Microscope-xy	3	3	-	-	-	-
82	Multimeter[analog]	1	1	-	-	-	-
83	Multimeter[digital]	25	25	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

84	Pulse code modulation and modulation kit	1	1	-	-	-	-
85	Polarimeter set up	3	3	-	-	-	-
86	Potentiometer	5	5	-	-	-	-
87	Power supply[5v]	4	4	-	-	-	-
88	Power supply[30v,2A]	4	4	-	-	-	-
89	Power supply[30v,25A] Dual regulator [30v,1A]	3	3	-	-	-	-
90	Power supply[dual] 30v,100mA&5v,100mA	3	3	-	-	-	-
91	Power supply dual[30v,1A&5v,0.1A]	3	3	-	-	-	-
92	Power supply for B.H curve-Anchor ring	2	2	-	-	-	-
93	Inductance 18MH	1	1	-	-	-	-
94	Power supply for full effect	2	2	-	-	-	-
95	Power supply for hydrogen discharge tube	3	3	-	-	-	-
96	Power supply and mount for hydrogen tube	2	1	-	1	-	-
97	Printer	1	1	-	-	-	-
98	Pulsor	16	16	-	-	-	-
99	Quinke's stand	4	4	-	-	-	-
100	Resistance Box-2 Dial[0.01,0.1]	5	5	-	-	-	-
101	Resistance Box-2 Dial[1,10]	5	5	-	-	-	-
102	Resistance Box-4 Dial[0.1,1,10,100]	2	2	-	-	-	-
103	Resistance Box-4 Dial[1,10,100,1000]	22	22	-	-	-	-
104	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
105	Rheostat[30ohm,4A,2.3ohm,2.8m]	4	4	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

106	Rheostat[3600ohm,0.3A]	2	2	-	-	-	-
107	Sodium vapour lamp-Transformer setup	5	5	-	-	-	-
108	Solenoid inductance e/m	2	2	-	-	-	-
109	Spectrometer	8	8	-	-	-	-
110	Spot galvanometer	1	1	-	-	-	-
111	Stabilizer	1	1	-	-	-	-
112	Stand[circular base]	5	5	-	-	-	-
113	Stand[square base]	5	5	-	-	-	-
114	Stop clock	5	5	-	-	-	-
115	Stop watch[digital]	5	5	-	-	-	-
116	Telescope	6	6	-	-	-	-
117	Travelling microscope	6	6	-	-	-	-
118	Vernier caliper	14	14	-	-	-	-
119	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
120	Voltmeter/D.C[0-3V]	17	17	-	-	-	-
121	Voltmeter/D.C[0-10V]	14	14	-	-	-	-
122	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
123	Series transmission 8251 with cable	2	2	-	-	-	-
124	4.7K Pot Board	6	6	-	-	-	-
125	Head Phone for Anderson Bridge	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Physics

Academic Year: 2021-2022

Name of the Laboratory: UG Laboratory 1&amp; 2

Date of Audit: 01.04.2022

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/A.C[0-25mA]	10	10	-	-	-	-
2	Ammeter/A.C[0-15mA]	4	4	-	-	-	-
3	Ammeter/D.C[0-500microA]	7	7	-	-	-	-
4	Ammeter/D.C[0-25mA]	2	2	-	-	-	-
5	Ammeter/D.C[0-100mA]	17	17	-	-	-	-
5	Ammeter/D.C[0-500mA]	25	25	-	-	-	-
6	Ammeter/D.C[0-3A]	19	19	-	-	-	-
7	Audio Frequency Oscillator	12	12	-	-	-	-
8	Audio Frequency Oscillator(adopter)	17	17	-	-	-	-
9	Ballistic Galvanometer	1	1	-	-	-	-
10	Base/Dry cell[1.5v]	10	10	-	-	-	-
11	Base/Transistor	23	23	-	-	-	-
12	Battery Charger	1	1	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

13	Battery Eliminator	31	31	-	-	-	-
14	Battery Eliminator pic	26	26	-	-	-	-
15	Board-Analog Input[4.7kpot]	8	8	-	-	-	-
16	Board-I/O-12 switches	5	5	-	-	-	-
17	Board-op-amp	10	10	-	-	-	-
18	Board-Resistor[2.2k]						
19	Board-Resistor[1k,2k,10k,100k,0.01k]	4	4	-	-	-	-
20	Board-switch[4]	6	6	-	-	-	-
21	Board-14 pins	77	77	-	-	-	-
22	Board-16 pins	49	49	-	-	-	-
23	Carey Foster Bridge	8	8	-	-	-	-
24	Calculator	1	1	-	-	-	-
25	Camera	1	1	-	-	-	-
26	Capacitor Box-1Dial[0.01microF]	5	5	-	-	-	-
27	Capacitor Box-1Dial[1microF]	8	8	-	-	-	-
28	Capacitor Box-2Dial[0.01microF,0.1microF]	10	10	-	-	-	-
29	Choke	7	7	-	-	-	-
30	Chuk	2	2	-	-	-	-
31	Clamps/Cantilever	14	14	-	-	-	-
32	Clamps/Fisher type	16	16	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

33	Clamps/Meldes	3	3	-	-	-	-
34	Clips/pinch type	14	14	-	-	-	-
35	Clips/screw type	13	13	-	-	-	-
36	Compound Pendulum	6	6	-	-	-	-
37	C.R.O [Double channel]	8	8	-	-	-	-
38	C.R.O Adopter	4	4	-	-	-	-
39	Daniel cell substitute	12					
40	Deflection magnetometer	14	14	-	-	-	-
41	Electromagnet melder's	4	4	-	-	-	-
42	Field along the axis apparatus	6	6	-	-	-	-
43	Galvanometer[30-0.30]/D.C	26	26	-	-	-	-
44	Hanger/50gm	5	5	-	-	-	-
45	Hanger/100g	16	16	-	-	-	-
46	Hanger/500g	8	8	-	-	-	-
47	High resistane[10k]	28	28	-	-	-	-
48	Induction Coil[0-500 turns]	11	11	-	-	-	-
49	Induction Coil[0-1450 turns]	9	9	-	-	-	-
50	Jockey	32	32	-	-	-	-
51	Joule's Callorimeter	4	4	-	-	-	-
52	Key[4 segment]	11	11	-	-	-	-
53	Key[charge discharge]	11	11	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

54	Key[commutator]	17	17	-	-	-	-
55	Key[DPDT]	10	10	-	-	-	-
56	Key[plug]	29	29	-	-	-	-
57	Knife edge	10 sets	10 sets	-	-	-	-
58	Knife edge-sonometer	6 sets	6 sets	-	-	-	-
59	Lamp and scale arrangement for B.G	2	2	-	-	-	-
60	Lechlanche cell	14	14	-	-	-	-
61	Lee's disc setup	1	1	-	-	-	-
62	Lens Holder/single	14	14	-	-	-	-
63	Lens Holder/double	6	6	-	-	-	-
64	Light source	7	7	-	-	-	-
65	Logic module-6 switches	8	8	-	-	-	-
66	Logic module-12 switches	5	5	-	-	-	-
67	Logic module-16 switches	11	11	-	-	-	-
68	Loud speaker	4	4	-	-	-	-
69	Magnetic stirrer with hot plate	1	1	-	-	-	-
70	Main switch	1	1	-	-	-	-
71	Melde's apparatus	7	7	-	-	-	-
72	Mercury vapour lamp-transformer setup	4	4	-	-	-	-
73	Meter bridge	4	4	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

74	Microprocessor kit	20	20	-	-	-	-
75	Microscope(or) Travelling microscope	13	13	-	-	-	-
76	Multimeter[digital]/mas tech	2	2	-	-	-	-
77	Multimeter[digital]/ME CO	44	37	-	-	-	-
78	Multimeter[digital]/phili ps	2	2	-	-	-	-
79	Extension box 3m[A]	2	2	-	-	-	-
80	Extension box 5m[B] Power pack for microprocessor	1	1	-	-	-	-
81	Pan for Melde's experiment	3	3	-	-	-	-
82	Post office box	7	7	-	-	-	-
83	Potentiometer	13	13	-	-	-	-
84	Power supply[5v]	11	11	-	-	-	-
85	Resistance Box-1 Dial[0.01]	5	5	-	-	-	-
86	Resistance Box-1 Dial[0.1]	5	5	-	-	-	-
87	Resistance Box-1 Dial[1]	8	8	-	-	-	-
88	Resistance Box-2 Dial[0.01,0.1]	10	10	-	-	-	-
89	Resistance Box-2 Dial[0.1,1]	5	5	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

90	Resistance Box-2 Dial[1,10]	18	18	-	-	-	-
91	Resistance Box-4 Dial[0.1,1,10,100]	3	3	-	-	-	-
92	Resistance Box-4 Dial[1,10,100,1000]	18	18	-	-	-	-
93	Resistance Box-5 Dial[0.1,1,10,100,1k]	3	3	-	-	-	-
94	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
95	Rheostat[30ohm,4A,2.3 ohm,2.8m]	8	8	-	-	-	-
96	Rheostat[3600ohm,0.3A ]	9	9	-	-	-	-
97	Rough Balance	2	2	-	-	-	-
98	Screw gauge	20	20	-	-	-	-
99	Sodium vapour lamp- Transformer setup	4	4	-	-	-	-
100	Sonometer	8	8	-	-	-	-
101	Spectrometer	8	8	-	-	-	-
102	Spherical calorimeter	18	18	-	-	-	-
103	Stand[circular base]	6	6	-	-	-	-
104	Stand[square base]	11	11	-	-	-	-
105	Standard capacitance[0.1microF	2	2	-	-	-	-
106	Standard capacitance- 0.5microF	1	1	-	-	-	-
107	Standard	4	4	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

	capacitance[1microF]						
108	Standard capacitance[5microF]	3	3	-	-	-	-
109	Standard resistance[1ohm]	20	20	-	-	-	-
110	Static torsion apparatus	5	5	-	-	-	-
111	Steam boiler	1	1	-	-	-	-
112	Stop clock	18	18	-	-	-	-
113	Stop watch[digital]	8	8	-	-	-	-
114	Stop watch[mechanical]	2	2	-	-	-	-
115	Telescope	13	13	-	-	-	-
116	Torsional pendulum	4	4	-	-	-	-
117	Travelling microscope	13	13	-	-	-	-
118	Tuning fork[288Hz]	2	2	-	-	-	-
119	Tuning fork[320Hz]	2	2	-	-	-	-
120	Tuning fork[341Hz]	3	3	-	-	-	-
121	Tuning fork[384Hz]	9	9	-	-	-	-
122	Tuning fork[426Hz]	10	10	-	-	-	-
123	Tuning fork[480Hz]	10	10	-	-	-	-
124	Tuning fork[512Hz]	11	11	-	-	-	-
125	Ultrasonic interferometer	1	1	-	-	-	-
126	UJT-base board	4	4	-	-	-	-
127	Vernier caliper	13	13	-	-	-	-
128	Vibration magnetometer	6	6	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

129	Voltmeter/A.C[0-5V]	1	1	-	-	-	-
130	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
131	Voltmeter/D.C[0-600mV]	1	1	-	-	-	-
132	Voltmeter/D.C[0-1000mV]	5	5	-	-	-	-
133	Voltmeter/D.C[0-3V]	24	24	-	-	-	-
134	Voltmeter/D.C[0-5V]	4	4	-	-	-	-
135	Voltmeter/D.C[0-6v]	1	1	-	-	-	-
136	Voltmeter/D.C[0-10V]	18	18	-	-	-	-
137	Voltmeter/D.C[0-25V]	4	4	-	-	-	-
138	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
139	Voltmeter/D.C[0-50V]	5	5	-	-	-	-
140	M&H apparatus	4	4	-	-	-	-
141	Weight box[mg]	3	3	-	-	-	-
142	Weight box	11	11	-	-	-	-
143	Wooden block	4	4	-	-	-	-
144	Weights[cylindrical]	7 sets	7 sets	-	-	-	-
145	Wooden screen with wire Gauze	2	2	-	-	-	-
146	Wooden screen for lens experiment	7	7	-	-	-	-
147	Work bench[voltmeter(0-15V),Bread board]	3	3	-	-	-	-
148	Resistance box-4 Dial-0.01,0.1,1,10ohm	6	6	-	-	-	-



**CRITERION IV**

**STOCK VERIFICATION REPORT**

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory 1 & 2 of Physics Department.

  
**Lab In-charge**

  
**Physical Verifier**

  
**Head of the Department**

**CRITERION IV****STOCK VERIFICATION REPORT**

Cauvery College For Women(Autonomous), Trichy							
Report of Physical Stock Verification							
Name of the Department: Computer Science				Academic Year: 2021-2022			
Name of the Laboratory: CS Lab				Date of Audit: 06.04.2022			
S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	UPS 10KVA	4	4	-	-	-	-
2	Battery	52	52	-	-	-	-
3	Inverter	1	1	-	-	-	-
4	Inverter battery	1	1	-	-	-	-
5	<b>Server</b>						
	PRO-SEDA X3430/2.4GHZ	1	1	-	-	-	-
	Lenovo Think Server 1550	1	1	-	-	-	-
6	<b>Node System</b>						
	PRO-CCREi3-210003.1GHZ	28	28	-	-	-	-
	Corei3322003.30HZ	32	32	-	-	-	-
	Intel Core i3 8 <sup>th</sup> 8100 Processor	64	64	-	-	-	-
	19Inch LCD Monitor Samsung	28	28	-	-	-	-
	LED18.5 Monitor ADC	8	8	-	-	-	-
	LED 18.5 Monitor Samsung	24	24	-	-	-	-
	View Sonic Monitor	2	2	-	-	-	-
	Lenovo Monitor	64	64	-	-	-	-
	TVS Key Board	52	52	-	-	-	-
	Logitech Key Board	9	9	-	-	-	-
	Lenovo Key Board	65	65	-	-	-	-
	Logitech Mouse	61	61	-	-	-	-
	Lenovo Mouse	65	65	-	-	-	-
7	<b>Lenovo Laptop</b>	06	06	-	-	-	-
8	Mouse Pad	126	126	-	-	-	-
8	<b>Printer</b>						
	Epson Fx 890	3	3	-	-	-	-
	DMP TVS MSP250-STAR	1	1	-	-	-	-
	EPSON M100	2	2	-	-	-	-
	CANON	1	1	-	-	-	-
9	Ear Phone	59	59	-	-	-	-
10	Speakers	15	15	-	-	-	-
11	CD Drive	2	2	-	-	-	-
12	<b>Chair and Table</b>						
	S - Type Chairs	4	4	-	-	-	-
	Fiber Chairs	7	7	-	-	-	-
	System Table	48	48	-	-	-	-
	Open Table	5	5	-	-	-	-
	Cupboard Table	4	4	-	-	-	-
	One Small Steel Table	1	1	-	-	-	-
	System Fiber Chairs	126	126	-	-	-	-
3	<b>Stools</b>	65 Transferred	65 Transferred	-	-	-	Transfer to
	Steel Stools (68)	Balance - 3	Balance -3	-	-	-	Office - 5 Hostel - 3





# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

	Wooden Stools (67)	Nil	Nil				Physics lab - 10 Office - 1 Hostel - 16 Physics lab - 50
14	Wooden Rack						
	Battery Rack	4	4	-	-	-	-
	Shoe Rack	4	4	-	-	-	-
	Open Book Rack	1	1	-	-	-	-
15	Bureau	1	1	-	-	-	-
	Wooden Shelf With Sliding Doors	2	2	-	-	-	-
16	Fire Max	2	2	-	-	-	-
17	Software CD's						
	Epson M100 Series Disc vol1.0	2	2	-	-	-	-
	Epson FX890 Printer Drive	3	3	-	-	-	-
	Dmp -Tvs Msp 250 Star Printer	1	1	-	-	-	-
	Canon	1	1	-	-	-	-
18	A/C						
	Toshiba Roof Mount Remote	9	9	-	-	-	-
19	LCD Things						
	LCD	1	1	-	-	-	-
	Tripod Stand	3	3	-	-	-	-
	Converter - HDMIT to VGA	5	5	-	-	-	-
	Line Filter -3 Socket						
	Por(Extension Box)	5	5	-	-	-	-
	Class Room LCD - Power Cable, Remote, VGA Cable	6	6	-	-	-	-
	Ethernet Adaptor (MARX)	1	1	-	-	-	-
	Web Camera(1080 HI RES)	5	5	-	-	-	-
20	Wall Clock	1	1	-	-	-	-
21	Fan	14	14	-	-	-	-
22	Light						
	Led Light,	42	42	-	-	-	-
	Tube Light	1	1	-	-	-	-
23	Announcement Speaker	1	1	-	-	-	-
24	Pen Tablet	1	1	-	-	-	-
25	Notice Board	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Computer Science Laboratory of P.G & Research Department of Computer Science.

*S. Jagannathan*  
Lab In-charge

*P. Rajeswari*  
Physical Verifier

*S. The. Prakash*  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****2020-2021****PG Department of Chemistry**

**Cauvery College For Women(Autonomous), Trichy  
Report of Physical Stock Verification**

Name of the Department: **CHEMISTRY** Academic Year: **2020-2021**

Name of the Laboratory: \_\_\_\_\_ Date of Audit: \_\_\_\_\_

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
<b>Lab I</b>							
1	Centrifuge Machine	3	2	-	1	-	
2	Distillation Unit	2	1	-	-	-	
3	Electronic balance 2 digits	1	1	-	-	-	
4	Electronic balance 4 digits, SHIMADZU	1	1	-	-	-	
5	Hot air Oven	1	1	-	-	-	
6	Mechanical Shaker	2	2	-	-	-	
7	Photo electric colorimeter	3	3	-	-	-	
8	Vacuum pump	3	2	-	1	-	
9	Water bath(electronic)	1	1	-	-	-	
10	Electric bunSen	11	11	-	-	-	
11	Hot plate	1	1	-	-	-	
12	Heating mantle	2	2	-	-	-	
13	Single pan electronic balance	2	2	-	-	-	
<b>LAB II</b>							
14	Conductivity meter-ELICO model	13	13	-	-	-	
15	Distillation Unit	1	1	-	-	-	
16	Hot air Oven	1	1	-	-	-	
17	pH meter	3	3	-	-	-	
18	Digital Potentiometer	6	6	-	-	-	
19	Platinum electrode	11	9	-	2	-	
20	Reference electrode	12	9	-	3	-	
21	Sonicator bath	1	1	-	-	-	
22	Vacuum pump	1	1	-	-	-	
23	Soxhlet apparatus	1	1	-	-	-	
24	Thermostate	1	1	-	-	-	
25	Refrigerator	1	1	-	-	-	
26	Heating mantle	1	1	-	-	-	
27	Potentiometer with Magnetic stirrer	6	6	-	-	-	
<b>LAB III</b>							
28	Centrifuge Machine	2	2	-	-	-	
29	Chemical Balance	1	1	-	-	-	
30	Electronic balance with d digits	1	1	-	-	-	



CRITERION IV

STOCK VERIFICATION REPORT

31	Rough balance	1	1	.	.	.	
32	Electronic balance 4 digits	2	2	.	.	.	

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in I, II

III Laboratory of ~~CHEMISTRY~~ Department.

*P. Jambuti*  
Lab In-charge

*R. V.*  
Physical Verifier

*P. S. R. S.*  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Biotechnology****Academic Year: 2020-2021****Name of the Laboratory: Biotechnology****Date of Audit: 24.03.2021**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Double Distillation Unit	1	Working	-	-	-	-
2.	Rotary Shaker with incubator	1	Working	-	-	-	-
3.	Laminar Air Flow chamber	2	Working	-	-	-	-
4.	Spectrophotometer	1	Working	-	-	-	-
5.	Electronic Balance	2	Working	-	-	-	-
6.	Spinwin MC – 01 Microcentrifuge	1	Working	-	-	-	-
7.	Spinix Vortex shaker - Tarson	1	Working	-	-	-	-
8.	Olympus Lab Binocular Microscope Model 'HB'	5	Working	-	-	-	-
9.	Olympus Monocular Microscope HSA	46	Working	-	-	-	-
10.	pH Meter – ELICO LT - 120	1	Working	-	-	-	-
11.	Clinical Centrifuge	1	Working	-	-	-	-
12.	Autoclave	2	Working	-	-	-	-
13.	UV Transilluminator	1	Working	-	-	-	-
14.	Water bath	1	Working	-	-	-	-
15.	Deep Freezer	1	Working	-	-	-	-
16.	Colorimeter	1	Working	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

17.	Erma Ocular Micrometer	1	Working	-	-	-	-
18.	Micropipette 100 - 1000 $\mu$ L	3	Working	-	-	-	-
19.	Micropipette 50 - 200 $\mu$ L	1	Working	-	-	-	-
20.	Micropipette 0.5 - 10 $\mu$ L	2	Working	-	-	-	-
21.	Hot Air Oven	1	Working	-	-	-	-
22.	Incubator	1	Working	-	-	-	-
23.	Heating Mantle	1	Working	-	-	-	-
24.	Power Pack	3	Working	-	-	-	-
25.	Refrigerator	1	Working	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Biotechnology Laboratory of Biotechnology Department.

  
**Lab In-charge**

  
**Physical Verifier**

  
**Head of the Department**

**CRITERION IV****STOCK VERIFICATION REPORT**

Cauvery College For Women (Autonomous), Trichy

**Report of Physical Stock Verification**

Name of the Department: PG &amp; Research Department of Microbiology


Academic Year: 2020-2021


Name of the Laboratory: UG Microbiology Laboratory


Date of Audit: 25-03-2021

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Binocular microscope with illuminator (Olympus)	01	yes	No	No	No	nil
2	Clinical Centrifuge (Remi) (BC)	01	yes	No	No	No	nil
3	Colony counter (Deep Vision)	01	yes	No	No	No	nil
4	Distillation Unit (Guna)	01	yes	No	No	No	nil
5	Electronic Balance (Shimadzu)	01	yes	No	No	No	nil
6	Hot air oven (Tempo)	01	yes	No	No	No	nil
7	Hot Plate (Tempo)	01	yes	No	No	No	nil
8	Incubator (Tempo)	01	yes	No	No	No	nil
9	Laminar air flow chamber (Atlantis)	01	yes	No	No	No	nil
10	Ph meter (Eli co Ltd.)	01	yes	No	No	No	nil
11	Samsung Refrigerator	01	yes	No	No	No	nil
12	Spectrophotometer (Systronics)	01	yes	No	No	No	nil
13	Water Bath (Tempo)	01	yes	No	No	No	nil
14	Distillation unit (Borosil)	01	yes	No	No	No	nil
15	Heating mantle	01	yes	No	No	No	nil
16	Colorimeter(BC Lab)	01	yes	No	No	No	nil

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory of Microbiology Department.

  
 Lab In-charge

  
 Physical Verifier

  
 Head of the Department

**Cauvery College For Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: PG &amp; Research Department of Microbiology

Academic Year: 2020-2021

Name of the Laboratory: PG Microbiology Laboratory

Date of Audit: 19-03-2021

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Agarose Gel Electrophoresis Unit	02	yes	no	no	no	nil
2	Al Glass Water Still (Tempo)	01	yes	no	no	no	nil
3	Anaerobic Jar (Btl Type)	01	yes	no	no	no	nil
4	Autoclave (Inlab)	02	yes	no	no	no	nil
5	BOD Incubator (Teleco)	01	yes	no	no	no	nil
6	Clinical Centrifuge (Remi)	01	yes	no	no	no	nil
7	Cooling Centrifuge (Remi Instruments)	01	yes	no	no	no	nil
8	Cyclomixer (Remi)	01	yes	no	no	no	nil
9	Deep Freezer (Blue star)	01	yes	no	no	no	nil
10	Dessciator (Tarson)	01	yes	no	no	no	nil
11	Electronic Balance (Ahamed)	01	yes	no	no	no	nil
12	Electronic Balance (Precisa Instruments)	01	yes	no	yes	no	nil
13	Gel Rocker (Bangalore Genei Pvt. Ltd.,)	01	yes	no	no	no	nil
14	Hot air oven (Tempo)	01	yes	no	no	no	nil
15	Hot Plate (Telco)	01	yes	no	no	no	nil
16	Incubator (Tempo)	01	yes	no	no	no	nil

**CRITERION IV****STOCK VERIFICATION REPORT**

17	Kjeldahl Apparatus (Borosil)	01	yes	no	no	no	nil
18	Laminar air flow chamber (Atlantis)	01	yes	no	no	no	nil
19	Magnetic Stirrer (Remi)	01	yes	no	no	no	nil
20	Magnetic Stirrer (Remi) with hot plate	01	yes	no	no	no	nil
21	Mechanical rotary Shaker (Remi)	01	yes	no	no	no	nil
22	Micro centrifuge (Spin win)	01	yes	no	no	no	nil
23	Microscope (Weswox)	20	yes	no	no	no	nil
24	Microscope – Binocular(Weswox)	02	yes	no	no	no	nil
25	Microscope with micro photographic attachment (Olympus Optical Co. Ltd.)	01	yes	no	no	no	nil
26	Microscopes with Illuminator(Olympus)	20	yes	no	no	no	nil
27	Mini Autoclave (Elcon, Self Ejective Type)	02	yes	no	no	no	nil
28	Mini Cooler (Tarson)	01	yes	no	yes	no	nil
29	Ph meter (Eli co. Ltd.)	01	yes	no	no	no	nil
30	Phase contrast microscope (Magnus Universal Ltd.)	01	yes	no	no	no	nil
31	Polyacrylamide Gel Electrophoresis Unit	02	yes	no	no	no	nil
32	Power Pack(Biotech make)	03	yes	no	no	no	nil
33	Quebec Colony Counter (Deep Vision Colony Counter)	01	yes	no	no	no	nil
34	Reuter – Air Sampler	01	yes	no	no	no	nil






CRITERION IV


STOCK VERIFICATION REPORT

35	Spectrophotometer (Systronics)	01	yes	no	no	no	nil
36	Thin-Layer Chromatography Unit (Acme Engineering Services)	02	yes	no	no	no	nil
37	Tissue Culture Rack	01	yes	no	no	no	nil
38	Transilluminator (Biotech Pvt. Ltd.)	01	yes	no	no	no	nil
39	UV Spectrophotometer (Systronics)	01	yes	no	yes	no	nil
40	Water Bath (Guna)	01	yes	no	no	no	nil
41	Water Bath cum shaker (Neolab)	01	yes	no	no	no	nil
42	Whirlpool Fridge 265 liters	02	yes	no	no	no	nil
43	Vaccum pump	01	yes	no	no	no	nil
44	Vortex mixture	01	yes	no	no	no	nil
45	Colorimeter(PG Lab)	01	yes	no	no	no	nil

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Microbiology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: INFORMATION TECHNOLOGY

Academic Year: 2020-2021

Name of the Laboratory: NET LAB

Date of Audit: 30.03.2021

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Air Conditioner	6	6	-	-	-	-
2	A/C Stabilizers	6	6	-	-	-	-
3	A/C Remote	2	2	-	-	-	-
4	Battery (UPS)	26	26	-	-	-	-
5	Bureau Steel Bureau (2) Wooden Bureau (2)	4	4	-	-	-	-
6	Chairs Steel Chair (85) Rotating Type Chair (8) S Type Chairs (2)	95	95	-	-	-	-
7	EXTENSION BOX	8	8	-	-	-	-
8	Fan Crompton Greaves (4)	4	4	-	-	-	-
9	Firewall  WATCH GUARD FIREBOX (HARDWARE)	1	1	-	-	-	-
10	LAPTOP  LENOVO	11	11	-	-	-	-
11	LCD'S  LCD SONY EPSON Pointer	2 6 3	2 6 3	-	-	-	-
12	Printer  Epson FX 2175 (1) Epson M200 (1) Canon LBP200 (1) Epson L405 (1)	4	4	-	-	-	-
13	Racks Steel Racks (2) Shoe Racks (1)	3	3	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

14	<b>System</b> INTEL Inside Xeon [Server] (1) New System (26) (Windows 7) New System (50) (Windows 8) N-Computing (4) (Windows 7)	81	81	-	-	-	-
15	<b>Switches</b> 24 Port (5) 12 Port (1)	6	6	-	-	-	-
16	<b>Scanner</b> Canon LIDE 120 ID Card Scanner	1 1	1 1	-	-	-	-
17	<b>Screen With Stand 6X8 (Projector)</b>	1	1	-	-	-	-
18	<b>Speakers</b>	2	2	-	-	-	-
19	<b>Tube Lights</b>	40	40	-	-	-	-
20	<b>Tables</b> System Table (24) Writing Table (Steel) - (2) Writing Table (Wooden) - (1)	27	27	-	-	-	-
21	<b>UPS Frontline</b> 10 KVA UPS (2)	2	2	-	-	-	-
22	<b>WHITE BOARD</b>	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in ~~Net~~ Laboratory of ~~IT~~ Department.

*J. K. K.*  
Lab In-charge

*S. S. S.*  
Physical Verifier

*R. R.*  
Head of the Department

**Cauvery College For Women(Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Information Technology

Academic Year: 2020-2021

Name of the Laboratory: Distributed Technologies Lab


Date of Audit: 30.03.2021

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	AIR CONDITIONER	7	7	-	-	-	-
2	AC REMOTE	5	5	-	-	-	-
3	STABILIZER	7	7	-	-	-	-
4	FAN	6	6	-	-	-	-
5	EXHAUST FAN	1	-	1	-	-	-
6	TUBE LIGHTS	37	37	-	-	-	-
7	UPS	2	2	-	-	-	-
8	BATTERY	30	30	-	-	-	-
9	INVERTER	2	2	-	-	-	-
10	SWITCHES	4	4	-	-	-	-
11	RACK						
	1. Networking Rack	1	1				
	2. Battery Rack	2	2	-	-	-	-
	3. Shoe Rack	4	4				
	4. Closed Wooden Rack	1	1				
12	TABLE						
	1. Computer Table	34	34	-	-	-	-
	2. Staff Table	1	1				
	3. Dining Table	1	1				
13	CHAIR						
	1. Rotating Chair	92	-	50	-	-	-
	2. White Chair	10					
14	WOODEN BUREAU	2	2	-	-	-	-
15	WHITE BOARD	1	1	-	-	-	-
16	NOTICE BOARD	1	1	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

17	PROCESSOR	82	82	-	-	-	-
18	MONITOR	82	82	1	-	-	-
19	KEY BOARD	82	82	-	-	-	-
20	MOUSE	82	82	-	20	-	-
21	MOUSE PAD	79	59	-	20	-	-
22	SPEAKER						
	1. Black	10	10	-	-	-	-
	2. White	2	2	-	-	-	-
23	DVD DRIVE	7	7	-	-	-	-
24	PRINTER						
	1.Canon Laser Printer 2900B	1	1	-	-	-	-
	2 Canon All In One Laser MF4320	1	1	-	-	-	-
	3.Epson FX2175 Dot Matrix	2	2	-	-	-	-
25	HARD DISK (EXTERNAL) 1 TB	1	1	-	-	-	-
26	FIRE EXTINGUISHER	3	3	-	-	-	-
27	CLOCK	1	-	-	-	1	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in II Laboratory of II Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women(Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Computer Applications

Academic Year: 2020-2021

Name of the Laboratory: CA1, CA2 &amp; CA3

Date of Audit: 24.03.2021

**CA1 & CA2**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Intel Core i5-4440 CPU@3.10GHz	55	55	-	-	-	-
2.	Pentium IV processor (XP System)	1	1	-	-	-	-
3.	Intel Core i3-2120 3.30 GHz Processor	55	55	-	-	-	-
4.	Intel Xeon 5620 Server / 2.4GHZ/12MB	2	2	-	-	-	-
5.	Xeon - E3 - 1220 3.10GHZ/8MB (CA1- UNIX Server)	1	1	-	-	-	-
6.	19" LED SAMSUNG XP 12" AOC 18.5 LED Monitor 19" LCD	57 25 32	57 25 32	-	-	-	-
7.	Keyboard (104 keys) TVSE Logitech	85 29	85 29	-	-	-	-
8.	MOUSE Logitech	114	114	-	-	-	-
9.	Mouse Pad	114	114	-	-	-	-
<b>PRINTERS</b>							
10.	-Epson FX890	4	4	-	-	-	-
11.	-HP Laser Jet 1020 Plus	2	2	-	-	-	-
12.	-Epson M200 Ink Jet (3 in 1)	1	1	-	-	-	-
13.	-HP Scan Jet 3500c	1	1	-	-	-	-
<b>CD DRIVE</b>							
14.	DVD Writer	5	5	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

SWITCHES							
15.	-24 Port Switch	5	5	-	-	-	-
16.	-8 Port Switch	1	1	-	-	-	-
17.	-16 Port Switch	2	2	-	-	-	-
UPS							
18.	10 KVA	2	2	-	-	-	-
19.	5 KVA	2	2	-	-	-	-
20.	Adapter	2	2	-	-	-	-
21.	Battery	46	46	-	-	-	-
22.	A/c Stabilizer	8	8	-	-	-	-
23.	A/c remote	4	4	-	-	-	-
24.	Air Conditioner	8	8	-	-	-	-
25.	Battery rack	2	2	-	-	-	-
26.	Stabilizer rack	1	1	-	-	-	-
27.	Exhaust Fans	1	1	-	-	-	-
28.	Cupboard	2	2	-	-	-	-
29.	Shoe Racks	3	3	-	-	-	-
30.	Chairs	122	122	-	-	-	-
31.	White Chairs	9	9	-	-	-	-
32.	Steel Chair, Table	1	1	-	-	-	-
33.	Clocks	2	2	-	-	-	-
34.	Tube Lights	38	38	-	-	-	-
35.	Table (Wood)	13	13	-	-	-	-
36.	Bureau	2	2	-	-	-	-
37.	Table Fan (Pedestal)	1	1	-	-	-	-
38.	Table Fan (Wall)	13	13	-	-	-	-
40.	Multimedia Kit (Speaker White)	1	1	-	-	-	-
41.	Speaker(block)	10	10	-	-	-	-
42.	Fire Extinguisher	2	2	-	-	-	-
43.	White Board	2	2	-	-	-	-
LCD							
44.	LCD Sanyo	1	1	-	-	-	-
45.	Sony SDN 7	1	-	1	-	-	-
CAMERA							
46.	WebCam	5	5	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

CA3

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	QUAD(Opteron) CORE DUAL PROCESSOR	1	1	-	-	-	-
2	AMD Athelon Intel@CORE	56 4	56 4	-	-	-	-
3	ViewSonic Colour Monitor Lenovo Monitor Compaq B191	55 4 2	55 4 2	-	-	-	-
4	<b>Keyboard</b> Logitech Keyboard TVS Keyboard Riveraa Keyboard Lenovo Keyboard	52 1 4 4	52 1 4 4	-	-	-	-
5	Logitech	57	57	-	-	-	-
6	Lenovo	4	4	-	-	-	-
7	Mouse Pad	60	60	-	-	-	-
<b>Printers:</b>							
8	Epson LQ-1150 II	1	-	-	1	-	-
9	Epson FX-890	1	1	-	-	-	-
10	Epson FX-890 II	1	1	-	-	-	-
11	Epson M200 Ink Jet(3 in1)	1	1	-	-	-	-
12	Samsung HP Laser 1640	1	-	-	1	-	-
13	HP Scan jet G2410	1	-	-	1	-	-
<b>CD Drive:</b>							
14	DVD Writer	2	2	-	-	-	-
<b>Switches:</b>							
15	-24 Port Switch	4	4	-	-	-	-
<b>UPS:</b>							
16	UPS 10 KV	1	1	-	-	-	-
17	UPS 5 KV	1	1	-	-	-	-
18	Battery	30	30	-	-	-	-
19	A/C Stabilizer	5	5	-	-	-	-
20	A/C Remote	3	3	-	-	-	-
21	Air Conditioner	5	5	-	-	-	-
22	Battery Rack	2	2	-	-	-	-
23	Rotating Fan	5	5	-	-	-	-
24	Ceiling Fan	1	1	-	-	-	-
25	Shoe Rack	1	1	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

26	Rotating Chair	64	64	-	-	-	-
27	Clock	1	1	-	-	-	-
28	Tube Light	25	25	-	-	-	-
29	White board	1	1	-	-	-	-
30	Wood Table( with 4 Locks)	1	1	-	-	-	-
31	Cubboard(with lock)	2	2	-	-	-	-
32	Bureau	1	1	-	-	-	-
33	Door Locks	2+1	2+1	-	-	-	-
34	Windows Verticals	4+1	4+1	-	-	-	-
	Windows Screen	4	4	-	-	-	-
35	Multimedia Kit(PC's Speaker)	10	10	-	-	-	-
36	Notice Board	1	1	-	-	-	-
<b>LCD</b>							
37	SANYO XGA Projector	1	11	-	-	-	-
<b>Manual:</b>							
38	Server(TYAN)	1	1	-	-	-	-
39	Motherboard Quick Start Guide	59	59	-	-	-	-
40	Motherboard user Guide	57	57	-	-	-	-
41	EPSON LQ 1150 Manual	1	1	-	-	-	-
42	Epson FX-890	1	1	-	-	-	-
43	Samsung ML-1640 Manual	1	1	-	-	-	-
44	UPS Manual	1	1	-	-	-	-
45	Exide Power Safe (2 Years Warranty)	10	10	-	-	-	-
<b>CAMERA</b>							
46	WebCam	5	5	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in CA1, CA2 & CA3 Laboratory of Computer Applications Department.

*P. Selvi*  
(Ms.T.Selvi)

**Lab In-charge**

*AAandhavi*  
(Ms. A. Anandhavalli)

**Physical Verifier**

*Merlin Packiam*  
(Dr. R. Merlin Packiam)

**Head of the Department**

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Physics****Academic Year: 2020-2021****Name of the Laboratory: PG Laboratory****Date of Audit: 20.03.2021**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/D.C[0-500microA]	6	6	-	-	-	-
2	Ammeter/D.C[0-30mA]	2	2	-	-	-	-
3	Ammeter/D.C[0-100mA]	13	13	-	-	-	-
4	Ammeter/D.C[0-500mA]	8	8	-	-	-	-
5	Ammeter/D.C[0-3A]	9	9	-	-	-	-
5	Anderson Bridge	4	4	-	-	-	-
6	Audio Frequency Oscillator	9	9	-	-	-	-
7	Audio Frequency Oscillator(adopter)	18	18	-	-	-	-
8	Base/Dry cell[1.5v]	2	2	-	-	-	-
9	Base/Dry cell[4.5v]	14	14	-	-	-	-
10	Base/Transistor	5	5	-	-	-	-
11	Battery Eliminator	10	10	-	-	-	-
12	Battery Eliminator pico	16	16	-	-	-	-
13	Board-ALU Board	7	7	-	-	-	-
14	Board-Analog Input[10kpot]	6	6	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

15	Board-Diodes	3	3	-	-	-	-
16	Board-Encoder Board	2	2	-	-	-	-
17	Board-I/O-10 switches-4LED	1	1	-	-	-	-
18	Board-op-amp	18	18	-	-	-	-
19	Board-Resistor[2.2k]	6	6	-	-	-	-
20	Board-Resistor[1k,2k,10k,100k,0.1	5	5	-	-	-	-
21	Board resistor for op-amp[1k,2k,4k,8k]	6	6	-	-	-	-
22	Board-switch[4]	8	8	-	-	-	-
23	Board-Transistor, Resistor, Diode	8	8	-	-	-	-
24	Board-08 pins[555 timer]	9	9	-	-	-	-
25	Board-14 pins	67	67	-	-	-	-
26	Board-16 pins	28	28	-	-	-	-
27	Board-20 pins	6	6	-	-	-	-
28	Board-24 pins	2	2	-	-	-	-
29	Board-4 LED	4	4	-	-	-	-
30	Board-4 LED Display,1k,10k	4	4	-	-	-	-
31	Board-7 segment Display	12	12	-	-	-	-
32	Board-74154	5	5	-	-	-	-
33	Carey Foster Bridge	3	3	-	-	-	-
34	Capacitor Box-1Dial[0.1microF]	5	5	-	3	-	-
35	Capacitor Box-2Dial[0.01microF,0.1microF]	13	13	-	-	-	-
36	CapacitorBox-4Dial-0.001microF,0.01microF,0.1microF,1microF	2	2	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

37	Clamps/Condenser type	5	5	-	-	-	-
38	Clamps/Fisher type	9	9	-	-	-	-
39	Comparator for spectrum photograph	2	2	-	-	-	-
40	Computer	7	7	-	-	-	-
41	Constant deviation spectrometer	1	1	-	-	-	-
42	Constant temperature bath	1	1	-	-	-	-
43	C R O [single channel]	6	6	-	-	-	-
44	C R O Adopter	3	3	-	-	-	-
45	Daniel cell substitute	3	3	-	-	-	-
46	Digital IC tester	1	1	-	-	-	-
47	Digital stop clock[seconds display]	8	8	-	-	-	-
48	Dimmerstat [4A]	5	5	-	-	-	-
49	ESR spectrometer	2	2	-	-	-	-
50	e m Magnetron Apparatus	3	3	-	-	-	-
51	Electromagnet with power supply service	2	2	-	-	-	-
52	Electronic Balance	1	1	-	-	-	-
53	Enlarger	1	1	-	-	-	-
54	FET meter	5	5	-	-	-	-
55	Forbes apparatus	2	2	-	-	-	-
56	Four probe apparatus	3	3	-	-	-	-
57	Gauss meter	4	4	-	-	-	-
58	Guoy Balance	1	1	-	-	-	-
59	Germanium sample	3	3	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

60	Hall probe	6	6	-	-	-	-
61	Hall set up apparatus	5	5	-	-	-	-
62	Hand Grincler for metallic rods	1	1	-	-	-	-
63	Hanger/50gm	8	8	-	-	-	-
64	Hanger/100g	5	5	-	-	-	-
65	High resistance[10k]	9	9	-	-	-	-
66	Jockey	11	11	-	-	-	-
67	Key[rocker]	4	4	-	-	-	-
68	Knife edge	4 sets	4 sets	-	-	-	-
69	Lechlanche cell	8	8	-	-	-	-
70	Logic module-6 switches	4	4	-	-	-	-
71	Logic module-12 switches	3	3	-	-	-	-
72	Logic module-16 switches	20	20	-	-	-	-
73	Magnetic stirrer with hot plate	2	2	-	-	-	-
74	Mercury vapour lamp-transformer setup	3	3	-	-	-	-
75	Metallic arc power supply	2	2	-	-	-	-
76	Meter bridge	3	3	-	-	-	-
77	Michelsons Interferometer	1	1	-	-	-	-
78	Microprocessor Interfaces Cables	14	14	-	-	-	-
79	Microprocessor Interfaces power pack	42	42	-	-	-	-
80	Microprocessor kit	20	20	-	-	-	-
81	Microscope-xy	3	3	-	-	-	-
82	Multimeter[analog]	1	1	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

83	Multimeter[digital]	25	25	-	-	-	-
84	Pulse code modulation and modulation kit	1	1	-	-	-	-
85	Polarimeter set up	3	3	-	-	-	-
86	Potentiometer	5	5	-	-	-	-
87	Power supply[5v]	4	4	-	-	-	-
88	Power supply[30v,2A]	4	4	-	-	-	-
89	Power supply[30v,25A] Dual regulator [30v,1A]	3	3	-	-	-	-
90	Power supply[dual] 30v,100mA&5v,100mA	3	3	-	-	-	-
91	Power supply dual[30v,1A&5v,0.1A]	3	3	-	-	-	-
92	Power supply for B.H curve-Anchor ring	2	2	-	-	-	-
93	Inductance 18MH	1	1	-	-	-	-
94	Power supply for full effect	2	2	-	-	-	-
95	Power supply for hydrogen discharge tube	3	3	-	-	-	-
96	Power supply and mount for hydrogen tube	2	1	-	1	-	-
97	Printer	1	1	-	-	-	-
98	Pulsor	16	16	-	-	-	-
99	Quinke's stand	4	4	-	-	-	-
100	Resistance Box-2 Dial[0.01,0.1]	5	5	-	-	-	-
101	Resistance Box-2 Dial[1,10]	5	5	-	-	-	-
102	Resistance Box-4 Dial[0.1,1,10,100]	2	2	-	-	-	-
103	Resistance Box-4 Dial[1,10,100,1000]	22	22	-	-	-	-
104	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

105	Rheostat[30ohm,4A,2.3ohm,2.8m]	4	4	-	-	-	-
106	Rheostat[3600ohm,0.3A]	2	2	-	-	-	-
107	Sodium vapour lamp-Transformer setup	5	5	-	-	-	-
108	Solenoid inductance e/m	2	2	-	-	-	-
109	Spectrometer	8	8	-	-	-	-
110	Spot galvanometer	1	1	-	-	-	-
111	Stabilizer	1	1	-	-	-	-
112	Stand[circular base]	5	5	-	-	-	-
113	Stand[square base]	5	5	-	-	-	-
114	Stop clock	5	5	-	-	-	-
115	Stop watch[digital]	5	5	-	-	-	-
116	Telescope	4	4	-	-	-	-
117	Travelling microscope	6	6	-	-	-	-
118	Vernier caliper	14	14	-	-	-	-
119	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
120	Voltmeter/D.C[0-3V]	17	17	-	-	-	-
121	Voltmeter/D.C[0-10V]	14	14	-	-	-	-
122	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
123	Series transmission 8251 with cable	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Physics****Academic Year: 2020-2021****Name of the Laboratory: UG Laboratory 1& 2****Date of Audit: 20.03.2021**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/A.C[0-25mA]	10	10	-	-	-	-
2	Ammeter/A.C[0-15mA]	4	4	-	-	-	-
3	Ammeter/D.C[0-500microA]	7	7	-	-	-	-
4	Ammeter/D.C[0-25mA]	2	2	-	-	-	-
5	Ammeter/D.C[0-100mA]	17	17	-	-	-	-
5	Ammeter/D.C[0-500mA]	25	25	-	-	-	-
6	Ammeter/D.C[0-3A]	19	19	-	-	-	-
7	Audio Frequency Oscillator	12	12	-	-	-	-
8	Audio Frequency Oscillator(adopter)	17	17	-	-	-	-
9	Ballistic Galvanometer	1	1	-	-	-	-
10	Base/Dry cell[1.5v]	10	10	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

11	Base/Transistor	23	23	-	-	-	-
12	Battery Charger	1	1	-	-	-	-
13	Battery Eliminator	31	31	-	-	-	-
14	Battery Eliminator pic	26	26	-	-	-	-
15	Board-Analog Input[4.7kpot]	8	8	-	-	-	-
16	Board-I/O-12 switches	5	5	-	-	-	-
17	Board-op-amp	10	10	-	-	-	-
18	Board-Resistor[2.2k]						
19	Board-Resistor[1k,2k,10k,100k,0.01]	4	4	-	-	-	-
20	Board-switch[4]	6	6	-	-	-	-
21	Board-14 pins	77	77	-	-	-	-
22	Board-16 pins	49	49	-	-	-	-
23	Carey Foster Bridge	8	8	-	-	-	-
24	Calculator	1	1	-	-	-	-
25	Camera	1	1	-	-	-	-
26	Capacitor Box-1Dial[0.01microF]	5	5	-	-	-	-
27	Capacitor Box-1Dial[1microF]	8	8	-	-	-	-
28	Capacitor Box-2Dial[0.01microF,0.1microF]	10	10	-	-	-	-
29	Choke	7	7	-	-	-	-
30	Chuk	2	2	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

31	Clamps/Cantilever	14	14	-	-	-	-
32	Clamps/Fisher type	16	16	-	-	-	-
33	Clamps/Meldes	3	3	-	-	-	-
34	Clips/pinch type	14	14	-	-	-	-
35	Clips/screw type	13	13	-	-	-	-
36	Compound Pendulum	6	6	-	-	-	-
37	C.R.O [Double channel]	8	8	-	-	-	-
38	C.R.O Adopter	4	4	-	-	-	-
39	Daniel cell substitute	12					
40	Deflection magnetometer	14	14	-	-	-	-
41	Electromagnet melder's	4	4	-	-	-	-
42	Field along the axis apparatus	6	6	-	-	-	-
43	Galvanometer[30-0.30]/D.C	26	26	-	-	-	-
44	Hanger/50gm	5	5	-	-	-	-
45	Hanger/100g	16	16	-	-	-	-
46	Hanger/500g	8	8	-	-	-	-
47	High resistane[10k]	28	28	-	-	-	-
48	Induction Coil[0-500 turns]	11	11	-	-	-	-
49	Induction Coil[0-1450 turns]	9	9	-	-	-	-
50	Jockey	32	32	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

51	Joule's Calorimeter	4	4	-	-	-	-
52	Key[4 segment]	11	11	-	-	-	-
53	Key[charge discharge]	11	11	-	-	-	-
54	Key[commutator]	17	17	-	-	-	-
55	Key[DPDT]	10	10	-	-	-	-
56	Key[plug]	29	29	-	-	-	-
57	Knife edge	10 sets	10 sets	-	-	-	-
58	Knife edge-sonometer	6 sets	6 sets	-	-	-	-
59	Lamp and scale arrangement for B.G	2	2	-	-	-	-
60	Lechlanche cell	14	14	-	-	-	-
61	Lee's disc setup	1	1	-	-	-	-
62	Lens Holder/single	14	14	-	-	-	-
63	Lens Holder/double	6	6	-	-	-	-
64	Light source	7	7	-	-	-	-
65	Logic module-6 switches	8	8	-	-	-	-
66	Logic module-12 switches	5	5	-	-	-	-
67	Logic module-16 switches	11	11	-	-	-	-
68	Loud speaker	4	4	-	-	-	-
69	Magnetic stirrer with hot plate	1	1	-	-	-	-
70	Main switch	1	1	-	-	-	-
71	Melde's apparatus	7	7	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

72	Mercury vapour lamp-transformer setup	4	4	-	-	-	-
73	Meter bridge	4	4	-	-	-	-
74	Microprocessor kit	20	20	-	-	-	-
75	Microscope(or) Travelling microscope	13	13	-	-	-	-
76	Multimeter[digital]/ma stech	2	2	-	-	-	-
77	Multimeter[digital]/M ECO	40	33	-	7	-	-
78	Multimeter[digital]/ph ilips	2	2	-	-	-	-
79	Extension box 3m[A]	2	2	-	-	-	-
80	Extension box 5m[B]  Power pack for microprocessor	1	1	-	-		
81	Pan for Melde's experiment	3	3	-	-	-	-
82	Post office box	7	7	-	-	-	-
83	Potentiometer	13	13	-	-	-	-
84	Power supply[5v]	11	11	-	-	-	-
85	Resistance Box-1 Dial[0.01]	5	5	-	-	-	-
86	Resistance Box-1 Dial[0.1]	5	5	-	-	-	-
87	Resistance Box-1 Dial[1]	8	8	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

88	Resistance Box-2 Dial[0.01,0.1]	10	10	-	-	-
89	Resistance Box-2 Dial[0.1,1]	5	5	-	-	-
90	Resistance Box-2 Dial[1,10]	18	18	-	-	-
91	Resistance Box-4 Dial[0.1,1,10,100]	3	3	-	-	-
92	Resistance Box-4 Dial[1,10,100,1000]	18	18	-	-	-
93	Resistance Box-5 Dial[0.1,1,10,100,1k]	3	3	-	-	-
94	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-
95	Rheostat[30ohm,4A,2. 3ohm,2.8m]	8	8	-	-	-
96	Rheostat[3600ohm,0.3 A]	9	9	-	-	-
97	Rough Balance	2	2	-	-	-
98	Screw gauge	20	20	-	-	-
99	Sodium vapour lamp- Transformer setup	4	4	-	-	-
100	Sonometer	8	8	-	-	-
101	Spectrometer	8	8	-	-	-
102	Spherical calorimeter	18	18	-	-	-
103	Stand[circular base]	6	6	-	-	-
104	Stand[square base]	11	11	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

105	Standard capacitance[0.1microF	2	2	-	-	-	-
106	Standard capacitance-0.5microF	1	1	-	-	-	-
107	Standard capacitance[1microF]	4	4	-	-	-	-
108	Standard capacitance[5microF]	3	3	-	-	-	-
109	Standard resistance[1ohm]	20	20	-	-	-	-
110	Static torsion apparatus	5	5	-	-	-	-
111	Steam boiler	1	1	-	-	-	-
112	Stop clock	8	8	-	-	-	-
113	Stop watch[digital]	8	8	-	-	-	-
114	Stop watch[mechanical]	2	2	-	-	-	-
115	Telescope	13	13	-	-	-	-
116	Torsional pendulum	4	4	-	-	-	-
117	Travelling microscope	13	13	-	-	-	-
118	Tuning fork[288Hz]	2	2	-	-	-	-
119	Tuning fork[320Hz]	2	2	-	-	-	-
120	Tuning fork[341Hz]	3	3	-	-	-	-
121	Tuning fork[384Hz]	9	9	-	-	-	-
122	Tuning fork[426Hz]	10	10	-	-	-	-
123	Tuning fork[480Hz]	10	10	-	-	-	-
124	Tuning fork[512Hz]	11	11	-	-	-	-



**CRITERION IV**

**STOCK VERIFICATION REPORT**

146	Wooden screen for lens experiment	7	7	-	-	-	-
147	Work bench[voltmeter(0-15V),Bread board]	3	3	-	-	-	-
148	Resistance box-4 Dial-0.01,0.1,1,10ohm	6	6	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory 1 & 2 of Physics Department.

  
**Lab In-charge**

  
**Physical Verifier**

  
**Head of the Department**

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College For Women(Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Computer Science

Academic Year:2020-2021

Name of the Laboratory: Computer Science

Date of Audit:27.03.2021

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	UPS 10KVA	4	4	-	-	-	-
2	Battery	52	52	-	-	-	-
3	Inverter	1	1	-	-	-	-
4	Inverter battery	1	1	-	-	-	-
5	<b>Server</b> PRO-SEDA X3430/2.4GHZ Lenovo Think Server 1550	1 1	1 1	- -	- -	- -	- -
6	<b>Node System</b> PRO-CCREi3-210003.1GHZ Corei3322003.30HZ Intel Core i3 8 <sup>th</sup> 8100 Processor 19Inch LCD Monitor Samsung LED18.5 Monitor ADC LED 18.5 Monitor Samsung View Sonic Monitor Lenovo Monitor TVS Key Board Logitech Key Board Lenovo Key Board Logitech Mouse Lenovo Mouse	28 32 64 28 8 24 2 64 52 9 65 61 65	28 32 64 28 8 24 2 64 52 9 65 61 65	- - - - - - - - - - - - - -	- - - - - - - - - - - - -	- - - - - - - - - - - - -	- - - - - - - - - - - - -
7	Mouse Pad	126	126	-	-	-	-
8	<b>Printer</b> Epson Fx 890 DMP TVS MSP250-STAR EPSON M100 CANON	3 1 2 1	3 1 2 1	- - - -	- - - -	- - - -	- - - -
8	Ear Phone	59	59	-	-	-	-
9	Speakers	15	15	-	-	-	-
10	CD Drive	2	2	-	-	-	-
11	<b>Chair and Table</b> S - Type Chairs Fiber Chairs System Table Open Table Cupboard Table One Small Steel Table	4 7 48 5 4 1	4 7 48 5 4 1	- - - - - -	- - - - - -	- - - - - -	- - - - - -
12	<b>Stools</b> Steel Stools Wooden Stools	68 67	68 67	- -	- -	- -	- -



**CRITERION IV****STOCK VERIFICATION REPORT**

13	<b>Wooden Rack</b>						
	Battery Rack	4	4	-	-	-	-
	Shoe Rack	4	4	-	-	-	-
	Open Book Rack	1	1	-	-	-	-
14	<b>Bureau</b>	1	1	-	-	-	-
	Wooden Shelf With Sliding Doors	2	2	-	-	-	-
15	<b>Fire Max</b>	2	2	-	-	-	-
16	<b>Software CD's</b>						
	Epson M100 Series Disc voll.0	2	2	-	-	-	-
	Epson FX890 Printer Drive	3	3	-	-	-	-
	Dmp -Tvs Msp 250 Star Printer	1	1	-	-	-	-
	Canon	1	1	-	-	-	-
17	<b>A/C</b>						
	Toshiba Roof Mount	9	9	-	-	-	-
	Remote	9	9	-	-	-	-
18	<b>LCD Things</b>						
	LCD	1	1	-	-	-	-
	Tripod Stand	3	3	-	-	-	-
	Converter - HDMIT to VGA	5	5	-	-	-	-
	Line Filter -3 Socket	5	5	-	-	-	-
	Por(Extension Box)						
19	<b>Wall Clock</b>	1	1	-	-	-	-
20	<b>Fan</b>	14	14	-	-	-	-
21	<b>Light</b>						
	Led Light,	42	42	-	-	-	-
	Tube Light	1	1	-	-	-	-
22	<b>Announcement Speaker</b>	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Computer Science Laboratory of P.G & Research Department of Computer Science.

*S. Nagarathali*  
Lab In-charge

*P. Rajeswari*  
Physical Verifier

*Sinthal*  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****2019-2020****Department of Chemistry**

**Cauvery College For Women(Autonomous), Trichy**  
**Report of Physical Stock Verification**

Name of the Department: **CHEMISTRY** Academic Year: **2019-2020**

Name of the Laboratory: **CHEMISTRY** Date of Audit: **05.10.2020**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Service able	Condemned		
<b>LAB I</b>							
1.	Centrifuge Machine	3	2	-	1	-	
2.	Hand Rotatory Centrifuge Machine	2	1		1		
3.	Distillation Unit	2	1	1	-	-	
4.	Electronic balance 2 digits	1	1	-	-	-	
5.	Electronic balance 4 digits, SHIMADZU	1	1	-	-	-	
6.	Hot air Oven	2	2	-	-	-	
7.	Mechanical Shaker	2	2	-	-	-	
8.	Photo electric colorimeter	4	4	-	-	-	
9.	Vacuum pump	3	2	1		-	Service bill attached
10.	Water bath(electronic)	1	1	-	-	-	
11.	Electric bunSen	11	11	-	-	-	
12.	Hot plate	1	1	-	-	-	
13.	Heating mantle	1	1	-	-	-	
14.	Single pan electronic balance	2	2	-	-	-	
15.	Conductivity meter-ELICO model	13	13	-	-	-	
16.	Conductivity cell	13	11		2	-	
17.	pH meter	3	2	1	-	-	
18.	Digital Potentiometer	12	12	-	-	-	




CRITERION IV


STOCK VERIFICATION REPORT

19.	Platinum electrode	11	9	-	2	-	
20.	Reference electrode	12	11	-	1	-	
21.	Sonicator bath	1	1	-	-	-	
22.	Soxhlet apparatus	1	1	-	-	-	
23.	Thermostat	1	1	-	-	-	
24.	Fuming Exhaust wood	1	1				
25.	Refrigerator	1	1	-	-	-	
LAB III							
26.	Centrifuge Machine	2	2	-	-	-	
27.	Chemical Balance	1	1	-	-	-	
28.	Electronic balance with 2 digits	1	1	-	-	-	
29.	Rough balance	1	1	-	-	-	
30.	Electronic balance 4 digits	2	2	-	-	-	
31.	Heating mantle	3	3				
32.	Battery Balance	1	1				

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in CHEMISTRY Laboratory of CHEMISTRY Department.

  
Lab in-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT**

**Cauvery College for Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

Name of the Department: Biotechnology Academic Year: 2019-2020  
Name of the Laboratory: Biotechnology Date of Audit: 6.10.2020

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available (Quantity)			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1.	Double Distillation Unit	1	Working	-	-	-	
2.	Rotary Shaker with incubator	1	Working	-	-	-	
3.	Laminar Air Flow chamber	2	Working	-	-	-	
4.	Spectrophotometer	1	Working	-	-	-	
5.	Electronic Balance	2	Working	-	-	-	
6.	Spinwin MC - 01 Microcentrifuge	1	Working	-	-	-	
7.	Spinix Vortex shaker - Tarson	1	Working	-	-	-	
8.	Olympus Lab Binocular Microscope Model 'HB'	5	Working	-	-	-	
9.	Olympus Monocular Microscope HSA	46	Working	-	-	-	
10.	pH Meter - ELICO LT - 120	1	Working	-	-	-	
11.	Clinical Centrifuge	1	Working	-	-	-	
12.	Autoclave	2	Working	-	-	-	
13.	UV Transilluminator	1	Working	-	-	-	
14.	Water bath	1	Working	-	-	-	
15.	Deep Freezer	1	Working	-	-	-	
16.	Colorimeter	1	Working	-	-	-	



CRITERION IV

STOCK VERIFICATION REPORT

17.	Erma Ocular Micrometer	1	Working	-	-	-	-
18.	Micropipette 100 - 1000µL	3	Working	-	-	-	-
19.	Micropipette 50 - 200µL	1	Working	-	-	-	-
20.	Micropipette 0.5 - 10µL	2	Working	-	-	-	-
21.	Hot Air Oven	1	Working	-	-	-	-
22.	Incubator	1	Working	-	-	-	-
23.	Heating Mantle	1	Working	-	-	-	-
24.	Power Pack	3	Working	-	-	-	-
25.	Refrigerator	1	Working	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Biotechnology Laboratory of Biotechnology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**Cauvery College For Women (Autonomous), Trichy****Report of Physical Stock Verification**

Name of the Department: Department of Microbiology

Academic Year: 2019-2020

Name of the Laboratory: PG Microbiology Laboratory

Date of Audit:

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Agarose Gel Electrophoresis Unit	02	yes	no	no	no	nil
2	Al Glass Water Still (Tempo)	01	yes	no	no	no	nil
3	Anaerobic Jar (Btl Type)	01	yes	no	no	no	nil
4	Autoclave (Inlab)	02	yes	no	no	no	nil
5	BOD Incubator (Teleco)	01	yes	no	no	no	nil
6	Clinical Centrifuge (Remi)	01	yes	no	no	no	nil
7	Cooling Centrifuge (Remi Instruments)	01	yes	no	no	no	nil
8	Cyclomixer (Remi)	01	yes	no	no	no	nil
9	Deep Freezer (Blue star)	01	yes	no	no	no	nil
10	Dessicator (Tarson)	01	yes	no	no	no	nil
11	Electronic Balance (Ahamed)	01	yes	no	no	no	nil
12	Electronic Balance (Precisa Instruments)	01	yes	no	yes	no	nil
13	Gel Rocker (Bangalore Genei Pvt. Ltd.)	01	yes	no	no	no	nil
14	Hot air oven (Tempo)	01	yes	no	no	no	nil
15	Hot Plate (Telco)	01	yes	no	no	no	nil
16	Incubator (Tempo)	01	yes	no	no	no	nil
17	Kjeldahl Apparatus (Borosil)	01	yes	no	no	no	nil
18	Laminar air flow chamber (Atlantis)	01	yes	no	no	no	nil

**CRITERION IV****STOCK VERIFICATION REPORT**

19	Magnetic Stirrer (Remi)	01	yes	no	no	no	nil
20	Magnetic Stirrer (Remi) with hot plate	01	yes	no	no	no	nil
21	Mechanical rotary Shaker (Remi)	01	yes	no	no	no	nil
22	Micro centrifuge (Spin win)	01	yes	no	no	no	nil
23	Microscope (Weswox)	20	yes	no	no	no	nil
24	Microscope – Binocular(Weswox)	02	yes	no	no	no	nil
25	Microscope with micro photographic attachment (Olympus Optical Co. Ltd.)	01	yes	no	no	no	nil
26	Microscopes with Illuminator(Olympus)	20	yes	no	no	no	nil
27	Mini Autoclave (Elcon, Self Ejective Type)	02	yes	no	no	no	nil
28	Mini Cooler (Tarson)	01	yes	no	yes	no	nil
29	Ph meter (Eli co Ltd.)	01	yes	no	no	no	nil
30	Phase contrast microscope (Magnus Universal Ltd.)	01	yes	no	no	no	nil
31	Polyacrylamide Gel Electrophoresis Unit	02	yes	no	no	no	nil
	Power Pack(Biotech make)	03	yes	no	no	no	nil
	Quebec Colony Counter (Deep Vision Colony Counter)	01	yes	no	no	no	nil
	Reuter – Air Sampler	01	yes	no	no	no	nil
	Spectrophotometer (Systronics)	01	yes	no	no	no	nil
	Thin-Layer Chromatography Unit (Acme Engineering Services)	02	yes	no	no	no	nil
	Tissue Culture Rack	01	yes	no	no	no	nil
	Transilluminator (Biotech Pvt. Ltd.)	01	yes	no	no	no	nil
	UV Spectrophotometer (Systronics)	01	yes	no	yes	no	nil
	Water Bath (Guna)	01	yes	no	no	no	nil
	Water Bath cum shaker (Neolab)	01	yes	no	no	no	nil
	Whirlpool Fridge	02	yes	no	no	no	nil





**CRITERION IV**


**STOCK VERIFICATION REPORT**

265 liters						
Vaccum pump	01	yes	no	no	no	nil
Vortex mixture	01	yes	no	no	no	nil
Colorimeter(PG Lab)	01	yes	no	no		

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Microbiology Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department




**Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Department of Microbiology****Academic Year: 2019-2020****Name of the Laboratory: UG Microbiology Laboratory****Date of Audit:**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Binocular microscope with illuminator (Olympus)	01	yes	No	No	No	nil
2	Clinical Centrifuge (Remi) (BC)	01	yes	No	No	No	nil
3	Colony counter (Deep Vision)	01	yes	No	No	No	nil
4	Distillation Unit ( Guna)	01	yes	No	No	No	nil
5	Electronic Balance ( Shimadzu)	01	yes	No	No	No	nil
6	Hot air oven (Tempo)	01	yes	No	No	No	nil
7	Hot Plate (Tempo)	01	yes	No	No	No	nil
8	Incubator (Tempo)	01	yes	No	No	No	nil
9	Laminar air flow chamber (Atlantis)	01	yes	No	No	No	nil
10	Ph meter (Eli co Ltd.)	01	yes	No	No	No	nil
11	Samsung Refrigerator	01	yes	No	No	No	nil
12	Spectrophotometer (Systronics)	01	yes	No	No	No	nil
13	Water Bath (Tempo)	01	yes	No	No	No	nil
14	Distillation unit (Borosil)	01	yes	No	No	No	nil
15	Heating mantle	01	yes	No	No	No	nil
16	Colorimeter(BC Lab)	01	yes	No	No	No	nil



**CRITERION IV**

**STOCK VERIFICATION REPORT**





**CAUVERY COLLEGE FOR WOMEN, TRICHY-18  
DEPARTMENT OF INFORMATION TECHNOLOGY  
INTERNET LAB 2019 – 2020**

S. No	NAME OF THE ARTICLE	QUANTITY
1	Air Conditioner	4
2	A/C Stabilizers	4
3	A/C Remote	1
4	Battery (UPS)	26
5	<b>Bureau</b> Steel Bureau (2) Wooden Bureau (2)	4
6	<b>Chairs</b> Steel Chair (85) Rotating Type Chair (8) S Type Chairs (2)	95
7	<b>CD Drives</b> SONY DVD Driver	10
8	<b>CD'S (software)</b> <b>SYSTEM</b> ASUS Motherboard CD's N-Computing <b>PRINTER</b> EPSON M200 Series Canon LBP 2900 EPSON FX2175 <b>SCANNER</b> CANON LIDE 120 Nirmal Suite <b>LCD</b> SANYO SONY <b>SOFTWARE CD's</b> MSDN PACK	80 1 1 1 1 1 3 2 3 38

**CRITERION IV****STOCK VERIFICATION REPORT**

9	<b>Fan</b> Crompton Greaves (4)	4
10	<b>Firewall</b> WATCH GUARD FIREBOX (HARDWARE)	1
11	<b>LAPTOP</b> LENOVO	11
12	<b>LCD'S</b> LCD SONY EPSON Pointer	2 6 3
13	<b>Printer</b> Epson FX 2175 (1) Epson M200 (1) Canon LBP200 (1) <b>Color Printer</b> Epson L405 (1)	4
14	<b>Racks</b> Steel Racks (2) Shoe Racks (1)	3
15	<b>System</b> INTEL Inside Xeon [Server] (1) New System (26) (Windows 7) New System (50) (Windows 8) N-Computing (4) (Windows 7)	81
16	<b>Switches</b> 24 Port (5) 12 Port (1)	6
17	<b>Scanner</b> Canon LIDE 120 ID Card Scanner	1 1
18	<b>Screen With Stand 6X8 (Projector)</b>	1
19	<b>Speakers</b>	2



**CRITERION IV**

**STOCK VERIFICATION REPORT**

20	<b>Tube Lights</b>	40
21	<b>Tables</b>	27
	System Table (24)	
	Writing Table (Steel) - (2) Writing Table (Wooden) - (1)	
22	<b>UPS Frontline</b> 10 KVA UPS (2)	2
23	<b>WHITE BOARD</b>	1

Checked & found to be correct as per the Stock Entries

1. *R...* 30/3/2020

2.

*R...* 30/3/2020

Signature of the H.O.D

*V...*

Signature of the Principal



# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

**Cauvery College For Women(Autonomous), Trichy**

**Report of Physical Stock Verification**

Name of the Department: Computer Science Academic Year: 2019 - 2020

Name of the Laboratory: CS Lab Date of Audit: 30.03.2020

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing Items	Remarks if any
			Working	Serviceable	Condensed		
1	UPS 10KVA	4	4	-	-	-	-
2	Battery	52	52	-	-	-	-
3	Inverter	1	1	-	-	-	-
4	Inverter battery	1	1	-	-	-	-
5	<b>Server</b> PRO-SEDA X3430/2.4GHZ Lenovo Think Server 1550	1 1	1 1	-	-	-	-
6	<b>Node System</b> PRO-CCREI3-210003.1GHZ Corei3322003.30HZ Intel Core i3 8 <sup>th</sup> 8100 Processor 19Inch LCD Monitor Samsung LED18.5 Monitor AOC LED 18.5 Monitor Samsung View Sotic Monitor Lenovo Monitor TVS Key Board Logitech Key Board Lenovo Key Board Logitech Mouse Lenovo Mouse	28 32 64 28 8 24 2 64 52 9 65 61 65	28 32 64 28 8 24 2 64 52 9 65 61 65	-	-	-	-
7	Mouse Pad	126	126	-	-	-	-
8	<b>Printer</b> Epson Fx 890 DMP TVS MSP250-STAR EPSON M100 EPSON M200	3 1 2 1	3 1 2 1	-	-	-	-
8	Ear Phone	59	59	-	-	-	-
9	Speakers	15	15	-	-	-	-
10	CD Drive	2	2	-	-	-	-
11	<b>Chair and Table</b> S - Type Chairs Fiber Chairs System Table Open Table Cupboard Table One Small Steel Table	4 7 48 5 4 1	4 7 48 5 4 1	-	-	-	-
12	<b>Stools</b> Steel Stools Wooden Stools	68 67	68 67	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

13	Wooden Rack						
	Battery Rack	4	4	-	-	-	-
	Shoe Rack	4	4	-	-	-	-
	Open Book Rack	1	1	-	-	-	-
14	Bureau	1	1	-	-	-	-
	Wooden Shelf With Sliding Doors	2	2	-	-	-	-
15	Fire Max	2	2	-	-	-	-
16	Software CD's						
	Epson M100 Series Disc voll.0	2	2	-	-	-	-
	Epson FX890 Printer Drive	3	3	-	-	-	-
	Dmp -Tvs Msp 250 Star Printer	1	1	-	-	-	-
	Canon	1	1	-	-	-	-
17	A/C						
	Toshiba Roof Mount	9	9	-	-	-	-
	Remote	9	9	-	-	-	-
18	LCD Things						
	LCD	1	1	-	-	-	-
	Tripod Stand	3	3	-	-	-	-
	Converter - HDMI to VGA	5	5	-	-	-	-
	Line Filter -3 Socket	5	5	-	-	-	-
	Port Extension Box)						
19	Wall Clock	1	1	-	-	-	-
20	Fan	14	14	-	-	-	-
21	Light						
	Led Light,	42	42	-	-	-	-
	Tube Light	1	1	-	-	-	-
22	Announcement Speaker	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Computer Science Laboratory of P.G & Research Department of Computer Science.

*S. Nagaraj*  
Lab In-charge

*S. S. S. S.*  
Physical Verifier

*S. S. S.*  
Head of the Department

*V. S. S.*



**CAUVERY COLLEGE FOR WOMEN  
DEPARTMENT OF COMPUTER APPLICATIONS  
TRICHY - 18  
CA1, CA2 LAB (2019 - 2020)  
STOCK VERIFICATION**

**Total : 114 Systems (Lab 1 = 57 + Lab 2 = 57)**

S.NO.	NAME OF THE ARTICLE	QUANTITY
1.	Intel Core i5-4440 CPU@3.10GHz	55
2.	Pentium IV processor (XP System)	1
3.	Intel Core i3-2120 3.30 GHz Processor (Lab - 1 - Sili Computers)	25
	Intel Core i3 - 2120 3.30 GHz Processor (Lab - 1- Riveraa Computers)	30
4.	Intel Xeon 5620 Server / 2.4GHZ/12MB (Lab -1 & Lab - 2 Server)	2 (1+1)
5.	Xeon - E3 - 1220 3.10GHZ/8MB (Lab - 1 UNIX Server)	1
6.	19" LED SAMSUNG (Lab - 2), XP 12"	57 (56 + 1)
	AOC 18.5 LED Monitor (Lab -1 Sili Computers)	25
	19" LCD (Lab - 1 Riveraa Computers)	32
7.	Keyboard (104 keys)	
	TVSE Keyboard (Lab - 1 Riveraa Computers)	29
	Logitech Keyboard	26
	Server & Unix Server	1 + 1
	TVSE Keyboard (Lab - 2 Riveraa Computers)	51+5
	Logitech Keyboard (Lab - 2 Riveraa Computers) Server	1
<b>Mouse :</b>		
8.	Logitech (Lab -1 & Lab - 2)	57 + 57
9.	Mouse Pad (Lab -1 & Lab - 2)	57 + 57 + 22 = 135
<b>Printers :</b>		
10.	-Epson FX890 (Lab - 1 & Lab - 2)	4 (2+2)
11.	-HP Laser Jet 1020 Plus	2 (1+1)
12.	-Epson M200 Ink Jet (3 in 1)	1
13.	-HP Scan Jet 3500c	1
<b>CD Drive :</b>		
14.	DVD Writer	5 (2+3)



**CRITERION IV****STOCK VERIFICATION REPORT****MANUALS**

S.NO	NAME OF THE ARTICLE	QUANTITY
1.	Hewlett Packard Quick(Installing the HP CD-Writer Plus)	2
2.	Hewlett Packard User's Guide CD-Writer Plus	2
3.	Monitor Installation Guide for Windows 2000	2
4.	PRakashak Language Software	1
5.	PC Partner	1
6.	Moving to Tally ees 6.3	1
	Tally Reference Guide	1
	Tally Installation Guide	1
7.	HP Scan Jet 2300c or 3500c User Manual	1
8.	Turbo C++ for Borlands(30) User Guide	1
9.	Borland Turbo C++ for Windowa(4.5)	1
10.	Windows Server 2003 Getting Started	1
11.	MS SQL Server 2000 Introduction	1
	MS SQL Server 2000 System Table	1
12.	Visual Studio .Net Academic Student Tools Guide	1
	Visual Studio .Net Academic Student Tools Guide(MSDN)	1
13.	Visual Studio .Net walk through	1
14.	Visual Studio .Net Academic teaching tools guide (MSDN)	1
15.	Adobe Photoshop User guide	1
	Technical Support	1
16.	SONY DVD / CD Record Drive Product information	2
17.	Epson 80 Column Started here	1
18.	Mitsubishi A/C Manual	3
19.	HP Laser Jet 1020 Manual	2
20.	Samsung Quick setup Guide	1+1
21.	Corel Draw graphics suite	1
22.	Microsoft Open License Purchase Order A161250 Confirmation	1
23.	Microsoft License Agreement	1
24.	End User License Agreement	1
25.	Addendum to the Microsoft end User License agreement for Microsoft SQL Server 2000	1
26.	SoundBlaster Speakers SBS20	1
27.	Intel Core i3 Processor (Warranty Card)	1
28.	Amaron Current Battery(Warranty Card)-ML2	10
29.	Exide SMF Battery (2 Years Warranty) – ML1	16

**CRITERION IV****STOCK VERIFICATION REPORT**

30.	Exide SMF Battery (2 Years Warranty) – ML2	16
31.	Epson M200 Manual Warranty	1

**SOFTWARE LIST CD**

S.No.	NAME OF THE CD	QUANTITY
1.	TALLY	2
2.	TALLY 2.11	1
3.	ORACLE	3
4.	MS OFFICE 97	1
5.	MS OFFICE 2000	2
6.	MS VISUAL STUDIO INCLUDING MSDN	9
7.	PRAKHASHAK	1
8.	TURBO C++ SUITE WIN	1
9.	CORAL DRAW SUITE GRAPHICS	5
10.	MS WINDOWS 2003 SERVER	3
11.	WINDOWS XPHOME EDITION	1
12.	MS VISUAL FOXPRO 8.0 PRO	1
13.	MS SERVER SQL – 2000 – 10 CLIENT CD	2
14.	VISUAL STUDIO .NET 2003	5
15.	ADOBE PHOTOSHOP CS	2
16.	MSDN	7
17.	INTEL SERVER DEPLOYEMENT & MANAGEMENT (UNIX SERVER + ML1 + ML2)	3
18.	INTEL EXPRESS INSTALLER	27
19.	INTEL SERVER BOARD S 5500 BC	1
20.	ROCKET RAID 2700 SERIES	1
21.	KASPERSKY INTERNET SECURITY INSTALLATION	1
22.	ORACLE, PHP	2
23.	INTERACTIVE PRODUCT DEMONSTRATION DRIVERS	3
24.	HP CD WRITER PLUS	2

**CRITERION IV****STOCK VERIFICATION REPORT**

25.	NERO SOFTWARE	2
26.	ORACLE DATABASE 11G SOFTWARE	1
27.	ADOBE PRESENTER6 TRIAL	1
28.	ADOBE ACADEMIC SUMMIT 2007	1
29.	C, C++, JAVA & UNIX LAB	1 + 3
30.	WINDOWS UNIX & JAVA MS OFFICE 2000, 2003	2 + 1 + 1 + 1
31.	SPSS 11	1
32.	MICROSOFT VISUAL STUDIO 6.0 SERVICE PACK 3	1
33.	MICROSOFT WINDOWS 2000 SERVICE PACK 4	1
34.	VISUAL STUDIO 2005 PROFESSIONAL DISC	2

**SYSTEM ORIENTED CD'S**

S.No.	NAME OF THE CD	QUANTITY
1.	INTEL SE 440 BX - 2 MOTHER BOARD SOFTWARE & MANUAL	9
2.	INTEL DESKTOP BOARD	10
3.	HP LASER 1020 SERIES	2
4.	HP SCANJET 3500C SERIES	1
5.	EPSON M200 INKJET	1
6.	EPSON 80 COLUMN PRINTER	2
7.	PC PARTNER	1
8.	LOGITECH MOUSE WARE 9.7 & 9.5	2 + 2
9.	SANYO LCD PROJECTOR	2
10.	WINDOWS UNIX LAB (ABEE CD)	1
11.	HEWLETT PACKARD (WEPAGE FILES, SYSTEM SOFTWARE, COLLEGE DAY, VALIKATTI - 2)	5
12.	SYNC MASTER (SAMSUNG CD)	1
13.	LED MONITER DRIVE (AOC)	23
14.	INTEL EXPRESS INSTALLER DH61ZE CLASSIC SERIES	22

**CRITERION IV****STOCK VERIFICATION REPORT**

15.	H81 M – CS ASUS DVD (MONITER CD – LAB 2)	54
16.	SONY SOFTWARE DISC REV7.6.1W	2

**OTHERS CD'S**

S.No.	NAME OF THE CD	QUANTITY
1.	INTERACTIVE (WE BRING THE WORLD TO YOU)	13
2.	CREATIVE VIBRA 128 INSTALLATION	2
3.	ROLL CAGE	2
4.	HALF LIFE	2
5.	MULTILINGUAL OFFICE SUITE (ANKUR)	1
6.	SAXOPHONE & CLARINET (BREEZE)	1
7.	CLASSICAL MUSIC FLUTE	1
8.	SPORTS DAY & CONVOCATION (1998 – 1999)	2 + 1
9.	PATRONS DAY (1999 – 2000)	3
10.	ANNUAL DAY (1997)	1
11.	MUTHAMILVIZHA 2000 & 2001	2 + 1
12.	COLLEGE DAY 2001 AUDIO	1
13.	NEW LAB OPENING 2001	2
14.	SPORTS DAY 2001	1
15.	SAMSUNG PREMIUM CR – R80	2
16.	POCKET RADIO FM	1

V. J. S. S. 20/20

4/13/2020  
4/13/2020



**CAUVERY COLLEGE FOR WOMEN(AUTONOMOUS), TRICHY-18**  
**DEPARTMENT OF COMPUTER APPLICATIONS**  
**ULTRA -TECH LAB**  
**STOCK DETAILS(2019-2020)**

S.No.	NAME OF THE ARTICLE	QUANTITY
1	QUAD(Opteron) CORE DUAL PROCESSOR	1
2	AMD Athelon	60
3	ViewSonic Colour Monitor	55
	Lenovo Monitor	4
	Compaq B191	2
4	Keyboard	
	Logitech Keyboard	52
	TVS Keyboard	1
	Riveraa Keyboard	4
	Lenovo Keyboard	4
<b>Mouse:</b>		
5	Logitech	57
6	Lenovo	4
7	Mouse Pad	60
<b>Printers:</b>		
8	Epson LQ-1150 II	1
9	Epson FX-890	1
10	Epson FX-890 II	1
11	Epson M200 Ink Jet(3 in 1)	1
12	Samsung HP Laser 1640	1
13	HP Scan jet G2410	1
<b>CD Drive:</b>		
14	DVD Writer	2
<b>Switches:</b>		
15	-24 Port Switch	4

**CRITERION IV****STOCK VERIFICATION REPORT**

UPS		
16	UPS 10 KV	1
17	UPS 5 KV	1
18	Battery	30
19	A/C Stabilizer	5
20	A/C Remote	3
21	Air Conditioner	5
22	Battery Rack	2
23	Rotating Fan	5
24	Ceiling Fan	1
25	Shoe Rack	1
26	Rotating Chair	64
27	Clock	1
28	Tube Light	25
29	White board	1
30	Wood Table( with 4 Locks)	1
31	Cupboard(with lock)	2
32	Bureau	1
33	Door Locks	2+1
34	Windows Verticals	4+1
	Windows Screen	4
35	Multimedia Kit(PC's Speaker)	10
36	Notice Board	1
LCD:		
37	SANYO XGA Projector	1
Manual:		
38	Server(TYAN)	1
39	Motherboard Quick Start Guide	59
40	Motherboard user Guide	57
41	EPSON LQ 1150 Manual	1
42	Epson FX-890	1

**CRITERION IV****STOCK VERIFICATION REPORT**

43	Samsung ML-1640 Manual	1
44	UPS Manual	1
45	Exide Power Safe (2 Years Warranty)	10
46	Exide Power Safe Plus (2 Years Warranty)	20

**LIST OF CD'S**

S.No.	NAME OF THE CD	QUANTITY
1	TYAN Server Mother Board CD	1
2	EPSON LQ-1150 II	1
3	EPSON FX-890	1
4	Samsung ML Laser 1640	1
5	HP Scan jet G2410	1
6	Nero 7 Essentials	1
7	Nero 8 Essentials	1
8	Net gear	10
9	Mother Board(Work Station)	
	Intel(Access)	4
	Utility	10
	M2A-MX User Guide	10
	Intel Express Installer	1
10	View Sonic	10
11	RW CD	9
12	Logitech	10
13	Tp-link Resource CD	1
14	SQL 2000 Backup CD	1
15	Staff Details 2k09-2k10	1
16	DIGISOL 300Mbps wireless Adapter	1
17	Maya 2008	1
18	EnGenius	2



CRITERION IV

STOCK VERIFICATION REPORT

19	Simply Compex	2
20	Adobe Reader User Guide	1
21	3DS Max9	1
22	Vista Drivers Inside	1
23	ASUS(Quick Start Guide)	1

*S. S. S. S. S.*  
19/12/2019

*merlin*  
23/1/20

DATE: 19-12-2019 (1:00 PM)

LAB: ULTRA TECH LAB (A3)





**Cauvery College for Women (Autonomous), Trichy**  
**Report of Physical Stock Verification**

**Name of the Department: Physics** **Academic Year: 2019-2020**  
**Name of the Laboratory: PG Laboratory** **Date of Audit: 01.10.2020**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/D.C[0-500microA]	8	8	-	-	-	-
2	Ammeter/D.C[0-30mA]	2	2	-	-	-	-
3	Ammeter/D.C[0-100mA]	7	7	-	-	-	-
4	Ammeter/D.C[0-500mA]	8	8	-	-	-	-
5	Ammeter/D.C[0-3A]	9	9	-	-	-	-
5	Anderson Bridge	4	4	-	-	-	-
6	Audio Frequency Oscillator	19	19	-	-	-	-
7	Audio Frequency Oscillator(adopter)	18	18	-	-	-	-
8	Base/Dry cell[1.5v]	2	2	-	-	-	-
9	Base/Dry cell[4.5v]	14	14	-	-	-	-
10	Base/Transistor	5	5	-	-	-	-
11	Battery Eliminator	10	10	-	-	-	-
12	Battery Eliminator pico	16	16	-	-	-	-
13	Board-ALU Board	7	7	-	-	-	-
14	Board-Analog Input[10kpot]	6	6	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

15	Board-Diodes	3	3	-	-	-	-
16	Board-Encoder Board	2	2	-	-	-	-
17	Board-I/O-10 switches-4LED	1	1	-	-	-	-
18	Board-op-amp	18	18	-	-	-	-
19	Board-Resistor[2.2k]	6	6	-	-	-	-
20	Board-Resistor[1k,2k,10k,100k,0.1	5	5	-	-	-	-
21	Board resistor for op-amp[1k,2k,4k,8k]	6	6	-	-	-	-
22	Board-switch[4]	8	8	-	-	-	-
23	Board-Transistor, Resistor, Diode	8	8	-	-	-	-
24	Board-08 pins[555 timer]	9	9	-	-	-	-
25	Board-14 pins	67	67	-	-	-	-
26	Board-16 pins	28	28	-	-	-	-
27	Board-20 pins	6	6	-	-	-	-
28	Board-24 pins	5	5	-	-	-	-
29	Board-4 LED	1	1	-	-	-	-
30	Board-4 LED Display,1k,10k	4	4	-	-	-	-
31	Board-7 segment Display	12	12	-	-	-	-
32	Board-74154	5	5	-	-	-	-
33	Carey Foster Bridge	3	3	-	-	-	-
34	Capacitor Box-1Dial[0.1microF]	5	5	-	3	-	-
35	Capacitor Box-2Dial[0.01microF,0.1microF]	13	13	-	-	-	-
36	CapacitorBox-4Dial-0.001microF,0.01microF,0.1microF,1microF	2	2	-	-	-	-



CRITERION IV

STOCK VERIFICATION REPORT

37	Clamps/Condenser type	5	5	-	-	-	-
38	Clamps/Fisher type	9	9	-	-	-	-
39	Comparator for spectrum photograph	2	2	-	-	-	-
40	Computer	7	7	-	-	-	-
41	Constant deviation spectrometer	1	1	-	-	-	-
42	Constant temperature bath	1	1	-	-	-	-
43	C.R.O [single channel]	6	6	-	-	-	-
44	C.R.O Adopter	3	3	-	-	-	-
45	Daniel cell substitute	3	3	-	-	-	-
46	Digital IC tester	1	1	-	-	-	-
47	Digital stop clock[seconds display]	8	8	-	-	-	-
48	Dimmerstat [4A]	5	5	-	-	-	-
49	ESR spectrometer	2	2	-	-	-	-
50	e/m Magnetron Apparatus	3	3	-	-	-	-
51	Electromagnet with power supply service	2	2	-	-	-	-
52	Electronic Balance	1	1	-	-	-	-
53	Enlarger	1	1	-	-	-	-
54	FET meter	5	5	-	-	-	-
55	Forbes apparatus	2	2	-	-	-	-
56	Four probe apparatus	3	3	-	-	-	-
57	Gauss meter	4	4	-	-	-	-
58	Guoy Balance	1	1	-	-	-	-
59	Germanium sample	3	3	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

60	Hall probe	6	6	-	-	-	-
61	Hall set up apparatus	5	5	-	-	-	-
62	Hand Grindler for metallic rods	1	1	-	-	-	-
63	Hanger/50gm	8	8	-	-	-	-
64	Hanger/100g	5	5	-	-	-	-
65	High resistance[10k]	7	7	-	-	-	-
66	Jockey	11	11	-	-	-	-
67	Key[rocker]	4	4	-	-	-	-
68	Knife edge	4 sets	4 sets	-	-	-	-
69	Lechlanche cell	8	8	-	-	-	-
70	Logic module-6 switches	4	4	-	-	-	-
71	Logic module-12 switches	6	6	-	-	-	-
72	Logic module-16 switches	20	20	-	-	-	-
73	Magnetic stirrer with hot plate	2	2	-	-	-	-
74	Mercury vapour lamp-transformer setup	3	3	-	-	-	-
75	Metallic arc power supply	2	2	-	-	-	-
76	Meter bridge	3	3	-	-	-	-
77	Michelsons Interferometer	1	1	-	-	-	-
78	Microprocessor Interfaces Cables	14	14	-	-	-	-
79	Microprocessor Interfaces power pack	42	42	-	-	-	-
80	Microprocessor kit	40	40	-	-	-	-
81	Microscope-xy	3	3	-	-	-	-
82	Multimeter[analog]	1	1	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**


83	Multimeter[digital]	25	25	-	-	-	-
84	Pulse code modulation and modulation kit	1	1	-	-	-	-
85	Polarimeter set up	3	3	-	-	-	-
86	Potentiometer	-	-	-	-	-	-
87	Power supply[5v]	4	4	-	-	-	-
88	Power supply[30v,2A]	4	4	-	-	-	-
89	Power supply[30v,25A] Dual regulator [30v,1A]	3	3	-	-	-	-
90	Power supply[dual] 30v,100mA.&5v,100Ma	3	3	-	-	-	-
91	Power supply dual[30v,1A.&5v,0.1A]	3	3	-	-	-	-
92	Power supply for B,H curve-Anchor ring	2	2	-	-	-	-
93	Inductance 18MH	1	1	-	-	-	-
94	Power supply for full effect	2	2	-	-	-	-
95	Power supply for hydrogen discharge tube	2	2	-	-	-	-
96	Power supply and mount for hydrogen tube	2	1	-	1	-	-
97	Printer	1	1	-	-	-	-
98	Pulser	16	16	-	-	-	-
99	Quinke's stand	4	4	-	-	-	-
100	Resistance Box-2 Dial[0.01,0.1]	5	5	-	-	-	-
101	Resistance Box-2 Dial[1,10]	5	5	-	-	-	-
102	Resistance Box-4 Dial[0.1,1,10,100]	2	2	-	-	-	-
103	Resistance Box-4 Dial[1,10,100,1000]	22	22	-	-	-	-
104	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-


**CRITERION IV****STOCK VERIFICATION REPORT**

105	Rheostat[30ohm,4A,2.3ohm,2.8m]	4	4	-	-	-	-
106	Rheostat[3600ohm,0.3A]	2	2	-	-	-	-
107	Sodium vapour lamp-Transformer setup	5	5	-	-	-	-
108	Solenoid inductance e/m	2	2	-	-	-	-
109	Spectrometer	8	8	-	-	-	-
110	Spot galvanometer	1	1	-	-	-	-
111	Stabilizer	1	1	-	-	-	-
112	Stand[circular base]	5	5	-	-	-	-
113	Stand[square base]	5	5	-	-	-	-
114	Stop clock	5	5	-	-	-	-
115	Stop watch[digital]	5	5	-	-	-	-
116	Telescope	4	4	-	-	-	-
117	Travelling microscope	6	6	-	-	-	-
118	Vernier caliper	14	14	-	-	-	-
119	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
120	Voltmeter/D.C[0-3V]	17	17	-	-	-	-
121	Voltmeter/D.C[0-10V]	14	14	-	-	-	-
122	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
123	Series transmission 8251 with cable	2	2	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in PG Laboratory of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT****Cauvery College for Women (Autonomous), Trichy****Report of Physical Stock Verification****Name of the Department: Physics****Academic Year: 2019-2020****Name of the Laboratory: UG Laboratory 1& 2****Date of Audit: 01.10.2020**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	Ammeter/A.C[0-25mA]	10	10	-	-	-	-
2	Ammeter/A.C[0-15mA]	4	4	-	-	-	-
3	Ammeter/D.C[0-500microA]	18	18	-	-	-	-
4	Ammeter/D.C[0-25mA]	2	2	-	-	-	-
5	Ammeter/D.C[0-100mA]	30	30	-	-	-	-
5	Ammeter/D.C[0-500mA]	25	25	-	-	-	-
6	Ammeter/D.C[0-3A]	19	19	-	-	-	-
7	Audio Frequency Oscillator	12	12	-	-	-	-
8	Audio Frequency Oscillator(adopter)	17	17	-	-	-	-
9	Ballistic Galvanometer	1	1	-	-	-	-
10	Base/Dry cell[1.5v]	10	10	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

11	Base/Transistor	23	23	-	-	-	-
12	Battery Charger	1	1	-	-	-	-
13	Battery Eliminator	31	31	-	-	-	-
14	Battery Eliminator pic	36	36	-	-	-	-
15	Board-Analog Input[4.7kpot]	8	8	-	-	-	-
16	Board-I/O-12 switches	5	5	-	-	-	-
17	Board-op-amp	10	10	-	-	-	-
18	Board-Resistor[2.2k]						
19	Board-Resistor[1k,2k,10k,100k,0.01]	4	4	-	-	-	-
20	Board-switch[4]	6	6	-	-	-	-
21	Board-14 pins	79	79	-	-	-	-
22	Board-16 pins	68	68	-	-	-	-
23	Carey Foster Bridge	7	7	-	-	-	-
24	Calculator	1	1	-	-	-	-
25	Camera	1	1	-	-	-	-
26	Capacitor Box-1Dial[0.01microF]	9	9	-	-	-	-
27	Capacitor Box-1Dial[1microF]	8	8	-	-	-	-
28	Capacitor Box-2Dial[0.01microF,0.1microF]	11	11	2	-	-	-
29	Choke	7	7	-	-	-	-
30	Chuk	2	2	-	-	-	-



**CRITERION IV****STOCK VERIFICATION REPORT**

31	Clamps/Cantilever	14	14	-	-	-	-
32	Clamps/Fisher type	16	16	-	-	-	-
33	Clamps/Meldes	3	3	-	-	-	-
34	Clips/pinch type	14	14	-	-	-	-
35	Clips/screw type	10	10	-	-	-	-
36	Compound Pendulum	6	6	-	-	-	-
37	C.R.O [Double channel]	8	8	-	-	-	-
38	C.R.O Adopter	4	4	-	-	-	-
39	Daniel cell substitute	12					
40	Deflection magnetometer	14	14	-	-	-	-
41	Electromagnet melder's	4	4	-	-	-	-
42	Field along the axis apparatus	6	6	-	-	-	-
43	Galvanometer[30-0.30]/D.C	26	26	-	-	-	-
44	Hanger/50gm	5	5	-	-	-	-
45	Hanger/100g	16	16	-	-	-	-
46	Hanger/500g	8	8	-	-	-	-
47	High resistane[10k]	31	31	-	-	-	-
48	Induction Coil[0-500 turns]	11	11	-	-	-	-
49	Induction Coil[0-1450 turns]	9	9	-	-	-	-
50	Jockey	32	32	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

51	Joule's Callorimeter	4	4	-	-	-	-
52	Key[4 segment]	11	11	-	-	-	-
53	Key[charge discharge]	11	11	-	-	-	-
54	Key[commutator]	17	17	-	-	-	-
55	Key[DPDT]	10	10	-	-	-	-
56	Key[plug]	29	29	-	-	-	-
57	Knife edge	10 sets	10 sets	-	-	-	-
58	Knife edge-sonometer	6 sets	6 sets	-	-	-	-
59	Lamp and scale arrangement for B.G	2	2	-	-	-	-
60	Lechlanche cell	14	14	-	-	-	-
61	Lee's disc setup	1	1	-	-	-	-
62	Lens Holder/single	14	14	-	-	-	-
63	Lens Holder/double	6	6	-	-	-	-
64	Light source	7	7	-	-	-	-
65	Logic module-6 switches	8	8	-	-	-	-
66	Logic module-12 switches	7	7	-	-	-	-
67	Logic module-16 switches	11	11	-	-	-	-
68	Loud speaker	4	4	-	-	-	-
69	Magnetic stirrer with hot plate	1	1	-	-	-	-
70	Main switch	1	1	-	-	-	-
71	Melde's apparatus	7	7	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

72	Mercury vapour lamp-transformer setup	4	4	-	-	-	-
73	Meter bridge	4	4	-	-	-	-
74	Microprocessor kit	20	20	-	-	-	-
75	Microscope(or) Travelling microscope	13	13	-	-	-	-
76	Multimeter[digital]/ma stech	2	-	2	-	-	-
77	Multimeter[digital]/ME CO	40	40	-	-	-	-
78	Multimeter[digital]/phil ips	2	2	-	-	-	-
79	Extension box 3m[A]	2	2	-	-	-	-
80	Extension box 5m[B] Power pack for microprocessor	1	1	-	-	-	-
81	Pan for Melde's experiment	3	3	-	-	-	-
82	Post office box	7	7	-	-	-	-
83	Potentiometer	12	12	-	-	-	-
84	Power supply[5v]	11	11	-	-	-	-
85	Resistance Box-1 Dial[0.01]	5	5	-	-	-	-
86	Resistance Box-1 Dial[0.1]	5	5	-	-	-	-
87	Resistance Box-1 Dial[1]	8	8	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

88	Resistance Box-2 Dial[0.01,0.1]	10	10	-	-	-	-
89	Resistance Box-2 Dial[0.1,1]	5	5	-	-	-	-
90	Resistance Box-2 Dial[1,10]	18	18	-	-	-	-
91	Resistance Box-4 Dial[0.1,1,10,100]	3	3	-	-	-	-
92	Resistance Box-4 Dial[1,10,100,1000]	18	18	-	-	-	-
93	Resistance Box-5 Dial[0.1,1,10,100,1k]	3	3	-	-	-	-
94	Resistance Box-5 Dial[1,10,100,1k,10k]	15	15	-	-	-	-
95	Rheostat[30ohm,4A,2.3 ohm,2.8m]	8	8	-	-	-	-
96	Rheostat[3600ohm,0.3 A]	9	9	-	-	-	-
97	Rough Balance	2	2	-	-	-	-
98	Screw gauge	18	18	-	-	-	-
99	Sodium vapour lamp- Transformer setup	4	4	-	-	-	-
100	Sonometer	8	8	-	-	-	-
101	Spectrometer	8	8	-	-	-	-
102	Spherical calorimeter	18	18	-	-	-	-
103	Stand[circular base]	6	6	-	-	-	-
104	Stand[square base]	11	11	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

105	Standard capacitance[0.1microF	2	2	-	-	-	-
106	Standard capacitance-0.5microF	1	1	-	-	-	-
107	Standard capacitance[1microF]	4	4	-	-	-	-
108	Standard capacitance[5microF]	3	3	-	-	-	-
109	Standard resistance[1ohm]	20	20	-	-	-	-
110	Static torsion apparatus	5	5	-	-	-	-
111	Steam boiler	1	1	-	-	-	-
112	Stop clock	8	8	-	-	-	-
113	Stop watch[digital]	8	8	-	-	-	-
114	Stop watch[mechanical]	2	2	-	-	-	-
115	Telescope	15	15	-	-	-	-
116	Torsional pendulum	4	4	-	-	-	-
117	Travelling microscope	13	13	-	-	-	-
118	Tuning fork[288Hz]	2	2	-	-	-	-
119	Tuning fork[320Hz]	2	2	-	-	-	-
120	Tuning fork[341Hz]	3	3	-	-	-	-
121	Tuning fork[384Hz]	9	9	-	-	-	-
122	Tuning fork[426Hz]	10	10	-	-	-	-
123	Tuning fork[480Hz]	10	10	-	-	-	-
124	Tuning fork[512Hz]	11	11	-	-	-	-

**CRITERION IV****STOCK VERIFICATION REPORT**

125	Ultrasonic interferometer	1	1	-	-	-	-
126	UJT-base board	4	4	-	-	-	-
127	Vernier caliper	13	13	-	-	-	-
128	Vibration magnetometer	4	4	-	-	-	-
129	Voltmeter/A.C[0-5V]	1	1	-	-	-	-
130	Voltmeter/A.C[0-30V]	4	4	-	-	-	-
131	Voltmeter/D.C[0-600mV]	1	1	-	-	-	-
132	Voltmeter/D.C[0-1000mV]	5	5	-	-	-	-
133	Voltmeter/D.C[0-3V]	24	24	-	-	-	-
134	Voltmeter/D.C[0-5V]	4	4	-	-	-	-
135	Voltmeter/D.C[0-6v]	1	1	-	-	-	-
136	Voltmeter/D.C[0-10V]	18	18	-	-	-	-
137	Voltmeter/D.C[0-25V]	4	4	-	-	-	-
138	Voltmeter/D.C[0-30V]	4	4	-	-	-	-
139	Voltmeter/D.C[0-50V]	5	5	-	-	-	-
140	M&H apparatus	4	4	-	-	-	-
141	Weight box[mg]	3	3	-	-	-	-
142	Weight box	11	11	-	-	-	-
143	Wooden block	4	4	-	-	-	-
144	Weights[cylindrical]	7 sets	7 sets	-	-	-	-
145	Wooden screen with wire Gauze	2	2	-	-	-	-




CRITERION IV


STOCK VERIFICATION REPORT

146	Wooden screen for lens experiment	7	7	-	-	-	-
147	Work bench[voltmeter(0-15V),Bread board]	3	3	-	-	-	-
148	Resistance box-4 Dial-0.01,0.1,1,10ohm	6	6	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in UG Laboratory 1 & 2 of Physics Department.

  
Lab In-charge

  
Physical Verifier

  
Head of the Department

**CRITERION IV****STOCK VERIFICATION REPORT**

**Cauvery College For Women(Autonomous), Trichy**  
**Report of Physical Stock Verification**

**Name of the Department: Computer Science** **Academic Year:2019 - 2020**  
**Name of the Laboratory: CS Lab** **Date of Audit: 30.03.2020**

S.No	Name and Description of the items	As per Stock Register in Quantity	Physically available Quantity			Number of Missing items	Remarks if any
			Working	Serviceable	Condemned		
1	UPS 10KVA	4	4	-	-	-	-
2	Battery	52	52	-	-	-	-
3	Inverter	1	1	-	-	-	-
4	Inverter battery	1	1	-	-	-	-
5	<b>Server</b> PRO-SEDA X3430/2.4GHZ Lenovo Think Server 1550	1 1	1 1	- -	- -	- -	- -
6	<b>Node System</b> PRO-CCREi3-210003.1GHZ Corei3322003,30HZ Intel Core i3 8 <sup>th</sup> 8100 Processor 19Inch LCD Monitor Samsung LED18.5 Monitor ADC LED 18.5 Monitor Samsung View Sonic Monitor Lenovo Monitor TVS Key Board Logitech Key Board Lenovo Key Board Logitech Mouse Lenovo Mouse	28 32 64 28 8 24 2 64 52 9 65 61 65	28 32 64 28 8 24 2 64 52 9 65 61 65	- - - - - - - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - - - - - - - -	- - - - - - - - - - - - - -
7	Mouse Pad	126	126	-	-	-	-
8	<b>Printer</b> Epson Fx 890 DMP TVS MSP250-STAR EPSON M100 EPSON M200	3 1 2 1	3 1 2 1	- - - -	- - - -	- - - -	- - - -
8	Ear Phone	59	59	-	-	-	-
9	Speakers	15	15	-	-	-	-
10	CD Drive	2	2	-	-	-	-
11	<b>Chair and Table</b> S - Type Chairs Fiber Chairs System Table Open Table Cupboard Table One Small Steel Table	4 7 48 5 4 1	4 7 48 5 4 1	- - - - - -	- - - - - -	- - - - - -	- - - - - -
12	<b>Stools</b> Steel Stools Wooden Stools	68 67	68 67	- -	- -	- -	- -





# CAUVERY COLLEGE FOR WOMEN (AUTONOMOUS)

NAAC Accreditation III Cycle : A Grade (CGPA 3.41 out of 4)

Tiruchirappalli - 620018, Tamil Nadu, India

NAAC - Cycle IV SSR

## CRITERION IV

## STOCK VERIFICATION REPORT

13	<b>Wooden Rack</b>						
	Battery Rack	4	4	-	-	-	-
	Shoe Rack	4	4	-	-	-	-
	Open Book Rack	1	1	-	-	-	-
14	<b>Bureau</b>	1	1	-	-	-	-
	Wooden Shelf With Sliding Doors	2	2	-	-	-	-
15	<b>Fire Max</b>	2	2	-	-	-	-
16	<b>Software CD's</b>						
	Epson M100 Series Disc vol1.0	2	2	-	-	-	-
	Epson FX890 Printer Drive	3	3	-	-	-	-
	Dmp -Tvs Msp 250 Star Printer	1	1	-	-	-	-
	Canon	1	1	-	-	-	-
17	<b>A/C</b>						
	Toshiba Roof Mount	9	9	-	-	-	-
	Remote	9	9	-	-	-	-
18	<b>LCD Things</b>						
	LCD	1	1	-	-	-	-
	Tripod Stand	3	3	-	-	-	-
	Converter - HIDMIT to VGA	5	5	-	-	-	-
	Line Filter -3 Socket	5	5	-	-	-	-
	Por(Extension Box)						
19	<b>Wall Clock</b>	1	1	-	-	-	-
20	<b>Fan</b>	14	14	-	-	-	-
21	<b>Light</b>						
	Led Light	42	42	-	-	-	-
	Tube Light	1	1	-	-	-	-
22	<b>Announcement Speaker</b>	1	1	-	-	-	-

Certified that the physical verification as per all stock registers indicated above has been carried out by us. Except the missing items reported above, all other items are physically present in Computer Science Laboratory of P.G & Research Department of Computer Science.

*S. Nagaraj*  
Lab In-charge

*S. S. S. S.*  
Physical Verifier

*S. S. S.*  
Head of the Department

*V. Vijitha*